

```
Last login: Mon Oct 19 10:00:30 on ttys000
imac-de-rafa-y-maria-bardisa-quintero:~ rafaymaria$ cd synfig
imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ cd synfig
imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ export PKG_CONFIG_PATH=
/opt/synfig/lib/pkgconfig
imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ export PATH=/opt/synfig
/bin:$PATH
imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ autoreconf --install --
force
Copying file libltdl/config/config.rpath
glibtoolize: putting auxiliary files in AC_CONFIG_AUX_DIR, `config'.
glibtoolize: copying file `./config/compile'
glibtoolize: copying file `./config/config.guess'
glibtoolize: copying file `./config/config.sub'
glibtoolize: copying file `./config/depcomp'
glibtoolize: copying file `./config/install-sh'
glibtoolize: copying file `./config/missing'
glibtoolize: copying file `./config/ltmain.sh'
glibtoolize: putting macros in AC_CONFIG_MACRO_DIR, `m4'.
glibtoolize: copying file `m4/argz.m4'
glibtoolize: copying file `m4/libtool.m4'
glibtoolize: copying file `m4/ltldl.m4'
glibtoolize: copying file `m4/ltoptions.m4'
glibtoolize: copying file `m4/ltugar.m4'
glibtoolize: copying file `m4/ltversion.m4'
glibtoolize: copying file `m4/lt~obsolete.m4'
glibtoolize: putting libltdl files in LT_CONFIG_LTDL_DIR, `.'.
glibtoolize: copying file `./COPYING.LIB'
glibtoolize: copying file `./README'
glibtoolize: copying file `./Makefile.am'
glibtoolize: copying file `./configure.ac'
glibtoolize: copying file `./aclocal.m4'
glibtoolize: copying file `./Makefile.in'
glibtoolize: copying file `./config-h.in'
glibtoolize: copying file `./configure'
glibtoolize: copying file `./argz_.h'
glibtoolize: copying file `./argz.c'
glibtoolize: copying file `./loaders/dld_link.c'
glibtoolize: copying file `./loaders/dlopen.c'
glibtoolize: copying file `./loaders/dyld.c'
glibtoolize: copying file `./loaders/load_add_on.c'
glibtoolize: copying file `./loaders/loadlibrary.c'
glibtoolize: copying file `./loaders/shl_load.c'
glibtoolize: copying file `./lt__dirent.c'
glibtoolize: copying file `./lt__strl.c'
glibtoolize: copying file `./libltdl/lt__alloc.h'
glibtoolize: copying file `./libltdl/lt__dirent.h'
glibtoolize: copying file `./libltdl/lt__glibc.h'
glibtoolize: copying file `./libltdl/lt__private.h'
glibtoolize: copying file `./libltdl/lt__strl.h'
```

```
glibtoolize: copying file `./libltdl/lt_dlloader.h'
glibtoolize: copying file `./libltdl/lt_error.h'
glibtoolize: copying file `./libltdl/lt_system.h'
glibtoolize: copying file `./libltdl/slist.h'
glibtoolize: copying file `./loaders/preopen.c'
glibtoolize: copying file `./lt__alloc.c'
glibtoolize: copying file `./lt_dlloader.c'
glibtoolize: copying file `./lt_error.c'
glibtoolize: copying file `./ltdl.c'
glibtoolize: copying file `./ltdl.h'
glibtoolize: copying file `./slist.c'
glibtoolize: Remember to add `LTDL_INIT' to configure.ac.
glibtoolize: AC_CONFIG_MACRO_DIR([libltdl/m4]) conflicts with ACLOCAL_AMFLAGS=-I
m4.
autoreconf: glibtoolize failed with exit status: 1
imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ autoreconf --install --
force
configure.ac:45: warning: AC_COMPILE_IFELSE was called before AC_USE_SYSTEM_EXTEN
SIONS
.././lib/autoconf/specific.m4:386: AC_USE_SYSTEM_EXTENSIONS is expanded from...
.././lib/autoconf/specific.m4:332: AC_GNU_SOURCE is expanded from...
configure.ac:45: the top level
configure.ac:45: warning: AC_RUN_IFELSE was called before AC_USE_SYSTEM_EXTENSIO
NS
configure.ac:95: warning: LTDL_INIT was called before LT_INIT
m4/libtool.m4:67: LT_INIT is expanded from...
m4/libtool.m4:102: AC_PROG_LIBTOOL is expanded from...
configure.ac:95: the top level
configure.ac:45: warning: AC_COMPILE_IFELSE was called before AC_USE_SYSTEM_EXTEN
SIONS
.././lib/autoconf/specific.m4:386: AC_USE_SYSTEM_EXTENSIONS is expanded from...
.././lib/autoconf/specific.m4:332: AC_GNU_SOURCE is expanded from...
configure.ac:45: the top level
configure.ac:45: warning: AC_RUN_IFELSE was called before AC_USE_SYSTEM_EXTENSIO
NS
configure.ac:95: warning: LTDL_INIT was called before LT_INIT
m4/libtool.m4:67: LT_INIT is expanded from...
m4/libtool.m4:102: AC_PROG_LIBTOOL is expanded from...
configure.ac:95: the top level
glibtoolize: putting auxiliary files in AC_CONFIG_AUX_DIR, `config'.
glibtoolize: copying file `./config/compile'
glibtoolize: copying file `./config/config.guess'
glibtoolize: copying file `./config/config.sub'
glibtoolize: copying file `./config/depcomp'
glibtoolize: copying file `./config/install-sh'
glibtoolize: copying file `./config/missing'
glibtoolize: copying file `./config/ltmain.sh'
glibtoolize: putting macros in AC_CONFIG_MACRO_DIR, `m4'.
glibtoolize: copying file `m4/argz.m4'
glibtoolize: copying file `m4/libtool.m4'
```

glibtoolize: copying file `m4/ltld.m4'
glibtoolize: copying file `m4/ltoptions.m4'
glibtoolize: copying file `m4/ltugar.m4'
glibtoolize: copying file `m4/ltversion.m4'
glibtoolize: copying file `m4/lt~obsolete.m4'
glibtoolize: putting libltdl files in LT_CONFIG_LTDL_DIR, `.'. .
glibtoolize: copying file `./COPYING.LIB'
glibtoolize: copying file `./README'
glibtoolize: copying file `./Makefile.am'
glibtoolize: copying file `./configure.ac'
glibtoolize: copying file `./aclocal.m4'
glibtoolize: copying file `./Makefile.in'
glibtoolize: copying file `./config-h.in'
glibtoolize: copying file `./configure'
glibtoolize: copying file `./argz.h'
glibtoolize: copying file `./argz.c'
glibtoolize: copying file `./loaders/dld_link.c'
glibtoolize: copying file `./loaders/dlopen.c'
glibtoolize: copying file `./loaders/dyld.c'
glibtoolize: copying file `./loaders/load_add_on.c'
glibtoolize: copying file `./loaders/loadlibrary.c'
glibtoolize: copying file `./loaders/shl_load.c'
glibtoolize: copying file `./lt__dirent.c'
glibtoolize: copying file `./lt__strl.c'
glibtoolize: copying file `./libltdl/lt__alloc.h'
glibtoolize: copying file `./libltdl/lt__dirent.h'
glibtoolize: copying file `./libltdl/lt__glibc.h'
glibtoolize: copying file `./libltdl/lt__private.h'
glibtoolize: copying file `./libltdl/lt__strl.h'
glibtoolize: copying file `./libltdl/lt_dlloader.h'
glibtoolize: copying file `./libltdl/lt_error.h'
glibtoolize: copying file `./libltdl/lt_system.h'
glibtoolize: copying file `./libltdl/slist.h'
glibtoolize: copying file `./loaders/preopen.c'
glibtoolize: copying file `./lt__alloc.c'
glibtoolize: copying file `./lt_dlloader.c'
glibtoolize: copying file `./lt_error.c'
glibtoolize: copying file `./ltdl.c'
glibtoolize: copying file `./ltdl.h'
glibtoolize: copying file `./slist.c'
glibtoolize: Remember to add `LTDL_INIT' to configure.ac.
glibtoolize: putting auxiliary files in AC_CONFIG_AUX_DIR, `config'.
glibtoolize: copying file `config/ltmain.sh'
glibtoolize: putting auxiliary files in `config'.
glibtoolize: copying file `libltdl/config/compile'
glibtoolize: copying file `libltdl/config/config.guess'
glibtoolize: copying file `libltdl/config/config.sub'
glibtoolize: copying file `libltdl/config/depcomp'
glibtoolize: copying file `libltdl/config/install-sh'
glibtoolize: copying file `libltdl/config/missing'

glibtoolize: copying file `libltdl/config/ltmain.sh'
glibtoolize: putting macros in `m4'.
glibtoolize: copying file `m4/argz.m4'
glibtoolize: copying file `m4/libtool.m4'
glibtoolize: copying file `m4/ltdl.m4'
glibtoolize: copying file `m4/ltoptions.m4'
glibtoolize: copying file `m4/ltsugar.m4'
glibtoolize: copying file `m4/ltversion.m4'
glibtoolize: copying file `m4/lt~obsolete.m4'
glibtoolize: putting macros in `libltdl/m4'.
glibtoolize: copying file `libltdl/m4/argz.m4'
glibtoolize: copying file `libltdl/m4/libtool.m4'
glibtoolize: copying file `libltdl/m4/ltdl.m4'
glibtoolize: copying file `libltdl/m4/ltoptions.m4'
glibtoolize: copying file `libltdl/m4/ltsugar.m4'
glibtoolize: copying file `libltdl/m4/ltversion.m4'
glibtoolize: copying file `libltdl/m4/lt~obsolete.m4'
glibtoolize: putting libltdl files in LT_CONFIG_LTDL_DIR, `libltdl'.
glibtoolize: copying file `libltdl/COPYING.LIB'
glibtoolize: copying file `libltdl/README'
glibtoolize: copying file `libltdl/Makefile.am'
glibtoolize: copying file `libltdl/configure.ac'
glibtoolize: copying file `libltdl/aclocal.m4'
glibtoolize: copying file `libltdl/Makefile.in'
glibtoolize: copying file `libltdl/config-h.in'
glibtoolize: copying file `libltdl/configure'
glibtoolize: copying file `libltdl/argz_.h'
glibtoolize: copying file `libltdl/argz.c'
glibtoolize: copying file `libltdl/loaders/dld_link.c'
glibtoolize: copying file `libltdl/loaders/dlopen.c'
glibtoolize: copying file `libltdl/loaders/dyld.c'
glibtoolize: copying file `libltdl/loaders/load_add_on.c'
glibtoolize: copying file `libltdl/loaders/loadlibrary.c'
glibtoolize: copying file `libltdl/loaders/shl_load.c'
glibtoolize: copying file `libltdl/lt__dirent.c'
glibtoolize: copying file `libltdl/lt__strl.c'
glibtoolize: copying file `libltdl/libltdl/lt__alloc.h'
glibtoolize: copying file `libltdl/libltdl/lt__dirent.h'
glibtoolize: copying file `libltdl/libltdl/lt__glibc.h'
glibtoolize: copying file `libltdl/libltdl/lt__private.h'
glibtoolize: copying file `libltdl/libltdl/lt__strl.h'
glibtoolize: copying file `libltdl/libltdl/lt_dlloader.h'
glibtoolize: copying file `libltdl/libltdl/lt_error.h'
glibtoolize: copying file `libltdl/libltdl/lt_system.h'
glibtoolize: copying file `libltdl/libltdl/slist.h'
glibtoolize: copying file `libltdl/loaders/preopen.c'
glibtoolize: copying file `libltdl/lt__alloc.c'
glibtoolize: copying file `libltdl/lt_dlloader.c'
glibtoolize: copying file `libltdl/lt_error.c'
glibtoolize: copying file `libltdl/ltdl.c'

```
glibtoolize: copying file `libltdl/ltdl.h'
glibtoolize: copying file `libltdl/slist.c'
glibtoolize: Consider using `AC_CONFIG_AUX_DIR([libltdl/config])' in configure.a
c.
glibtoolize: Consider using `AC_CONFIG_MACRO_DIR([libltdl/m4])' in configure.ac.
configure.ac:45: warning: AC_COMPILE_IFELSE was called before AC_USE_SYSTEM_EXTE
NSIONS
../lib/autoconf/specific.m4:386: AC_USE_SYSTEM_EXTENSIONS is expanded from...
../lib/autoconf/specific.m4:332: AC_GNU_SOURCE is expanded from...
configure.ac:45: the top level
configure.ac:45: warning: AC_RUN_IFELSE was called before AC_USE_SYSTEM_EXTENSIO
NS
configure.ac:95: warning: LTDL_INIT was called before LT_INIT
m4/libtool.m4:67: LT_INIT is expanded from...
m4/libtool.m4:102: AC_PROG_LIBTOOL is expanded from...
configure.ac:95: the top level
configure.ac:45: warning: AC_COMPILE_IFELSE was called before AC_USE_SYSTEM_EXTE
NSIONS
../lib/autoconf/specific.m4:386: AC_USE_SYSTEM_EXTENSIONS is expanded from...
../lib/autoconf/specific.m4:332: AC_GNU_SOURCE is expanded from...
configure.ac:45: the top level
configure.ac:45: warning: AC_RUN_IFELSE was called before AC_USE_SYSTEM_EXTENSIO
NS
configure.ac:95: warning: LTDL_INIT was called before LT_INIT
m4/libtool.m4:67: LT_INIT is expanded from...
m4/libtool.m4:102: AC_PROG_LIBTOOL is expanded from...
configure.ac:95: the top level
configure.ac:45: warning: AC_COMPILE_IFELSE was called before AC_USE_SYSTEM_EXTE
NSIONS
../lib/autoconf/specific.m4:386: AC_USE_SYSTEM_EXTENSIONS is expanded from...
../lib/autoconf/specific.m4:332: AC_GNU_SOURCE is expanded from...
configure.ac:45: the top level
configure.ac:45: warning: AC_RUN_IFELSE was called before AC_USE_SYSTEM_EXTENSIO
NS
configure.ac:95: warning: LTDL_INIT was called before LT_INIT
m4/libtool.m4:67: LT_INIT is expanded from...
m4/libtool.m4:102: AC_PROG_LIBTOOL is expanded from...
configure.ac:95: the top level
configure.ac:45: warning: AC_COMPILE_IFELSE was called before AC_USE_SYSTEM_EXTE
NSIONS
../lib/autoconf/specific.m4:386: AC_USE_SYSTEM_EXTENSIONS is expanded from...
../lib/autoconf/specific.m4:332: AC_GNU_SOURCE is expanded from...
configure.ac:45: the top level
configure.ac:45: warning: AC_RUN_IFELSE was called before AC_USE_SYSTEM_EXTENSIO
NS
configure.ac:95: warning: LTDL_INIT was called before LT_INIT
m4/libtool.m4:67: LT_INIT is expanded from...
m4/libtool.m4:102: AC_PROG_LIBTOOL is expanded from...
configure.ac:95: the top level
Makefile.am:100: shell find $(top_srcdir: non-POSIX variable name
```

```
Makefile.am:100: (probably a GNU make extension)
Makefile.am:102: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:102: (probably a GNU make extension)
Makefile.am:112: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:112: (probably a GNU make extension)
Makefile.am:119: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:119: (probably a GNU make extension)
Makefile.am:126: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:126: (probably a GNU make extension)
Makefile.am:133: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:133: (probably a GNU make extension)
Makefile.am:140: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:140: (probably a GNU make extension)
imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ autoreconf --install --
force
glibtoolize: putting auxiliary files in AC_CONFIG_AUX_DIR, `config'.
glibtoolize: copying file `./config/compile'
glibtoolize: copying file `./config/config.guess'
glibtoolize: copying file `./config/config.sub'
glibtoolize: copying file `./config/depcomp'
glibtoolize: copying file `./config/install-sh'
glibtoolize: copying file `./config/missing'
glibtoolize: copying file `./config/ltmain.sh'
glibtoolize: putting macros in AC_CONFIG_MACRO_DIR, `m4'.
glibtoolize: copying file `m4/argz.m4'
glibtoolize: copying file `m4/libtool.m4'
glibtoolize: copying file `m4/lt_dl.m4'
glibtoolize: copying file `m4/lt_options.m4'
glibtoolize: copying file `m4/lt_sugar.m4'
glibtoolize: copying file `m4/lt_version.m4'
glibtoolize: copying file `m4/lt~obsolete.m4'
glibtoolize: putting libltdl files in LT_CONFIG_LTDL_DIR, `.'.
glibtoolize: copying file `./COPYING.LIB'
glibtoolize: copying file `./README'
glibtoolize: copying file `./Makefile.am'
glibtoolize: copying file `./configure.ac'
glibtoolize: copying file `./aclocal.m4'
glibtoolize: copying file `./Makefile.in'
glibtoolize: copying file `./config-h.in'
glibtoolize: copying file `./configure'
glibtoolize: copying file `./argz.h'
glibtoolize: copying file `./argz.c'
glibtoolize: copying file `./loaders/dld_link.c'
glibtoolize: copying file `./loaders/dlopen.c'
glibtoolize: copying file `./loaders/dyld.c'
glibtoolize: copying file `./loaders/load_add_on.c'
glibtoolize: copying file `./loaders/loadlibrary.c'
glibtoolize: copying file `./loaders/shl_load.c'
glibtoolize: copying file `./lt__dirent.c'
glibtoolize: copying file `./lt__strl.c'
```

glibtoolize: copying file `./libltdl/lt__alloc.h'
glibtoolize: copying file `./libltdl/lt__dirent.h'
glibtoolize: copying file `./libltdl/lt__glibc.h'
glibtoolize: copying file `./libltdl/lt__private.h'
glibtoolize: copying file `./libltdl/lt__strl.h'
glibtoolize: copying file `./libltdl/lt_dlloader.h'
glibtoolize: copying file `./libltdl/lt_error.h'
glibtoolize: copying file `./libltdl/lt_system.h'
glibtoolize: copying file `./libltdl/slist.h'
glibtoolize: copying file `./loaders/preopen.c'
glibtoolize: copying file `./lt__alloc.c'
glibtoolize: copying file `./lt_dlloader.c'
glibtoolize: copying file `./lt_error.c'
glibtoolize: copying file `./ltdl.c'
glibtoolize: copying file `./ltdl.h'
glibtoolize: copying file `./slist.c'
glibtoolize: Remember to add `LTDL_INIT' to configure.ac.
glibtoolize: putting auxiliary files in AC_CONFIG_AUX_DIR, `libltdl/config'.
glibtoolize: copying file `libltdl/config/compile'
glibtoolize: copying file `libltdl/config/config.guess'
glibtoolize: copying file `libltdl/config/config.sub'
glibtoolize: copying file `libltdl/config/depcomp'
glibtoolize: copying file `libltdl/config/install-sh'
glibtoolize: copying file `libltdl/config/missing'
glibtoolize: copying file `libltdl/config/ltmain.sh'
glibtoolize: putting macros in `m4'.
glibtoolize: copying file `m4/argz.m4'
glibtoolize: copying file `m4/libtool.m4'
glibtoolize: copying file `m4/ltdl.m4'
glibtoolize: copying file `m4/ltoptions.m4'
glibtoolize: copying file `m4/ltsugar.m4'
glibtoolize: copying file `m4/ltversion.m4'
glibtoolize: copying file `m4/lt~obsolete.m4'
glibtoolize: putting macros in `libltdl/m4'.
glibtoolize: copying file `libltdl/m4/argz.m4'
glibtoolize: copying file `libltdl/m4/libtool.m4'
glibtoolize: copying file `libltdl/m4/ltdl.m4'
glibtoolize: copying file `libltdl/m4/ltoptions.m4'
glibtoolize: copying file `libltdl/m4/ltsugar.m4'
glibtoolize: copying file `libltdl/m4/ltversion.m4'
glibtoolize: copying file `libltdl/m4/lt~obsolete.m4'
glibtoolize: putting libltdl files in LT_CONFIG_LTDL_DIR, `libltdl'.
glibtoolize: copying file `libltdl/COPYING.LIB'
glibtoolize: copying file `libltdl/README'
glibtoolize: copying file `libltdl/Makefile.am'
glibtoolize: copying file `libltdl/aclocal.m4'
glibtoolize: copying file `libltdl/Makefile.in'
glibtoolize: copying file `libltdl/config-h.in'
glibtoolize: copying file `libltdl/configure'

```
glibtoolize: copying file `libltdl/argz.h'
glibtoolize: copying file `libltdl/argz.c'
glibtoolize: copying file `libltdl/loaders/dld_link.c'
glibtoolize: copying file `libltdl/loaders/dlopen.c'
glibtoolize: copying file `libltdl/loaders/dyld.c'
glibtoolize: copying file `libltdl/loaders/load_add_on.c'
glibtoolize: copying file `libltdl/loaders/loadlibrary.c'
glibtoolize: copying file `libltdl/loaders/shl_load.c'
glibtoolize: copying file `libltdl/lt__dirent.c'
glibtoolize: copying file `libltdl/lt__strl.c'
glibtoolize: copying file `libltdl/libltdl/lt__alloc.h'
glibtoolize: copying file `libltdl/libltdl/lt__dirent.h'
glibtoolize: copying file `libltdl/libltdl/lt__glibc.h'
glibtoolize: copying file `libltdl/libltdl/lt__private.h'
glibtoolize: copying file `libltdl/libltdl/lt__strl.h'
glibtoolize: copying file `libltdl/libltdl/lt_dlloader.h'
glibtoolize: copying file `libltdl/libltdl/lt_error.h'
glibtoolize: copying file `libltdl/libltdl/lt_system.h'
glibtoolize: copying file `libltdl/libltdl/slist.h'
glibtoolize: copying file `libltdl/loaders/preopen.c'
glibtoolize: copying file `libltdl/lt__alloc.c'
glibtoolize: copying file `libltdl/lt_dlloader.c'
glibtoolize: copying file `libltdl/lt_error.c'
glibtoolize: copying file `libltdl/ltl.c'
glibtoolize: copying file `libltdl/ltl.h'
glibtoolize: copying file `libltdl/slist.c'
glibtoolize: Consider using `AC_CONFIG_MACRO_DIR([libltdl/m4])' in configure.ac.
Makefile.am:100: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:100: (probably a GNU make extension)
Makefile.am:102: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:102: (probably a GNU make extension)
Makefile.am:112: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:112: (probably a GNU make extension)
Makefile.am:119: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:119: (probably a GNU make extension)
Makefile.am:126: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:126: (probably a GNU make extension)
Makefile.am:133: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:133: (probably a GNU make extension)
Makefile.am:140: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:140: (probably a GNU make extension)
imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ autoreconf --install --
force
configure.ac:49: warning: AC_COMPILE_IFELSE was called before AC_USE_SYSTEM_EXTE
NSIONS
../lib/autoconf/specific.m4:386: AC_USE_SYSTEM_EXTENSIONS is expanded from...
../lib/autoconf/specific.m4:332: AC_GNU_SOURCE is expanded from...
configure.ac:49: the top level
configure.ac:49: warning: AC_RUN_IFELSE was called before AC_USE_SYSTEM_EXTENSIO
NS
```



```
configure.ac:99: warning: LTDL_INIT was called before LT_INIT
m4/libtool.m4:67: LT_INIT is expanded from...
m4/libtool.m4:102: AC_PROG_LIBTOOL is expanded from...
configure.ac:99: the top level
configure.ac:49: warning: AC_COMPILE_IFELSE was called before AC_USE_SYSTEM_EXTENSIONS
../../lib/autoconf/specific.m4:386: AC_USE_SYSTEM_EXTENSIONS is expanded from...
../../lib/autoconf/specific.m4:332: AC_GNU_SOURCE is expanded from...
configure.ac:49: the top level
configure.ac:49: warning: AC_RUN_IFELSE was called before AC_USE_SYSTEM_EXTENSIONS
configure.ac:99: warning: LTDL_INIT was called before LT_INIT
m4/libtool.m4:67: LT_INIT is expanded from...
m4/libtool.m4:102: AC_PROG_LIBTOOL is expanded from...
configure.ac:99: the top level
glibtoolize: putting auxiliary files in AC_CONFIG_AUX_DIR, `config'.
glibtoolize: copying file `./config/compile'
glibtoolize: copying file `./config/config.guess'
glibtoolize: copying file `./config/config.sub'
glibtoolize: copying file `./config/depcomp'
glibtoolize: copying file `./config/install-sh'
glibtoolize: copying file `./config/missing'
glibtoolize: copying file `./config/ltmain.sh'
glibtoolize: putting macros in AC_CONFIG_MACRO_DIR, `m4'.
glibtoolize: copying file `m4/argz.m4'
glibtoolize: copying file `m4/libtool.m4'
glibtoolize: copying file `m4/lt dl.m4'
glibtoolize: copying file `m4/lt options.m4'
glibtoolize: copying file `m4/lt sugar.m4'
glibtoolize: copying file `m4/lt version.m4'
glibtoolize: copying file `m4/lt~obsolete.m4'
glibtoolize: putting libltdl files in LT_CONFIG_LTDL_DIR, `.'.
glibtoolize: copying file `./COPYING.LIB'
glibtoolize: copying file `./README'
glibtoolize: copying file `./Makefile.am'
glibtoolize: copying file `./configure.ac'
glibtoolize: copying file `./aclocal.m4'
glibtoolize: copying file `./Makefile.in'
glibtoolize: copying file `./config-h.in'
glibtoolize: copying file `./configure'
glibtoolize: copying file `./argz.h'
glibtoolize: copying file `./argz.c'
glibtoolize: copying file `./loaders/dld_link.c'
glibtoolize: copying file `./loaders/dlopen.c'
glibtoolize: copying file `./loaders/dyld.c'
glibtoolize: copying file `./loaders/load_add_on.c'
glibtoolize: copying file `./loaders/loadlibrary.c'
glibtoolize: copying file `./loaders/shl_load.c'
glibtoolize: copying file `./lt__dirent.c'
glibtoolize: copying file `./lt__strl.c'
```

glibtoolize: copying file `./libltdl/lt__alloc.h'
glibtoolize: copying file `./libltdl/lt__dirent.h'
glibtoolize: copying file `./libltdl/lt__glibc.h'
glibtoolize: copying file `./libltdl/lt__private.h'
glibtoolize: copying file `./libltdl/lt__strl.h'
glibtoolize: copying file `./libltdl/lt_dlloader.h'
glibtoolize: copying file `./libltdl/lt_error.h'
glibtoolize: copying file `./libltdl/lt_system.h'
glibtoolize: copying file `./libltdl/slist.h'
glibtoolize: copying file `./loaders/preopen.c'
glibtoolize: copying file `./lt__alloc.c'
glibtoolize: copying file `./lt_dlloader.c'
glibtoolize: copying file `./lt_error.c'
glibtoolize: copying file `./ltdl.c'
glibtoolize: copying file `./ltdl.h'
glibtoolize: copying file `./slist.c'
glibtoolize: Remember to add `LTDL_INIT' to configure.ac.
glibtoolize: putting auxiliary files in AC_CONFIG_AUX_DIR, `libltdl/config'.
glibtoolize: copying file `libltdl/config/compile'
glibtoolize: copying file `libltdl/config/config.guess'
glibtoolize: copying file `libltdl/config/config.sub'
glibtoolize: copying file `libltdl/config/depcomp'
glibtoolize: copying file `libltdl/config/install-sh'
glibtoolize: copying file `libltdl/config/missing'
glibtoolize: copying file `libltdl/config/ltmain.sh'
glibtoolize: putting macros in `m4'.
glibtoolize: copying file `m4/argz.m4'
glibtoolize: copying file `m4/libtool.m4'
glibtoolize: copying file `m4/ltdl.m4'
glibtoolize: copying file `m4/ltoptions.m4'
glibtoolize: copying file `m4/ltsugar.m4'
glibtoolize: copying file `m4/ltversion.m4'
glibtoolize: copying file `m4/lt~obsolete.m4'
glibtoolize: putting macros in `libltdl/m4'.
glibtoolize: copying file `libltdl/m4/argz.m4'
glibtoolize: copying file `libltdl/m4/libtool.m4'
glibtoolize: copying file `libltdl/m4/ltdl.m4'
glibtoolize: copying file `libltdl/m4/ltoptions.m4'
glibtoolize: copying file `libltdl/m4/ltsugar.m4'
glibtoolize: copying file `libltdl/m4/ltversion.m4'
glibtoolize: copying file `libltdl/m4/lt~obsolete.m4'
glibtoolize: putting libltdl files in LT_CONFIG_LTDL_DIR, `libltdl'.
glibtoolize: copying file `libltdl/COPYING.LIB'
glibtoolize: copying file `libltdl/README'
glibtoolize: copying file `libltdl/Makefile.am'
glibtoolize: copying file `libltdl/aclocal.m4'
glibtoolize: copying file `libltdl/Makefile.in'
glibtoolize: copying file `libltdl/config-h.in'
glibtoolize: copying file `libltdl/configure'

```
glibtoolize: copying file `libltdl/argz.h'
glibtoolize: copying file `libltdl/argz.c'
glibtoolize: copying file `libltdl/loaders/dld_link.c'
glibtoolize: copying file `libltdl/loaders/dlopen.c'
glibtoolize: copying file `libltdl/loaders/dyld.c'
glibtoolize: copying file `libltdl/loaders/load_add_on.c'
glibtoolize: copying file `libltdl/loaders/loadlibrary.c'
glibtoolize: copying file `libltdl/loaders/shl_load.c'
glibtoolize: copying file `libltdl/lt__dirent.c'
glibtoolize: copying file `libltdl/lt__strl.c'
glibtoolize: copying file `libltdl/libltdl/lt__alloc.h'
glibtoolize: copying file `libltdl/libltdl/lt__dirent.h'
glibtoolize: copying file `libltdl/libltdl/lt__glibc.h'
glibtoolize: copying file `libltdl/libltdl/lt__private.h'
glibtoolize: copying file `libltdl/libltdl/lt__strl.h'
glibtoolize: copying file `libltdl/libltdl/lt_dlloader.h'
glibtoolize: copying file `libltdl/libltdl/lt_error.h'
glibtoolize: copying file `libltdl/libltdl/lt_system.h'
glibtoolize: copying file `libltdl/libltdl/slist.h'
glibtoolize: copying file `libltdl/loaders/preopen.c'
glibtoolize: copying file `libltdl/lt__alloc.c'
glibtoolize: copying file `libltdl/lt_dlloader.c'
glibtoolize: copying file `libltdl/lt_error.c'
glibtoolize: copying file `libltdl/lt_dl.c'
glibtoolize: copying file `libltdl/lt_dl.h'
glibtoolize: copying file `libltdl/slist.c'
glibtoolize: Consider using `AC_CONFIG_MACRO_DIR([libltdl/m4])' in configure.ac.
configure.ac:49: warning: AC_COMPILE_IFELSE was called before AC_USE_SYSTEM_EXTENSIONS
../lib/autoconf/specific.m4:386: AC_USE_SYSTEM_EXTENSIONS is expanded from...
../lib/autoconf/specific.m4:332: AC_GNU_SOURCE is expanded from...
configure.ac:49: the top level
configure.ac:49: warning: AC_RUN_IFELSE was called before AC_USE_SYSTEM_EXTENSIONS
configure.ac:99: warning: LTDL_INIT was called before LT_INIT
m4/libtool.m4:67: LT_INIT is expanded from...
m4/libtool.m4:102: AC_PROG_LIBTOOL is expanded from...
configure.ac:99: the top level
configure.ac:49: warning: AC_COMPILE_IFELSE was called before AC_USE_SYSTEM_EXTENSIONS
../lib/autoconf/specific.m4:386: AC_USE_SYSTEM_EXTENSIONS is expanded from...
../lib/autoconf/specific.m4:332: AC_GNU_SOURCE is expanded from...
configure.ac:49: the top level
configure.ac:49: warning: AC_RUN_IFELSE was called before AC_USE_SYSTEM_EXTENSIONS
configure.ac:99: warning: LTDL_INIT was called before LT_INIT
m4/libtool.m4:67: LT_INIT is expanded from...
m4/libtool.m4:102: AC_PROG_LIBTOOL is expanded from...
configure.ac:99: the top level
configure.ac:49: warning: AC_COMPILE_IFELSE was called before AC_USE_SYSTEM_EXTENSIONS
```

NSIONS

```
../lib/autoconf/specific.m4:386: AC_USE_SYSTEM_EXTENSIONS is expanded from...
../lib/autoconf/specific.m4:332: AC_GNU_SOURCE is expanded from...
configure.ac:49: the top level
configure.ac:49: warning: AC_RUN_IFELSE was called before AC_USE_SYSTEM_EXTENSIONS
configure.ac:99: warning: LTDL_INIT was called before LT_INIT
m4/libtool.m4:67: LT_INIT is expanded from...
m4/libtool.m4:102: AC_PROG_LIBTOOL is expanded from...
configure.ac:99: the top level
configure.ac:49: warning: AC_COMPILE_IFELSE was called before AC_USE_SYSTEM_EXTENSIONS
../lib/autoconf/specific.m4:386: AC_USE_SYSTEM_EXTENSIONS is expanded from...
../lib/autoconf/specific.m4:332: AC_GNU_SOURCE is expanded from...
configure.ac:49: the top level
configure.ac:49: warning: AC_RUN_IFELSE was called before AC_USE_SYSTEM_EXTENSIONS
configure.ac:99: warning: LTDL_INIT was called before LT_INIT
m4/libtool.m4:67: LT_INIT is expanded from...
m4/libtool.m4:102: AC_PROG_LIBTOOL is expanded from...
configure.ac:99: the top level
Makefile.am:100: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:100: (probably a GNU make extension)
Makefile.am:102: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:102: (probably a GNU make extension)
Makefile.am:112: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:112: (probably a GNU make extension)
Makefile.am:119: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:119: (probably a GNU make extension)
Makefile.am:126: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:126: (probably a GNU make extension)
Makefile.am:133: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:133: (probably a GNU make extension)
Makefile.am:140: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:140: (probably a GNU make extension)
imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ autoreconf --install --force
glibtoolize: putting auxiliary files in AC_CONFIG_AUX_DIR, `config'.
glibtoolize: copying file `./config/compile'
glibtoolize: copying file `./config/config.guess'
glibtoolize: copying file `./config/config.sub'
glibtoolize: copying file `./config/depcomp'
glibtoolize: copying file `./config/install-sh'
glibtoolize: copying file `./config/missing'
glibtoolize: copying file `./config/ltmain.sh'
glibtoolize: putting macros in AC_CONFIG_MACRO_DIR, `m4'.
glibtoolize: copying file `m4/argz.m4'
glibtoolize: copying file `m4/libtool.m4'
glibtoolize: copying file `m4/lt dl.m4'
glibtoolize: copying file `m4/lt options.m4'
```

glibtoolize: copying file `m4/ltsugar.m4'
glibtoolize: copying file `m4/ltversion.m4'
glibtoolize: copying file `m4/lt~obsolete.m4'
glibtoolize: putting libltdl files in LT_CONFIG_LTDL_DIR, `.'. .
glibtoolize: copying file `./COPYING.LIB'
glibtoolize: copying file `./README'
glibtoolize: copying file `./Makefile.am'
glibtoolize: copying file `./configure.ac'
glibtoolize: copying file `./aclocal.m4'
glibtoolize: copying file `./Makefile.in'
glibtoolize: copying file `./config-h.in'
glibtoolize: copying file `./configure'
glibtoolize: copying file `./argz.h'
glibtoolize: copying file `./argz.c'
glibtoolize: copying file `./loaders/dld_link.c'
glibtoolize: copying file `./loaders/dlopen.c'
glibtoolize: copying file `./loaders/dyld.c'
glibtoolize: copying file `./loaders/load_add_on.c'
glibtoolize: copying file `./loaders/loadlibrary.c'
glibtoolize: copying file `./loaders/shl_load.c'
glibtoolize: copying file `./lt__dirent.c'
glibtoolize: copying file `./lt__strl.c'
glibtoolize: copying file `./libltdl/lt__alloc.h'
glibtoolize: copying file `./libltdl/lt__dirent.h'
glibtoolize: copying file `./libltdl/lt__glibc.h'
glibtoolize: copying file `./libltdl/lt__private.h'
glibtoolize: copying file `./libltdl/lt__strl.h'
glibtoolize: copying file `./libltdl/lt_dlloader.h'
glibtoolize: copying file `./libltdl/lt_error.h'
glibtoolize: copying file `./libltdl/lt_system.h'
glibtoolize: copying file `./libltdl/slist.h'
glibtoolize: copying file `./loaders/preopen.c'
glibtoolize: copying file `./lt__alloc.c'
glibtoolize: copying file `./lt_dlloader.c'
glibtoolize: copying file `./lt_error.c'
glibtoolize: copying file `./ltdl.c'
glibtoolize: copying file `./ltdl.h'
glibtoolize: copying file `./slist.c'
glibtoolize: Remember to add `LTDL_INIT' to configure.ac.
glibtoolize: putting auxiliary files in AC_CONFIG_AUX_DIR, `libltdl/config'.
glibtoolize: copying file `libltdl/config/compile'
glibtoolize: copying file `libltdl/config/config.guess'
glibtoolize: copying file `libltdl/config/config.sub'
glibtoolize: copying file `libltdl/config/depcomp'
glibtoolize: copying file `libltdl/config/install-sh'
glibtoolize: copying file `libltdl/config/missing'
glibtoolize: copying file `libltdl/config/ltmain.sh'
glibtoolize: putting macros in `m4'.
glibtoolize: copying file `m4/argz.m4'
glibtoolize: copying file `m4/libtool.m4'

```
glibtoolize: copying file `m4/ltld.m4'
glibtoolize: copying file `m4/ltoptions.m4'
glibtoolize: copying file `m4/ltsugar.m4'
glibtoolize: copying file `m4/ltversion.m4'
glibtoolize: copying file `m4/lt~obsolete.m4'
glibtoolize: putting macros in `libltdl/m4'.
glibtoolize: copying file `libltdl/m4/argz.m4'
glibtoolize: copying file `libltdl/m4/libtool.m4'
glibtoolize: copying file `libltdl/m4/ltld.m4'
glibtoolize: copying file `libltdl/m4/ltoptions.m4'
glibtoolize: copying file `libltdl/m4/ltsugar.m4'
glibtoolize: copying file `libltdl/m4/ltversion.m4'
glibtoolize: copying file `libltdl/m4/lt~obsolete.m4'
glibtoolize: putting libltdl files in LT_CONFIG_LTDL_DIR, `libltdl'.
glibtoolize: copying file `libltdl/COPYING.LIB'
glibtoolize: copying file `libltdl/README'
glibtoolize: copying file `libltdl/Makefile.am'
glibtoolize: copying file `libltdl/configure.ac'
glibtoolize: copying file `libltdl/aclocal.m4'
glibtoolize: copying file `libltdl/Makefile.in'
glibtoolize: copying file `libltdl/config-h.in'
glibtoolize: copying file `libltdl/configure'
glibtoolize: copying file `libltdl/argz.h'
glibtoolize: copying file `libltdl/argz.c'
glibtoolize: copying file `libltdl/loaders/dld_link.c'
glibtoolize: copying file `libltdl/loaders/dlopen.c'
glibtoolize: copying file `libltdl/loaders/dyld.c'
glibtoolize: copying file `libltdl/loaders/load_add_on.c'
glibtoolize: copying file `libltdl/loaders/loadlibrary.c'
glibtoolize: copying file `libltdl/loaders/shl_load.c'
glibtoolize: copying file `libltdl/lt__dirent.c'
glibtoolize: copying file `libltdl/lt__strl.c'
glibtoolize: copying file `libltdl/libltdl/lt__alloc.h'
glibtoolize: copying file `libltdl/libltdl/lt__dirent.h'
glibtoolize: copying file `libltdl/libltdl/lt__glibc.h'
glibtoolize: copying file `libltdl/libltdl/lt__private.h'
glibtoolize: copying file `libltdl/libltdl/lt__strl.h'
glibtoolize: copying file `libltdl/libltdl/lt_dlloader.h'
glibtoolize: copying file `libltdl/libltdl/lt_error.h'
glibtoolize: copying file `libltdl/libltdl/lt_system.h'
glibtoolize: copying file `libltdl/libltdl/slist.h'
glibtoolize: copying file `libltdl/loaders/preopen.c'
glibtoolize: copying file `libltdl/lt__alloc.c'
glibtoolize: copying file `libltdl/lt_dlloader.c'
glibtoolize: copying file `libltdl/lt_error.c'
glibtoolize: copying file `libltdl/ltld.c'
glibtoolize: copying file `libltdl/ltld.h'
glibtoolize: copying file `libltdl/slist.c'
glibtoolize: Consider using `AC_CONFIG_MACRO_DIR([libltdl/m4])' in configure.ac.
Makefile.am:100: shell find $(top_srcdir: non-POSIX variable name
```

```
Makefile.am:100: (probably a GNU make extension)
Makefile.am:102: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:102: (probably a GNU make extension)
Makefile.am:112: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:112: (probably a GNU make extension)
Makefile.am:119: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:119: (probably a GNU make extension)
Makefile.am:126: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:126: (probably a GNU make extension)
Makefile.am:133: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:133: (probably a GNU make extension)
Makefile.am:140: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:140: (probably a GNU make extension)
imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ ./configure --prefix=/opt/synfig
checking build system type... i386-apple-darwin9.8.0
checking host system type... i386-apple-darwin9.8.0
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... libltdl/config/install-sh -c -d
checking for gawk... gawk
checking whether make sets $(MAKE)... yes
checking whether to enable maintainer-specific portions of Makefiles... no
checking for gcc... gcc
checking for C compiler default output file name... a.out
checking whether the C compiler works... yes
checking whether we are cross compiling... no
checking for suffix of executables...
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking for style of include used by make... GNU
checking dependency style of gcc... gcc3
checking how to run the C preprocessor... gcc -E
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for ANSI C header files... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for memory.h... yes
checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking minix/config.h usability... no
checking minix/config.h presence... no
checking for minix/config.h... no
```

checking whether it is safe to define __EXTENSIONS__... yes
checking for g++... g++
checking whether we are using the GNU C++ compiler... yes
checking whether g++ accepts -g... yes
checking dependency style of g++... gcc3
checking how to run the C preprocessor... gcc -E
checking how to run the C++ preprocessor... g++ -E
checking for a BSD-compatible install... /usr/bin/install -c
checking whether byte ordering is bigendian... no
checking for debug flags... -DNDEBUG
checking for optimization flags... -O2
checking for compiler warning flags to use... -W -Wall
checking for profiling... no
checking for arc profiling... no
checking for branch-probabilities... no
checking for a sed that does not truncate output... /usr/bin/sed
checking for fgrep... /usr/bin/grep -F
checking for ld used by gcc... /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) is GNU ld.
.. no
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -p
checking the name lister (/usr/bin/nm -p) interface... BSD nm
checking whether ln -s works... yes
checking the maximum length of command line arguments... 196608
checking whether the shell understands some XSI constructs... yes
checking whether the shell understands "+="... yes
checking for /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld option to reload object files... -r
checking for objdump... objdump
checking how to recognize dependent libraries... pass_all
checking for ar... ar
checking for strip... strip
checking for ranlib... ranlib
checking command to parse /usr/bin/nm -p output from gcc object... ok
checking for dsymutil... dsymutil
checking for nmedit... nmedit
checking for lipo... lipo
checking for otool... otool
checking for otool64... no
checking for -single_module linker flag... yes
checking for -exported_symbols_list linker flag... yes
checking for dlfcn.h... yes
checking whether we are using the GNU C++ compiler... (cached) yes
checking whether g++ accepts -g... (cached) yes
checking dependency style of g++... (cached) gcc3
checking how to run the C++ preprocessor... g++ -E
checking for objdir... .libs
checking if gcc supports -fno-rtti -fno-exceptions... no
checking for gcc option to produce PIC... -fno-common -DPIC
checking if gcc PIC flag -fno-common -DPIC works... yes

checking if gcc static flag -static works... no
checking if gcc supports -c -o file.o... yes
checking if gcc supports -c -o file.o... (cached) yes
checking whether the gcc linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin9.8.0 dyld
checking how to hardcode library paths into programs... immediate
checking for dlopen in -ldl... yes
checking whether a program can dlopen itself... yes
checking whether a statically linked program can dlopen itself... yes
checking whether stripping libraries is possible... yes
checking if libtool supports shared libraries... yes
checking whether to build shared libraries... yes
checking whether to build static libraries... no
checking for ld used by g++... /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) is GNU ld..
.. no
checking whether the g++ linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) supports shared libraries... yes
checking for g++ option to produce PIC... -fno-common -DPIC
checking if g++ PIC flag -fno-common -DPIC works... yes
checking if g++ static flag -static works... no
checking if g++ supports -c -o file.o... yes
checking if g++ supports -c -o file.o... (cached) yes
checking whether the g++ linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin9.8.0 dyld
checking how to hardcode library paths into programs... immediate
checking for dlopen in -lc... yes
checking for convert... no
checking Magick++.h usability... no
checking Magick++.h presence... no
checking for Magick++.h... no
*** Magick++ Output target disabled
checking for pkg-config... /opt/local/bin/pkg-config
checking for freetype2... yes
checking FREETYPE_CFLAGS... -I/opt/local/include/freetype2 -I/opt/local/include

checking FREETYPE_LIBS... -L/opt/local/lib -lfreetype -lz
checking for fontconfig... yes
checking FONTCONFIG_CFLAGS... -I/opt/local/include
checking FONTCONFIG_LIBS... -L/opt/local/lib -lfontconfig -lexpat -lfreetype -lz

checking for OpenEXR... checking which extension is used for runtime loadable modules... .so
checking which variable specifies run-time module search path... DYLD_LIBRARY_PATH
checking for the default library search path... /usr/local/lib /lib /usr/lib
checking for library containing dlopen... none required
checking for dlerror... yes

checking for shl_load... no
checking for shl_load in -ldld... no
checking for dld_link in -ldld... no
checking for _ prefix in compiled symbols... no
checking whether deplibs are loaded by dlopen... yes
checking for argz.h... no
checking for error_t... no
checking for argz_add... no
checking for argz_append... no
checking for argz_count... no
checking for argz_create_sep... no
checking for argz_insert... no
checking for argz_next... no
checking for argz_stringify... no
checking whether libtool supports -dlopen/-dlpreopen... yes
checking for ltdl.h... yes
checking whether lt_dlinterface_register is declared... no
checking where to find libltdl headers... -I\${top_srcdir}/libltdl
checking where to find libltdl library... \${top_build_prefix}libltdl/libltdlc.la
checking for unistd.h... (cached) yes
checking for dl.h... no
checking for sys/dl.h... no
checking for dld.h... no
checking for mach-o/dyld.h... yes
checking for dirent.h... yes
checking for closedir... yes
checking for opendir... yes
checking for readdir... yes
checking for strlcat... yes
checking for strlcpy... yes
checking whether NLS is requested... yes
checking for msgfmt... /opt/local/bin/msgfmt
checking for gmsgfmt... /opt/local/bin/msgfmt
checking for xgettext... /opt/local/bin/xgettext
checking for msgmerge... /opt/local/bin/msgmerge
checking for ld used by GCC... /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) is GNU ld.
.. no
checking for shared library run path origin... done
checking for CFPreferencesCopyAppValue... yes
checking for CFLocaleCopyCurrent... yes
checking for GNU gettext in libc... no
checking for iconv... yes
checking how to link with libiconv... -liconv
checking for GNU gettext in libintl... no
checking whether to use NLS... no
checking for ETL >= 0.04.13-RC1... yes
checking ETL_CFLAGS... -I/opt/synfig/include
checking ETL_LIBS... -lpthread
checking for libxml++-2.6... yes

checking LIBXMLPP_CFLAGS... -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include
checking LIBXMLPP_LIBS... -L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv
checking for sigc++-2.0... yes
checking LIBSIGC_CFLAGS... -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include
checking LIBSIGC_LIBS... -L/opt/local/lib -lsigc-2.0
checking for png_write_row in -lpng... no
checking for png_write_row in -lpng12... no
*** PNG Output target disabled
checking for mng_initialize in -lmng... no
*** MNG Output target disabled
checking for jpeg_CreateCompress in -ljpeg... no
*** JPEG Output target disabled
checking for unordered_map<int,int>::const_iterator... no
checking ext/hash_map usability... yes
checking ext/hash_map presence... yes
checking for ext/hash_map... yes
checking for unordered_set<int,int>::const_iterator... no
checking ext/hash_set usability... yes
checking ext/hash_set presence... yes
checking for ext/hash_set... yes
checking signal.h usability... yes
checking signal.h presence... yes
checking for signal.h... yes
checking termios.h usability... yes
checking termios.h presence... yes
checking for termios.h... yes
checking sys/errno.h usability... yes
checking sys/errno.h presence... yes
checking for sys/errno.h... yes
checking for sys/wait.h that is POSIX.1 compatible... yes
checking process.h usability... no
checking process.h presence... no
checking for process.h... no
checking io.h usability... no
checking io.h presence... no
checking for io.h... no
checking fcntl.h usability... yes
checking fcntl.h presence... yes
checking for fcntl.h... yes
checking for fork... yes
checking for kill... yes
checking for pipe... yes
checking for waitpid... yes
checking for isnan... yes

```
checking for isnanf... no
checking for _isnanf... no
checking for floorl... yes
checking for pthread_create in -lpthread... yes
configure: creating ./config.status
config.status: creating synfig-config
config.status: WARNING: 'synfig-config.in' seems to ignore the --datarootdir setting
config.status: creating build_tools/Makefile
config.status: creating synfig.pc
config.status: creating doxygen.cfg
config.status: creating Makefile
config.status: creating po/Makefile.in
config.status: creating src/Makefile
config.status: creating src/synfig/Makefile
config.status: creating src/modules/Makefile
config.status: creating src/modules/lyr_freetype/Makefile
config.status: creating src/modules/lyr_std/Makefile
config.status: creating src/modules/mod_bmp/Makefile
config.status: creating src/modules/mod_dv/Makefile
config.status: creating src/modules/mod_ffmpeg/Makefile
config.status: creating src/modules/mod_filter/Makefile
config.status: creating src/modules/mod_geometry/Makefile
config.status: creating src/modules/mod_gif/Makefile
config.status: creating src/modules/mod_gradient/Makefile
config.status: creating src/modules/mod_imagemagick/Makefile
config.status: creating src/modules/mod_jpeg/Makefile
config.status: creating src/modules/mod_libavcodec/Makefile
config.status: creating src/modules/mod_magickpp/Makefile
config.status: creating src/modules/mod_mng/Makefile
config.status: creating src/modules/mod_noise/Makefile
config.status: creating src/modules/mod_openexr/Makefile
config.status: creating src/modules/mod_particle/Makefile
config.status: creating src/modules/mod_png/Makefile
config.status: creating src/modules/mod_ppm/Makefile
config.status: creating src/modules/mod_yuv420p/Makefile
config.status: creating src/modules/mod_svg/Makefile
config.status: creating src/modules/example/Makefile
config.status: creating src/tool/Makefile
config.status: creating src/modules/synfig_modules.cfg
config.status: creating examples/walk/Makefile
config.status: creating examples/Makefile
config.status: creating win32inst.nsi
config.status: creating pkg-info/macosx/synfig-core.info
config.status: creating config.h
config.status: config.h is unchanged
config.status: executing depfiles commands
config.status: executing libtool commands
config.status: executing po-directories commands
config.status: creating po/POTFILES
```

```
config.status: creating po/Makefile
=== configuring in libltdl (/Users/rafaymaria/synfig/synfig/libltdl)
configure: running /bin/sh ./configure --disable-option-checking '--prefix=/opt/synfig' '--enable-ltdl-convenience' --cache-file=/dev/null --srcdir=.
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... config/install-sh -c -d
checking for gawk... gawk
checking whether make sets $(MAKE)... yes
checking build system type... i386-apple-darwin9.8.0
checking host system type... i386-apple-darwin9.8.0
checking for style of include used by make... GNU
checking for gcc... gcc
checking for C compiler default output file name... a.out
checking whether the C compiler works... yes
checking whether we are cross compiling... no
checking for suffix of executables...
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking dependency style of gcc... gcc3
checking for a sed that does not truncate output... /usr/bin/sed
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for fgrep... /usr/bin/grep -F
checking for ld used by gcc... /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) is GNU ld.
.. no
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -p
checking the name lister (/usr/bin/nm -p) interface... BSD nm
checking whether ln -s works... yes
checking the maximum length of command line arguments... 196608
checking whether the shell understands some XSI constructs... yes
checking whether the shell understands "+="... yes
checking for /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld option to reload object files... -r
checking for objdump... no
checking how to recognize dependent libraries... pass_all
checking for ar... ar
checking for strip... strip
checking for ranlib... ranlib
checking command to parse /usr/bin/nm -p output from gcc object... ok
checking for dsymutil... dsymutil
checking for nmedit... nmedit
checking for lipo... lipo
checking for otool... otool
checking for otool64... no
checking for -single_module linker flag... yes
checking for -exported_symbols_list linker flag... yes
```

checking how to run the C preprocessor... gcc -E
checking for ANSI C header files... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for memory.h... yes
checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking for dlfcn.h... yes
checking for objdir... .libs
checking if gcc supports -fno-rtti -fno-exceptions... no
checking for gcc option to produce PIC... -fno-common -DPIC
checking if gcc PIC flag -fno-common -DPIC works... yes
checking if gcc static flag -static works... no
checking if gcc supports -c -o file.o... yes
checking if gcc supports -c -o file.o... (cached) yes
checking whether the gcc linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin9.8.0 dyld
checking how to hardcode library paths into programs... immediate
checking for dlopen in -ldl... yes
checking whether a program can dlopen itself... yes
checking whether a statically linked program can dlopen itself... yes
checking whether stripping libraries is possible... yes
checking if libtool supports shared libraries... yes
checking whether to build shared libraries... yes
checking whether to build static libraries... yes
checking which extension is used for runtime loadable modules... .so
checking which variable specifies run-time module search path... DYLD_LIBRARY_PATH
checking for the default library search path... /usr/local/lib /lib /usr/lib
checking for library containing dlopen... none required
checking for dlerror... yes
checking for shl_load... no
checking for shl_load in -ldld... no
checking for dld_link in -ldld... no
checking for _ prefix in compiled symbols... yes
checking whether we have to add an underscore for dlsym... no
checking whether deplibs are loaded by dlopen... yes
checking for argz.h... no
checking for error_t... no
checking for argz_add... no
checking for argz_append... no
checking for argz_count... no
checking for argz_create_sep... no
checking for argz_insert... no
checking for argz_next... no

```
checking for argz_stringify... no
checking whether libtool supports -dlopen/-dlpreopen... yes
checking for unistd.h... (cached) yes
checking for dl.h... no
checking for sys/dl.h... no
checking for dld.h... no
checking for mach-o/dyld.h... yes
checking for dirent.h... yes
checking for closedir... yes
checking for opendir... yes
checking for readdir... yes
checking for strlcat... yes
checking for strlcpy... yes
configure: creating ./config.status
config.status: creating Makefile
config.status: creating config.h
config.status: config.h is unchanged
config.status: executing depfiles commands
config.status: executing libtool commands
```

Synfig Core v.0.62.00-RC1

Configuration Summary

- - - - -

```
Install Prefix -----> /opt/synfig
Module directory -----> ${exec_prefix}/lib/synfig/modules
Build Platform -----> i386-apple-darwin9.8.0
Host Platform -----> i386-apple-darwin9.8.0
Arc Profiling -----> no
GProf Profiling -----> no
Debug Mode -----> no (-DNDEBUG)
Optimization -----> 2
PNG output target support -----> no
MNG output target support -----> no
JPEG output target support -----> no
ETL_CFLAGS -----> -I/opt/synfig/include
FreeType2 -----> yes
fontconfig -----> yes
libavcodec -----> no
libswscale ----->
vImage -----> no
ImageMagick -----> no
Magick++ -----> no
FFMPEG -----> yes
libdv -----> yes
OpenEXR -----> no
Using OpenEXR's "half" type -----> no

$CXX -----> 'g++'
$CXXFLAGS -----> ' -DNDEBUG -O2 -W -Wall'
```

```
$SYNFIG_LIBS -----> '-L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -lpthread -L/opt/local/lib -lsigc-2.0'
$LIBXMLPP_LIBS -----> '-L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv '
$ETL_LIBS -----> '-lpthread '
$LIBSIGC_LIBS -----> '-L/opt/local/lib -lsigc-2.0 '
$SYNFIG_CFLAGS -----> '-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"${datarootdir}/locale\"'
$LIBADD_DL -----> ' '
```

```
imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ export CPPFLAGS=-I/opt/local/include
imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ export LDFLAGS=-L/opt/local/lib
imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ ./configure --prefix=/opt/synfig
checking build system type... i386-apple-darwin9.8.0
checking host system type... i386-apple-darwin9.8.0
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... libltdl/config/install-sh -c -d
checking for gawk... gawk
checking whether make sets $(MAKE)... yes
checking whether to enable maintainer-specific portions of Makefiles... no
checking for gcc... gcc
checking for C compiler default output file name... a.out
checking whether the C compiler works... yes
checking whether we are cross compiling... no
checking for suffix of executables...
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking for style of include used by make... GNU
checking dependency style of gcc... gcc3
checking how to run the C preprocessor... gcc -E
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for ANSI C header files... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for memory.h... yes
```


checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking minix/config.h usability... no
checking minix/config.h presence... no
checking for minix/config.h... no
checking whether it is safe to define __EXTENSIONS__... yes
checking for g++... g++
checking whether we are using the GNU C++ compiler... yes
checking whether g++ accepts -g... yes
checking dependency style of g++... gcc3
checking how to run the C preprocessor... gcc -E
checking how to run the C++ preprocessor... g++ -E
checking for a BSD-compatible install... /usr/bin/install -c
checking whether byte ordering is bigendian... no
checking for debug flags... -DNDEBUG
checking for optimization flags... -O2
checking for compiler warning flags to use... -W -Wall
checking for profiling... no
checking for arc profiling... no
checking for branch-probabilities... no
checking for a sed that does not truncate output... /usr/bin/sed
checking for fgrep... /usr/bin/grep -F
checking for ld used by gcc... /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) is GNU ld.
.. no
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -p
checking the name lister (/usr/bin/nm -p) interface... BSD nm
checking whether ln -s works... yes
checking the maximum length of command line arguments... 196608
checking whether the shell understands some XSI constructs... yes
checking whether the shell understands "+="... yes
checking for /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld option to reload object files... -r
checking for objdump... objdump
checking how to recognize dependent libraries... pass_all
checking for ar... ar
checking for strip... strip
checking for ranlib... ranlib
checking command to parse /usr/bin/nm -p output from gcc object... ok
checking for dsymutil... dsymutil
checking for nmedit... nmedit
checking for lipo... lipo
checking for otool... otool
checking for otool64... no
checking for -single_module linker flag... yes
checking for -exported_symbols_list linker flag... yes
checking for dlfcn.h... yes
checking whether we are using the GNU C++ compiler... (cached) yes

checking whether g++ accepts -g... (cached) yes
checking dependency style of g++... (cached) gcc3
checking how to run the C++ preprocessor... g++ -E
checking for objdir... .libs
checking if gcc supports -fno-rtti -fno-exceptions... no
checking for gcc option to produce PIC... -fno-common -DPIC
checking if gcc PIC flag -fno-common -DPIC works... yes
checking if gcc static flag -static works... no
checking if gcc supports -c -o file.o... yes
checking if gcc supports -c -o file.o... (cached) yes
checking whether the gcc linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin9.8.0 dyld
checking how to hardcode library paths into programs... immediate
checking for dlopen in -ldl... yes
checking whether a program can dlopen itself... yes
checking whether a statically linked program can dlopen itself... yes
checking whether stripping libraries is possible... yes
checking if libtool supports shared libraries... yes
checking whether to build shared libraries... yes
checking whether to build static libraries... no
checking for ld used by g++... /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) is GNU ld.
.. no
checking whether the g++ linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) supports shared libraries... yes
checking for g++ option to produce PIC... -fno-common -DPIC
checking if g++ PIC flag -fno-common -DPIC works... yes
checking if g++ static flag -static works... no
checking if g++ supports -c -o file.o... yes
checking if g++ supports -c -o file.o... (cached) yes
checking whether the g++ linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin9.8.0 dyld
checking how to hardcode library paths into programs... immediate
checking for dlopen in -lc... yes
checking for convert... no
checking Magick++.h usability... no
checking Magick++.h presence... no
checking for Magick++.h... no
*** Magick++ Output target disabled
checking for pkg-config... /opt/local/bin/pkg-config
checking for freetype2... yes
checking FREETYPE_CFLAGS... -I/opt/local/include/freetype2 -I/opt/local/include

checking FREETYPE_LIBS... -L/opt/local/lib -lfreetype -lz
checking for fontconfig... yes
checking FONTCONFIG_CFLAGS... -I/opt/local/include
checking FONTCONFIG_LIBS... -L/opt/local/lib -lfontconfig -lexpat -lfreetype -lz

checking for OpenEXR... checking which extension is used for runtime loadable modules... .so
checking which variable specifies run-time module search path... DYLD_LIBRARY_PATH
checking for the default library search path... /usr/local/lib /lib /usr/lib
checking for library containing dlopen... none required
checking for dlerror... yes
checking for shl_load... no
checking for shl_load in -ldld... no
checking for dld_link in -ldld... no
checking for _ prefix in compiled symbols... no
checking whether deplibs are loaded by dlopen... yes
checking for argz.h... no
checking for error_t... no
checking for argz_add... no
checking for argz_append... no
checking for argz_count... no
checking for argz_create_sep... no
checking for argz_insert... no
checking for argz_next... no
checking for argz_stringify... no
checking whether libtool supports -dlopen/-dlpreopen... yes
checking for ltdl.h... yes
checking whether lt_dlinterface_register is declared... yes
checking for lt_dladvice_preload in -lltdl... yes
checking where to find libltdl headers...
checking where to find libltdl library... -lltdl
checking for unistd.h... (cached) yes
checking for dl.h... no
checking for sys/dl.h... no
checking for dld.h... no
checking for mach-o/dyld.h... yes
checking for dirent.h... yes
checking for closedir... yes
checking for opendir... yes
checking for readdir... yes
checking for strlcat... yes
checking for strlcpy... yes
checking whether NLS is requested... yes
checking for msgfmt... /opt/local/bin/msgfmt
checking for gmsgfmt... /opt/local/bin/msgfmt
checking for xgettext... /opt/local/bin/xgettext
checking for msgmerge... /opt/local/bin/msgmerge
checking for ld used by GCC... /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) is GNU ld..
.. no
checking for shared library run path origin... done
checking for CFPreferencesCopyAppValue... yes
checking for CFLocaleCopyCurrent... yes
checking for GNU gettext in libc... no

checking for iconv... yes
checking how to link with libiconv... -liconv
checking for GNU gettext in libintl... yes
checking whether to use NLS... yes
checking where the gettext function comes from... external libintl
checking how to link with libintl... -lintl -liconv -lc -Wl,-framework -Wl,Core
Foundation
checking for ETL >= 0.04.13-RC1... yes
checking ETL_CFLAGS... -I/opt/synfig/include
checking ETL_LIBS... -lpthread
checking for libxml++-2.6... yes
checking LIBXMLPP_CFLAGS... -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/l
ibxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4
-I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/loca
l/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0
/include -I/opt/local/include
checking LIBXMLPP_LIBS... -L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread -lz -lm
-lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv
checking for sigc++-2.0... yes
checking LIBSIGC_CFLAGS... -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc
++-2.0/include
checking LIBSIGC_LIBS... -L/opt/local/lib -lsigc-2.0
checking for png_write_row in -lpng... yes
checking for mng_initialize in -lmng... no
*** MNG Output target disabled
checking for jpeg_CreateCompress in -ljpeg... yes
checking for unordered_map<int,int>::const_iterator... no
checking ext/hash_map usability... yes
checking ext/hash_map presence... yes
checking for ext/hash_map... yes
checking for unordered_set<int,int>::const_iterator... no
checking ext/hash_set usability... yes
checking ext/hash_set presence... yes
checking for ext/hash_set... yes
checking signal.h usability... yes
checking signal.h presence... yes
checking for signal.h... yes
checking termios.h usability... yes
checking termios.h presence... yes
checking for termios.h... yes
checking sys/errno.h usability... yes
checking sys/errno.h presence... yes
checking for sys/errno.h... yes
checking for sys/wait.h that is POSIX.1 compatible... yes
checking process.h usability... no
checking process.h presence... no
checking for process.h... no
checking io.h usability... no
checking io.h presence... no
checking for io.h... no

```
checking fcntl.h usability... yes
checking fcntl.h presence... yes
checking for fcntl.h... yes
checking for fork... yes
checking for kill... yes
checking for pipe... yes
checking for waitpid... yes
checking for isnan... yes
checking for isnanf... no
checking for _isnanf... no
checking for floorl... yes
checking for pthread_create in -lpthread... yes
configure: creating ./config.status
config.status: creating synfig-config
config.status: WARNING: 'synfig-config.in' seems to ignore the --datarootdir setting
config.status: creating build_tools/Makefile
config.status: creating synfig.pc
config.status: creating doxygen.cfg
config.status: creating Makefile
config.status: creating po/Makefile.in
config.status: creating src/Makefile
config.status: creating src/synfig/Makefile
config.status: creating src/modules/Makefile
config.status: creating src/modules/lyr_freetype/Makefile
config.status: creating src/modules/lyr_std/Makefile
config.status: creating src/modules/mod_bmp/Makefile
config.status: creating src/modules/mod_dv/Makefile
config.status: creating src/modules/mod_ffmpeg/Makefile
config.status: creating src/modules/mod_filter/Makefile
config.status: creating src/modules/mod_geometry/Makefile
config.status: creating src/modules/mod_gif/Makefile
config.status: creating src/modules/mod_gradient/Makefile
config.status: creating src/modules/mod_imagemagick/Makefile
config.status: creating src/modules/mod_jpeg/Makefile
config.status: creating src/modules/mod_libavcodec/Makefile
config.status: creating src/modules/mod_magickpp/Makefile
config.status: creating src/modules/mod_mng/Makefile
config.status: creating src/modules/mod_noise/Makefile
config.status: creating src/modules/mod_openexr/Makefile
config.status: creating src/modules/mod_particle/Makefile
config.status: creating src/modules/mod_png/Makefile
config.status: creating src/modules/mod_ppm/Makefile
config.status: creating src/modules/mod_yuv420p/Makefile
config.status: creating src/modules/mod_svg/Makefile
config.status: creating src/modules/example/Makefile
config.status: creating src/tool/Makefile
config.status: creating src/modules/synfig_modules.cfg
config.status: creating examples/walk/Makefile
config.status: creating examples/Makefile
```

```
config.status: creating win32inst.nsi
config.status: creating pkg-info/macosx/synfig-core.info
config.status: creating config.h
config.status: executing depfiles commands
config.status: executing libtool commands
config.status: executing po-directories commands
config.status: creating po/POTFILES
config.status: creating po/Makefile
=== configuring in libltdl (/Users/rafaymaria/synfig/synfig/libltdl)
configure: running /bin/sh ./configure --disable-option-checking '--prefix=/opt/synfig' 'LDFLAGS=-L/opt/local/lib' 'CPPFLAGS=-I/opt/local/include' '--enable-ltdl-convenience' --cache-file=/dev/null --srcdir=.
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... config/install-sh -c -d
checking for gawk... gawk
checking whether make sets $(MAKE)... yes
checking build system type... i386-apple-darwin9.8.0
checking host system type... i386-apple-darwin9.8.0
checking for style of include used by make... GNU
checking for gcc... gcc
checking for C compiler default output file name... a.out
checking whether the C compiler works... yes
checking whether we are cross compiling... no
checking for suffix of executables...
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking dependency style of gcc... gcc3
checking for a sed that does not truncate output... /usr/bin/sed
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for fgrep... /usr/bin/grep -F
checking for ld used by gcc... /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) is GNU ld.
.. no
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -p
checking the name lister (/usr/bin/nm -p) interface... BSD nm
checking whether ln -s works... yes
checking the maximum length of command line arguments... 196608
checking whether the shell understands some XSI constructs... yes
checking whether the shell understands "+="... yes
checking for /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld option to reload object files... -r
checking for objdump... no
checking how to recognize dependent libraries... pass_all
checking for ar... ar
checking for strip... strip
checking for ranlib... ranlib
```

checking command to parse /usr/bin/nm -p output from gcc object... ok
checking for dsymutil... dsymutil
checking for nmedit... nmedit
checking for lipo... lipo
checking for otool... otool
checking for otool64... no
checking for -single_module linker flag... yes
checking for -exported_symbols_list linker flag... yes
checking how to run the C preprocessor... gcc -E
checking for ANSI C header files... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for memory.h... yes
checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking for dlfcn.h... yes
checking for objdir... .libs
checking if gcc supports -fno-rtti -fno-exceptions... no
checking for gcc option to produce PIC... -fno-common -DPIC
checking if gcc PIC flag -fno-common -DPIC works... yes
checking if gcc static flag -static works... no
checking if gcc supports -c -o file.o... yes
checking if gcc supports -c -o file.o... (cached) yes
checking whether the gcc linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin9.8.0 dyld
checking how to hardcode library paths into programs... immediate
checking for dlopen in -ldl... yes
checking whether a program can dlopen itself... yes
checking whether a statically linked program can dlopen itself... yes
checking whether stripping libraries is possible... yes
checking if libtool supports shared libraries... yes
checking whether to build shared libraries... yes
checking whether to build static libraries... yes
checking which extension is used for runtime loadable modules... .so
checking which variable specifies run-time module search path... DYLD_LIBRARY_PATH
checking for the default library search path... /usr/local/lib /lib /usr/lib
checking for library containing dlopen... none required
checking for dlerror... yes
checking for shl_load... no
checking for shl_load in -ldld... no
checking for dld_link in -ldld... no
checking for _ prefix in compiled symbols... yes
checking whether we have to add an underscore for dlsym... no
checking whether deplibs are loaded by dlopen... yes

```

checking for argz.h... no
checking for error_t... no
checking for argz_add... no
checking for argz_append... no
checking for argz_count... no
checking for argz_create_sep... no
checking for argz_insert... no
checking for argz_next... no
checking for argz_stringify... no
checking whether libtool supports -dlopen/-dlpreopen... yes
checking for unistd.h... (cached) yes
checking for dl.h... no
checking for sys/dl.h... no
checking for dld.h... no
checking for mach-o/dyld.h... yes
checking for dirent.h... yes
checking for closedir... yes
checking for opendir... yes
checking for readdir... yes
checking for strlcat... yes
checking for strlcpy... yes
configure: creating ./config.status
config.status: creating Makefile
config.status: creating config.h
config.status: config.h is unchanged
config.status: executing depfiles commands
config.status: executing libtool commands

```

Synfig Core v.0.62.00-RC1

Configuration Summary

- - - - -

```

Install Prefix -----> /opt/synfig
Module directory -----> ${exec_prefix}/lib/synfig/modules
Build Platform -----> i386-apple-darwin9.8.0
Host Platform -----> i386-apple-darwin9.8.0
Arc Profiling -----> no
GProf Profiling -----> no
Debug Mode -----> no (-DNDEBUG)
Optimization -----> 2
PNG output target support -----> yes
MNG output target support -----> no
JPEG output target support -----> yes
ETL_CFLAGS -----> -I/opt/synfig/include
FreeType2 -----> yes
fontconfig -----> yes
libavcodec -----> no
libswscale ----->
vImage -----> no
ImageMagick -----> no

```



```

Magick++ -----> no
FFMPEG -----> yes
libdv -----> yes
OpenEXR -----> no
Using OpenEXR's "half" type -----> no

$CXX -----> 'g++'
$CXXFLAGS -----> ' -DNDEBUG -O2 -W -Wall'
$SYNFIG_LIBS -----> '-L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread
-lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -lpthread
-L/opt/local/lib -lsigc-2.0 -L/opt/local/lib -lintl -L/opt/local/lib -liconv
-lc -R/opt/local/lib -Wl,-framework -Wl,CoreFoundation'
$LIBXMLPP_LIBS -----> '-L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread
-lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv '
$ETL_LIBS -----> '-lpthread '
$LIBSIGC_LIBS -----> '-L/opt/local/lib -lsigc-2.0 '
$SYNFIG_CFLAGS -----> '-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include
-I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include
-I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0
-I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0
-I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="\${datarootdir}/locale\"'
$LIBADD_DL -----> ' '

```

```

imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ make
make all-recursive
Making all in libltdl
/bin/sh /Users/rafaymaria/synfig/synfig/libltdl/config/install-sh -d .
cp ./argz.h argz.h-t
mv argz.h-t argz.h
make all-am
/bin/sh ./libtool --tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -DLT_CONFIG_H='<config.h>' -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include -g -O2 -MT dlopen.lo -MD -MP -MF .deps/dlopen.Tpo -c -o dlopen.lo `test -f 'loaders/dlopen.c' || echo './`loaders/dlopen.c
libtool: compile: gcc -DHAVE_CONFIG_H -I. "-DLT_CONFIG_H=<config.h>" -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include -g -O2 -MT dlopen.lo -MD -MP -MF .deps/dlopen.Tpo -c loaders/dlopen.c -fno-common -DPIC -o .libs/dlopen.o
libtool: compile: gcc -DHAVE_CONFIG_H -I. "-DLT_CONFIG_H=<config.h>" -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include -g -O2 -MT dlopen.lo -MD -MP -MF .deps/dlopen.Tpo -c loaders/dlopen.c -o dlopen.o >/dev/null 2>&1
mv -f .deps/dlopen.Tpo .deps/dlopen.Plo
/bin/sh ./libtool --tag=CC --mode=link gcc -g -O2 -module -avoid-version -L/opt/local/lib -o dlopen.la dlopen.lo
libtool: link: rm -fr .libs/dlopen.a .libs/dlopen.la
libtool: link: ar cru .libs/dlopen.a .libs/dlopen.o
libtool: link: ranlib .libs/dlopen.a
libtool: link: ( cd ".libs" && rm -f "dlopen.la" && ln -s "../dlopen.la" "dlopen

```

.la")

```
/bin/sh ./libtool --tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc -DLT_CONFIG_H='<config.h>' -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include -g -O2 -MT libltdlc_la-preopen.lo -MD -MP -MF .deps/libltdlc_la-preopen.Tpo -c -o libltdlc_la-preopen.lo `test -f 'loaders/preopen.c' || echo './`loaders/preopen.c
```

```
libtool: compile: gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc "-DLT_CONFIG_H=<config.h>" -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include -g -O2 -MT libltdlc_la-preopen.lo -MD -MP -MF .deps/libltdlc_la-preopen.Tpo -c loaders/preopen.c -fno-common -DPIC -o .libs/libltdlc_la-preopen.o
```

```
libtool: compile: gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc "-DLT_CONFIG_H=<config.h>" -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include -g -O2 -MT libltdlc_la-preopen.lo -MD -MP -MF .deps/libltdlc_la-preopen.Tpo -c loaders/preopen.c -o libltdlc_la-preopen.o >/dev/null 2>&1
```

```
mv -f .deps/libltdlc_la-preopen.Tpo .deps/libltdlc_la-preopen.Plo
```

```
/bin/sh ./libtool --tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc -DLT_CONFIG_H='<config.h>' -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include -g -O2 -MT libltdlc_la-lt__alloc.lo -MD -MP -MF .deps/libltdlc_la-lt__alloc.Tpo -c -o libltdlc_la-lt__alloc.lo `test -f 'lt__alloc.c' || echo './`lt__alloc.c
```

```
libtool: compile: gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc "-DLT_CONFIG_H=<config.h>" -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include -g -O2 -MT libltdlc_la-lt__alloc.lo -MD -MP -MF .deps/libltdlc_la-lt__alloc.Tpo -c lt__alloc.c -fno-common -DPIC -o .libs/libltdlc_la-lt__alloc.o
```

```
libtool: compile: gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc "-DLT_CONFIG_H=<config.h>" -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include -g -O2 -MT libltdlc_la-lt__alloc.lo -MD -MP -MF .deps/libltdlc_la-lt__alloc.Tpo -c lt__alloc.c -o libltdlc_la-lt__alloc.o >/dev/null 2>&1
```

```
mv -f .deps/libltdlc_la-lt__alloc.Tpo .deps/libltdlc_la-lt__alloc.Plo
```

```
/bin/sh ./libtool --tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc -DLT_CONFIG_H='<config.h>' -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include -g -O2 -MT libltdlc_la-lt_dlloader.lo -MD -MP -MF .deps/libltdlc_la-lt_dlloader.Tpo -c -o libltdlc_la-lt_dlloader.lo `test -f 'lt_dlloader.c' || echo './`lt_dlloader.c
```

```
libtool: compile: gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc "-DLT_CONFIG_H=<config.h>" -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include -g -O2 -MT libltdlc_la-lt_dlloader.lo -MD -MP -MF .deps/libltdlc_la-lt_dlloader.Tpo -c lt_dlloader.c -fno-common -DPIC -o .libs/libltdlc_la-lt_dlloader.o
```

```
libtool: compile: gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc "-DLT_CONFIG_H=<config.h>" -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include -g -O2 -MT libltdlc_la-lt_dlloader.lo -MD -MP -MF .deps/libltdlc_la-lt_dlloader.Tpo -c lt_dlloader.c -o libltdlc_la-lt_dlloader.o >/dev/null 2>&1
```

```
mv -f .deps/libltdlc_la-lt_dlloader.Tpo .deps/libltdlc_la-lt_dlloader.Plo
```

```
/bin/sh ./libtool --tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc -DLT_CONFIG_H='<config.h>' -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include -g -O2 -MT libltdlc_la-lt_error.lo -MD -MP -MF .deps/libltdlc_la-lt_error.Tpo -c -o libltdlc_la-lt_error.lo `test -f 'lt_error.c' || echo './`lt_error.c
```

```
libtool: compile: gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc "-DLT_CONFIG_H=<config.h>" -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include
```

```

-g -O2 -MT libltdlc_la-lt_error.lo -MD -MP -MF .deps/libltdlc_la-lt_error.Tpo -c
lt_error.c -fno-common -DPIC -o .libs/libltdlc_la-lt_error.o
libtool: compile: gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc "-DLT_CONFIG_H=<
onfig.h>" -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include
-g -O2 -MT libltdlc_la-lt_error.lo -MD -MP -MF .deps/libltdlc_la-lt_error.Tpo -c
lt_error.c -o libltdlc_la-lt_error.o >/dev/null 2>&1
mv -f .deps/libltdlc_la-lt_error.Tpo .deps/libltdlc_la-lt_error.Plo
/bin/sh ./libtool --tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=
libltdlc -DLT_CONFIG_H='<config.h>' -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./lib
ltdl -I/opt/local/include -g -O2 -MT libltdlc_la-ltdl.lo -MD -MP -MF .deps/libl
tdlc_la-ltdl.Tpo -c -o libltdlc_la-ltdl.lo `test -f 'ltdl.c' || echo './`ltdl.c
libtool: compile: gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc "-DLT_CONFIG_H=<
onfig.h>" -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include
-g -O2 -MT libltdlc_la-ltdl.lo -MD -MP -MF .deps/libltdlc_la-ltdl.Tpo -c ltdl.c
-fno-common -DPIC -o .libs/libltdlc_la-ltdl.o
libtool: compile: gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc "-DLT_CONFIG_H=<
onfig.h>" -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include
-g -O2 -MT libltdlc_la-ltdl.lo -MD -MP -MF .deps/libltdlc_la-ltdl.Tpo -c ltdl.c
-o libltdlc_la-ltdl.o >/dev/null 2>&1
mv -f .deps/libltdlc_la-ltdl.Tpo .deps/libltdlc_la-ltdl.Plo
/bin/sh ./libtool --tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=
libltdlc -DLT_CONFIG_H='<config.h>' -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./lib
ltdl -I/opt/local/include -g -O2 -MT libltdlc_la-slist.lo -MD -MP -MF .deps/lib
ltdlc_la-slist.Tpo -c -o libltdlc_la-slist.lo `test -f 'slist.c' || echo './`sl
ist.c
libtool: compile: gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc "-DLT_CONFIG_H=<
onfig.h>" -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include
-g -O2 -MT libltdlc_la-slist.lo -MD -MP -MF .deps/libltdlc_la-slist.Tpo -c slist
.c -fno-common -DPIC -o .libs/libltdlc_la-slist.o
libtool: compile: gcc -DHAVE_CONFIG_H -I. -DLTDLOPEN=libltdlc "-DLT_CONFIG_H=<
onfig.h>" -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include
-g -O2 -MT libltdlc_la-slist.lo -MD -MP -MF .deps/libltdlc_la-slist.Tpo -c slist
.c -o libltdlc_la-slist.o >/dev/null 2>&1
mv -f .deps/libltdlc_la-slist.Tpo .deps/libltdlc_la-slist.Plo
/bin/sh ./libtool --tag=CC --mode=compile gcc -DHAVE_CONFIG_H -I. -DLT_CONFIG
_H='<config.h>' -DLTDL -I. -I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/in
clude -g -O2 -MT argz.lo -MD -MP -MF .deps/argz.Tpo -c -o argz.lo argz.c
libtool: compile: gcc -DHAVE_CONFIG_H -I. "-DLT_CONFIG_H=<config.h>" -DLTDL -I.
-I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include -g -O2 -MT argz.lo -
MD -MP -MF .deps/argz.Tpo -c argz.c -fno-common -DPIC -o .libs/argz.o
libtool: compile: gcc -DHAVE_CONFIG_H -I. "-DLT_CONFIG_H=<config.h>" -DLTDL -I.
-I. -Ilibltdl -I./libltdl -I./libltdl -I/opt/local/include -g -O2 -MT argz.lo -
MD -MP -MF .deps/argz.Tpo -c argz.c -o argz.o >/dev/null 2>&1
mv -f .deps/argz.Tpo .deps/argz.Plo
/bin/sh ./libtool --tag=CC --mode=link gcc -g -O2 -no-undefined -dlpreopen dl
open.la -L/opt/local/lib -o libltdlc.la libltdlc_la-preopen.lo libltdlc_la-lt_
alloc.lo libltdlc_la-lt_dloader.lo libltdlc_la-lt_error.lo libltdlc_la-ltdl.lo
libltdlc_la-slist.lo argz.lo
libtool: link: rm -f .libs/libltdlc.nm .libs/libltdlc.nmS .libs/libltdlc.nmT
libtool: link: (cd .libs && gcc -g -O2 -c -fno-builtin -fno-common -DPIC "libltdlc_la-preopen.lo libltdlc_la-lt_alloc.lo libltdlc_la-lt_dloader.lo libltdlc_la-lt_error.lo libltdlc_la-ltdl.lo libltdlc_la-slist.lo argz.lo" -o libltdlc.o -Wl,-rpath,/opt/local/lib)

```

```

dlcS.c")
libtool: link: rm -f ".libs/libltdlcS.c" ".libs/libltdlc.nm" ".libs/libltdlc.nmS"
".libs/libltdlc.nmT"
libtool: link: rm -fr .libs/libltdlc.a .libs/libltdlc.la
libtool: link: (cd .libs/libltdlc.lax/dlopen.a && ar x "/Users/rafaymaria/synfig/synfig/libltdl/./libs/dlopen.a")
libtool: link: ar cru .libs/libltdlc.a .libs/libltdlc_la-preopen.o .libs/libltdlc_la-lt__alloc.o .libs/libltdlc_la-lt_dlloader.o .libs/libltdlc_la-lt_error.o .libs/libltdlc_la-ltdl.o .libs/libltdlc_la-slist.o .libs/argz.o .libs/libltdlcS.o .libs/libltdlc.lax/dlopen.a/dlopen.o
libtool: link: ranlib .libs/libltdlc.a
libtool: link: rm -fr .libs/libltdlc.lax
libtool: link: ( cd ".libs" && rm -f "libltdlc.la" && ln -s "../libltdlc.la" "libltdlc.la" )
Making all in build_tools
sh ./autorevision.sh ".." ".."
Making all in src
Making all in synfig
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DDEBUG -O2 -W -Wall -MT libsynfig_la-blinepoint.lo -MD -MP -MF .deps/libsynfig_la-blinepoint.Tpo -c -o libsynfig_la-blinepoint.lo `test -f 'blinepoint.cpp' || echo './'`blinepoint.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DDEBUG -O2 -W -Wall -MT libsynfig_la-blinepoint.lo -MD -MP -MF .deps/libsynfig_la-blinepoint.Tpo -c blinepoint.cpp -fno-common -DPIC -o .libs/libsynfig_la-blinepoint.o
mv -f .deps/libsynfig_la-blinepoint.Tpo .deps/libsynfig_la-blinepoint.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DDEBUG -O2 -W -Wall -MT libsynfig_la-gradient.lo -MD -MP -MF .deps/libsynfig_la-gradient.Tpo -c -o libsynfig_la-gradient.lo `test -f 'gradient

```

```

.cpp' || echo './`gradient.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-gradient.lo -MD -MP -MF .deps/libsynfig_la-gradient.Tpo -c grad
ient.cpp -fno-common -DPIC -o .libs/libsynfig_la-gradient.o
gradient.cpp: In member function 'synfig::Gradient& synfig::Gradient::operator+=
(const synfig::Gradient&)':
gradient.cpp:206: warning: format '%ld' expects type 'long int', but argument 2
has type 'int'
gradient.cpp:206: warning: format '%ld' expects type 'long int', but argument 4
has type 'int'
mv -f .deps/libsynfig_la-gradient.Tpo .deps/libsynfig_la-gradient.Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-value.lo -MD -MP -MF .dep
s/libsynfig_la-value.Tpo -c -o libsynfig_la-value.lo `test -f 'value.cpp' || ech
o './`value.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-value.lo -MD -MP -MF .deps/libsynfig_la-value.Tpo -c value.cpp
-fno-common -DPIC -o .libs/libsynfig_la-value.o
mv -f .deps/libsynfig_la-value.Tpo .deps/libsynfig_la-value.Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-layer_bitmap.lo -MD -MP -
MF .deps/libsynfig_la-layer_bitmap.Tpo -c -o libsynfig_la-layer_bitmap.lo `test

```

```

-f 'layer_bitmap.cpp' || echo './`layer_bitmap.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-layer_bitmap.lo -MD -MP -MF .deps/libsynfig_la-layer_bitmap.Tpo
-c layer_bitmap.cpp -fno-common -DPIC -o .libs/libsynfig_la-layer_bitmap.o
mv -f .deps/libsynfig_la-layer_bitmap.Tpo .deps/libsynfig_la-layer_bitmap.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-layer_composite.lo -MD -M
P -MF .deps/libsynfig_la-layer_composite.Tpo -c -o libsynfig_la-layer_composite.
lo `test -f 'layer_composite.cpp' || echo './`layer_composite.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-layer_composite.lo -MD -MP -MF .deps/libsynfig_la-layer_composi
te.Tpo -c layer_composite.cpp -fno-common -DPIC -o .libs/libsynfig_la-layer_com
posite.o
mv -f .deps/libsynfig_la-layer_composite.Tpo .deps/libsynfig_la-layer_composite.
Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-layer_duplicate.lo -MD -M
P -MF .deps/libsynfig_la-layer_duplicate.Tpo -c -o libsynfig_la-layer_duplicate.
lo `test -f 'layer_duplicate.cpp' || echo './`layer_duplicate.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4

```

```

/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-layer_duplicate.lo -MD -MP -MF .deps/libsynfig_la-layer_duplica
te.Tpo -c layer_duplicate.cpp -fno-common -DPIC -o .libs/libsynfig_la-layer_dup
licate.o
mv -f .deps/libsynfig_la-layer_duplicate.Tpo .deps/libsynfig_la-layer_duplicate.
Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-layer_mime.lo -MD -MP -MF
.deps/libsynfig_la-layer_mime.Tpo -c -o libsynfig_la-layer_mime.lo `test -f 'la
yer_mime.cpp' || echo './`layer_mime.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-layer_mime.lo -MD -MP -MF .deps/libsynfig_la-layer_mime.Tpo -c
layer_mime.cpp -fno-common -DPIC -o .libs/libsynfig_la-layer_mime.o
mv -f .deps/libsynfig_la-layer_mime.Tpo .deps/libsynfig_la-layer_mime.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-layer_motionblur.lo -MD -
MP -MF .deps/libsynfig_la-layer_motionblur.Tpo -c -o libsynfig_la-layer_motionbl
ur.lo `test -f 'layer_motionblur.cpp' || echo './`layer_motionblur.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI

```

```

BDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-layer_motionblur.lo -MD -MP -MF .deps/libsynfig_la-layer_motion
blur.Tpo -c layer_motionblur.cpp -fno-common -DPIC -o .libs/libsynfig_la-layer_
motionblur.o
mv -f .deps/libsynfig_la-layer_motionblur.Tpo .deps/libsynfig_la-layer_motionblu
r.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/op
t/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-layer_pastecanvas.lo -MD
-MP -MF .deps/libsynfig_la-layer_pastecanvas.Tpo -c -o libsynfig_la-layer_paste
canvas.lo `test -f 'layer_pastecanvas.cpp' || echo './`layer_pastecanvas.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLI
BDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-layer_pastecanvas.lo -MD -MP -MF .deps/libsynfig_la-layer_paste
canvas.Tpo -c layer_pastecanvas.cpp -fno-common -DPIC -o .libs/libsynfig_la-lay
er_pastecanvas.o
mv -f .deps/libsynfig_la-layer_pastecanvas.Tpo .deps/libsynfig_la-layer_paste
canvas.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/op
t/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-layer_polygon.lo -MD -MP
-MF .deps/libsynfig_la-layer_polygon.Tpo -c -o libsynfig_la-layer_polygon.lo `te
st -f 'layer_polygon.cpp' || echo './`layer_polygon.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLI
BDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-layer_polygon.lo -MD -MP -MF .deps/libsynfig_la-layer_polygon.T

```



```

po -c layer_polygon.cpp -fno-common -DPIC -o .libs/libsynfig_la-layer_polygon.o
mv -f .deps/libsynfig_la-layer_polygon.Tpo .deps/libsynfig_la-layer_polygon.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt
/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-layer_shape.lo -MD -MP -M
F .deps/libsynfig_la-layer_shape.Tpo -c -o libsynfig_la-layer_shape.lo `test -f
'layer_shape.cpp' || echo './'`layer_shape.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++
-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-layer_shape.lo -MD -MP -MF .deps/libsynfig_la-layer_shape.Tpo -
c layer_shape.cpp -fno-common -DPIC -o .libs/libsynfig_la-layer_shape.o
mv -f .deps/libsynfig_la-layer_shape.Tpo .deps/libsynfig_la-layer_shape.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt
/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-layer_solidcolor.lo -MD -
MP -MF .deps/libsynfig_la-layer_solidcolor.Tpo -c -o libsynfig_la-layer_solidcol
or.lo `test -f 'layer_solidcolor.cpp' || echo './'`layer_solidcolor.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++
-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-layer_solidcolor.lo -MD -MP -MF .deps/libsynfig_la-layer_solidc
olor.Tpo -c layer_solidcolor.cpp -fno-common -DPIC -o .libs/libsynfig_la-layer_
solidcolor.o
mv -f .deps/libsynfig_la-layer_solidcolor.Tpo .deps/libsynfig_la-layer_solidcolo
r.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local

```

```

/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-target_multi.lo -MD -MP -MF .deps/libsynfig_la-target_multi.Tpo -c -o libsynfig_la-target_multi.lo `test -f 'target_multi.cpp' || echo './'`target_multi.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-target_multi.lo -MD -MP -MF .deps/libsynfig_la-target_multi.Tpo -c target_multi.cpp -fno-common -DPIC -o .libs/libsynfig_la-target_multi.o
mv -f .deps/libsynfig_la-target_multi.Tpo .deps/libsynfig_la-target_multi.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-target_null.lo -MD -MP -MF .deps/libsynfig_la-target_null.Tpo -c -o libsynfig_la-target_null.lo `test -f 'target_null.cpp' || echo './'`target_null.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-target_null.lo -MD -MP -MF .deps/libsynfig_la-target_null.Tpo -c target_null.cpp -fno-common -DPIC -o .libs/libsynfig_la-target_null.o
mv -f .deps/libsynfig_la-target_null.Tpo .deps/libsynfig_la-target_null.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-target_null.lo -MD -MP -MF .deps/libsynfig_la-target_null.Tpo -c target_null.cpp -fno-common -DPIC -o .libs/libsynfig_la-target_null.o
mv -f .deps/libsynfig_la-target_null.Tpo .deps/libsynfig_la-target_null.Plo

```

```

t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-target_null_tile.lo -MD -
MP -MF .deps/libsynfig_la-target_null_tile.Tpo -c -o libsynfig_la-target_null_til
e.lo `test -f 'target_null_tile.cpp' || echo './`target_null_tile.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLI
BDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-target_null_tile.lo -MD -MP -MF .deps/libsynfig_la-target_null_
tile.Tpo -c target_null_tile.cpp -fno-common -DPIC -o .libs/libsynfig_la-target
_null_tile.o
mv -f .deps/libsynfig_la-target_null_tile.Tpo .deps/libsynfig_la-target_null_til
e.Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/op
t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-target_scanline.lo -MD -M
P -MF .deps/libsynfig_la-target_scanline.Tpo -c -o libsynfig_la-target_scanline.
lo `test -f 'target_scanline.cpp' || echo './`target_scanline.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLI
BDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-target_scanline.lo -MD -MP -MF .deps/libsynfig_la-target_scanli
ne.Tpo -c target_scanline.cpp -fno-common -DPIC -o .libs/libsynfig_la-target_sc
anline.o
mv -f .deps/libsynfig_la-target_scanline.Tpo .deps/libsynfig_la-target_scanline.
Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/op
t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-target_tile.lo -MD -MP -M
F .deps/libsynfig_la-target_tile.Tpo -c -o libsynfig_la-target_tile.lo `test -f

```

```

'target_tile.cpp' || echo './`target_tile.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-target_tile.lo -MD -MP -MF .deps/libsynfig_la-target_tile.Tpo -
c target_tile.cpp -fno-common -DPIC -o .libs/libsynfig_la-target_tile.o
mv -f .deps/libsynfig_la-target_tile.Tpo .deps/libsynfig_la-target_tile.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_add.lo -MD -MP
-MF .deps/libsynfig_la-valuenode_add.Tpo -c -o libsynfig_la-valuenode_add.lo `te
st -f 'valuenode_add.cpp' || echo './`valuenode_add.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_add.lo -MD -MP -MF .deps/libsynfig_la-valuenode_add.T
po -c valuenode_add.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_add.o
mv -f .deps/libsynfig_la-valuenode_add.Tpo .deps/libsynfig_la-valuenode_add.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_and.lo -MD -MP
-MF .deps/libsynfig_la-valuenode_and.Tpo -c -o libsynfig_la-valuenode_and.lo `te
st -f 'valuenode_and.cpp' || echo './`valuenode_and.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ

```

```
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_and.lo -MD -MP -MF .deps/libsynfig_la-valuenode_and.Tpo -c valuenode_and.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_and.o mv -f .deps/libsynfig_la-valuenode_and.Tpo .deps/libsynfig_la-valuenode_and.Plo /bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_anglestring.lo -MD -MP -MF .deps/libsynfig_la-valuenode_anglestring.Tpo -c -o libsynfig_la-valuenode_anglestring.lo `test -f 'valuenode_anglestring.cpp' || echo './`valuenode_anglestring.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_anglestring.lo -MD -MP -MF .deps/libsynfig_la-valuenode_anglestring.Tpo -c valuenode_anglestring.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_anglestring.o
```

```
mv -f .deps/libsynfig_la-valuenode_anglestring.Tpo .deps/libsynfig_la-valuenode_anglestring.Plo
```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_animated.lo -MD -MP -MF .deps/libsynfig_la-valuenode_animated.Tpo -c -o libsynfig_la-valuenode_animated.lo `test -f 'valuenode_animated.cpp' || echo './`valuenode_animated.cpp
```

```
p libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_animated.lo -MD -MP -MF .deps/libsynfig_la-valuenode_animated.Tpo -c valuenode_animated.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_animated.o
```

```

BDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_animated.lo -MD -MP -MF .deps/libsynfig_la-valuenode_
animated.Tpo -c valuenode_animated.cpp -fno-common -DPIC -o .libs/libsynfig_la-
valuenode_animated.o
mv -f .deps/libsynfig_la-valuenode_animated.Tpo .deps/libsynfig_la-valuenode_ani
mated.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_atan2.lo -MD -M
P -MF .deps/libsynfig_la-valuenode_atan2.Tpo -c -o libsynfig_la-valuenode_atan2.
lo `test -f 'valuenode_atan2.cpp' || echo './`valuenode_atan2.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLI
BDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_atan2.lo -MD -MP -MF .deps/libsynfig_la-valuenode_ata
n2.Tpo -c valuenode_atan2.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode
_atan2.o
mv -f .deps/libsynfig_la-valuenode_atan2.Tpo .deps/libsynfig_la-valuenode_atan2.
Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_bline.lo -MD -M
P -MF .deps/libsynfig_la-valuenode_bline.Tpo -c -o libsynfig_la-valuenode_bline.
lo `test -f 'valuenode_bline.cpp' || echo './`valuenode_bline.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLI
BDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_bline.lo -MD -MP -MF .deps/libsynfig_la-valuenode_bli

```

```

ne.Tpo -c valuenode_bline.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_bline.o
mv -f .deps/libsynfig_la-valuenode_bline.Tpo .deps/libsynfig_la-valuenode_bline.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_blinecalctangent.lo -MD -MP -MF .deps/libsynfig_la-valuenode_blinecalctangent.Tpo -c -o libsynfig_la-valuenode_blinecalctangent.lo `test -f 'valuenode_blinecalctangent.cpp' || echo './'`valuenode_blinecalctangent.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_blinecalctangent.lo -MD -MP -MF .deps/libsynfig_la-valuenode_blinecalctangent.Tpo -c valuenode_blinecalctangent.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_blinecalctangent.o
mv -f .deps/libsynfig_la-valuenode_blinecalctangent.Tpo .deps/libsynfig_la-valuenode_blinecalctangent.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_blinecalcvertex.lo -MD -MP -MF .deps/libsynfig_la-valuenode_blinecalcvertex.Tpo -c -o libsynfig_la-valuenode_blinecalcvertex.lo `test -f 'valuenode_blinecalcvertex.cpp' || echo './'`valuenode_blinecalcvertex.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_blinecalcvertex.lo -MD -MP -MF .deps/libsynfig_la-val

```

```

uencode_blinecalcvertex.Tpo -c valuenode_blinecalcvertex.cpp -fno-common -DPIC -
o .libs/libsynfig_la-valuenode_blinecalcvertex.o
mv -f .deps/libsynfig_la-valuenode_blinecalcvertex.Tpo .deps/libsynfig_la-valuenode_blinecalcvertex.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_blinecalcwidth.lo -MD -MP -MF .deps/libsynfig_la-valuenode_blinecalcwidth.Tpo -c -o libsynfig_la-valuenode_blinecalcwidth.lo `test -f 'valuenode_blinecalcwidth.cpp' || echo './`valuenode_blinecalcwidth.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_blinecalcwidth.lo -MD -MP -MF .deps/libsynfig_la-valuenode_blinecalcwidth.Tpo -c valuenode_blinecalcwidth.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_blinecalcwidth.o
mv -f .deps/libsynfig_la-valuenode_blinecalcwidth.Tpo .deps/libsynfig_la-valuenode_blinecalcwidth.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_blinereversetangent.lo -MD -MP -MF .deps/libsynfig_la-valuenode_blinereversetangent.Tpo -c -o libsynfig_la-valuenode_blinereversetangent.lo `test -f 'valuenode_blinereversetangent.cpp' || echo './`valuenode_blinereversetangent.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_blinereversetangent.lo -MD -MP -MF .deps/libsynfig_la-

```



```

-valuenode_blinereversetangent.Tpo -c valuenode_blinereversetangent.cpp -fno-co
mmon -DPIC -o .libs/libsynfig_la-valuenode_blinereversetangent.o
mv -f .deps/libsynfig_la-valuenode_blinereversetangent.Tpo .deps/libsynfig_la-va
luenode_blinereversetangent.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_compare.lo -MD
-MP -MF .deps/libsynfig_la-valuenode_compare.Tpo -c -o libsynfig_la-valuenode_co
mpare.lo `test -f 'valuenode_compare.cpp' || echo './`valuenode_compare.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_compare.lo -MD -MP -MF .deps/libsynfig_la-valuenode_c
ompare.Tpo -c valuenode_compare.cpp -fno-common -DPIC -o .libs/libsynfig_la-val
uenode_compare.o
mv -f .deps/libsynfig_la-valuenode_compare.Tpo .deps/libsynfig_la-valuenode_comp
are.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_composite.lo -M
D -MP -MF .deps/libsynfig_la-valuenode_composite.Tpo -c -o libsynfig_la-valuenod
e_composite.lo `test -f 'valuenode_composite.cpp' || echo './`valuenode_composi
te.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_composite.lo -MD -MP -MF .deps/libsynfig_la-valuenode
_composite.Tpo -c valuenode_composite.cpp -fno-common -DPIC -o .libs/libsynfig_

```

la-valuenode_composite.o

mv -f .deps/libsynfig_la-valuenode_composite.Tpo .deps/libsynfig_la-valuenode_composite.Plo

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_const.lo -MD -MP -MF .deps/libsynfig_la-valuenode_const.Tpo -c -o libsynfig_la-valuenode_const.lo `test -f 'valuenode_const.cpp' || echo './`valuenode_const.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_const.lo -MD -MP -MF .deps/libsynfig_la-valuenode_const.Tpo -c valuenode_const.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_const.o
```

mv -f .deps/libsynfig_la-valuenode_const.Tpo .deps/libsynfig_la-valuenode_const.Plo

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_cos.lo -MD -MP -MF .deps/libsynfig_la-valuenode_cos.Tpo -c -o libsynfig_la-valuenode_cos.lo `test -f 'valuenode_cos.cpp' || echo './`valuenode_cos.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_cos.lo -MD -MP -MF .deps/libsynfig_la-valuenode_cos.Tpo -c valuenode_cos.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_cos.o
mv -f .deps/libsynfig_la-valuenode_cos.Tpo .deps/libsynfig_la-valuenode_cos.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
```

```
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_dotproduct.lo -MD -MP -MF .deps/libsynfig_la-valuenode_dotproduct.Tpo -c -o libsynfig_la-valuenode_dotproduct.lo `test -f 'valuenode_dotproduct.cpp' || echo './`valuenode_dotproduct.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_dotproduct.lo -MD -MP -MF .deps/libsynfig_la-valuenode_dotproduct.Tpo -c valuenode_dotproduct.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_dotproduct.o
```

```
mv -f .deps/libsynfig_la-valuenode_dotproduct.Tpo .deps/libsynfig_la-valuenode_dotproduct.Plo
```

```
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_duplicate.lo -MD -MP -MF .deps/libsynfig_la-valuenode_duplicate.Tpo -c -o libsynfig_la-valuenode_duplicate.lo `test -f 'valuenode_duplicate.cpp' || echo './`valuenode_duplicate.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_duplicate.lo -MD -MP -MF .deps/libsynfig_la-valuenode_duplicate.Tpo -c valuenode_duplicate.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_duplicate.o
```

```
mv -f .deps/libsynfig_la-valuenode_duplicate.Tpo .deps/libsynfig_la-valuenode_duplicate.Plo
```

```
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
```

```
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_dynamiclist.lo -MD -MP -MF .deps/libsynfig_la-valuenode_dynamiclist.Tpo -c -o libsynfig_la-valuenode_dynamiclist.lo `test -f 'valuenode_dynamiclist.cpp' || echo './`valuenode_dynamiclist.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_dynamiclist.lo -MD -MP -MF .deps/libsynfig_la-valuenode_dynamiclist.Tpo -c valuenode_dynamiclist.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_dynamiclist.o
```

```
mv -f .deps/libsynfig_la-valuenode_dynamiclist.Tpo .deps/libsynfig_la-valuenode_dynamiclist.Plo
```

```
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_exp.lo -MD -MP -MF .deps/libsynfig_la-valuenode_exp.Tpo -c -o libsynfig_la-valuenode_exp.lo `test -f 'valuenode_exp.cpp' || echo './`valuenode_exp.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_exp.lo -MD -MP -MF .deps/libsynfig_la-valuenode_exp.Tpo -c valuenode_exp.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_exp.o
```

```
mv -f .deps/libsynfig_la-valuenode_exp.Tpo .deps/libsynfig_la-valuenode_exp.Plo
```

```
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt
```

```

t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_gradientcolor.lo -MD -MP -MF .deps/libsynfig_la-valuenode_gradientcolor.Tpo -c -o libsynfig_la-valuenode_gradientcolor.lo `test -f 'valuenode_gradientcolor.cpp' || echo './`valuenode_gradientcolor.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_gradientcolor.lo -MD -MP -MF .deps/libsynfig_la-valuenode_gradientcolor.Tpo -c valuenode_gradientcolor.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_gradientcolor.o
mv -f .deps/libsynfig_la-valuenode_gradientcolor.Tpo .deps/libsynfig_la-valuenode_gradientcolor.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_gradientrotate.lo -MD -MP -MF .deps/libsynfig_la-valuenode_gradientrotate.Tpo -c -o libsynfig_la-valuenode_gradientrotate.lo `test -f 'valuenode_gradientrotate.cpp' || echo './`valuenode_gradientrotate.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_gradientrotate.lo -MD -MP -MF .deps/libsynfig_la-valuenode_gradientrotate.Tpo -c valuenode_gradientrotate.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_gradientrotate.o
mv -f .deps/libsynfig_la-valuenode_gradientrotate.Tpo .deps/libsynfig_la-valuenode_gradientrotate.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt

```

```

t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_greyed.lo -MD -MP -MF .deps/libsynfig_la-valuenode_greyed.Tpo -c -o libsynfig_la-valuenode_greyed.lo `test -f 'valuenode_greyed.cpp' || echo './`valuenode_greyed.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_greyed.lo -MD -MP -MF .deps/libsynfig_la-valuenode_greyed.Tpo -c valuenode_greyed.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_greyed.o
mv -f .deps/libsynfig_la-valuenode_greyed.Tpo .deps/libsynfig_la-valuenode_greyed.Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_integer.lo -MD -MP -MF .deps/libsynfig_la-valuenode_integer.Tpo -c -o libsynfig_la-valuenode_integer.lo `test -f 'valuenode_integer.cpp' || echo './`valuenode_integer.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_integer.lo -MD -MP -MF .deps/libsynfig_la-valuenode_integer.Tpo -c valuenode_integer.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_integer.o
mv -f .deps/libsynfig_la-valuenode_integer.Tpo .deps/libsynfig_la-valuenode_integer.Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s

```

```
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=
="/opt/synfig/share/locale\" -DLIBDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/
t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_intstring.lo -M
D -MP -MF .deps/libsynfig_la-valuenode_intstring.Tpo -c -o libsynfig_la-valuenod
e_intstring.lo `test -f 'valuenode_intstring.cpp' || echo './`valuenode_intstri
ng.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DLI
BDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_intstring.lo -MD -MP -MF .deps/libsynfig_la-valuenode
_intstring.Tpo -c valuenode_intstring.cpp -fno-common -DPIC -o .libs/libsynfig_
la-valuenode_intstring.o
```

```
mv -f .deps/libsynfig_la-valuenode_intstring.Tpo .deps/libsynfig_la-valuenode_in
tstring.Plo
```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale\" -DLIBDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/
t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_join.lo -MD -MP
-MF .deps/libsynfig_la-valuenode_join.Tpo -c -o libsynfig_la-valuenode_join.lo
`test -f 'valuenode_join.cpp' || echo './`valuenode_join.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DLI
BDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_join.lo -MD -MP -MF .deps/libsynfig_la-valuenode_join
.Tpo -c valuenode_join.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_jo
in.o
```

```
mv -f .deps/libsynfig_la-valuenode_join.Tpo .deps/libsynfig_la-valuenode_join.Pl
o
```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
```

```

="/opt/synfig/share/locale\" -DLIBDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/
t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_linear.lo -MD -
MP -MF .deps/libsynfig_la-valuenode_linear.Tpo -c -o libsynfig_la-valuenode_line
ar.lo `test -f 'valuenode_linear.cpp' || echo './`valuenode_linear.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DLI
BDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_linear.lo -MD -MP -MF .deps/libsynfig_la-valuenode_li
near.Tpo -c valuenode_linear.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuen
ode_linear.o
mv -f .deps/libsynfig_la-valuenode_linear.Tpo .deps/libsynfig_la-valuenode_linea
r.Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale\" -DLIBDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/
t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_log.lo -MD -MP
-MF .deps/libsynfig_la-valuenode_log.Tpo -c -o libsynfig_la-valuenode_log.lo `te
st -f 'valuenode_log.cpp' || echo './`valuenode_log.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DLI
BDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_log.lo -MD -MP -MF .deps/libsynfig_la-valuenode_log.T
po -c valuenode_log.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_log.o
mv -f .deps/libsynfig_la-valuenode_log.Tpo .deps/libsynfig_la-valuenode_log.Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale\" -DLIBDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/
t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_not.lo -MD -MP
-MF .deps/libsynfig_la-valuenode_not.Tpo -c -o libsynfig_la-valuenode_not.lo `te
st -f 'valuenode_not.cpp' || echo './`valuenode_not.cpp

```



```

libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_not.lo -MD -MP -MF .deps/libsynfig_la-valuenode_not.T
po -c valuenode_not.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_not.o
mv -f .deps/libsynfig_la-valuenode_not.Tpo .deps/libsynfig_la-valuenode_not.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/
synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_or.lo -MD -MP -
MF .deps/libsynfig_la-valuenode_or.Tpo -c -o libsynfig_la-valuenode_or.lo `test
-f 'valuenode_or.cpp' || echo './`valuenode_or.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_or.lo -MD -MP -MF .deps/libsynfig_la-valuenode_or.Tpo
-c valuenode_or.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_or.o
mv -f .deps/libsynfig_la-valuenode_or.Tpo .deps/libsynfig_la-valuenode_or.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/
synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_pow.lo -MD -MP
-MF .deps/libsynfig_la-valuenode_pow.Tpo -c -o libsynfig_la-valuenode_pow.lo `te
st -f 'valuenode_pow.cpp' || echo './`valuenode_pow.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-

```

```

2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DLIBDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_pow.lo -MD -MP -MF .deps/libsynfig_la-valuenode_pow.Tpo -c valuenode_pow.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_pow.o
mv -f .deps/libsynfig_la-valuenode_pow.Tpo .deps/libsynfig_la-valuenode_pow.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DLIBDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_radialcomposite.lo -MD -MP -MF .deps/libsynfig_la-valuenode_radialcomposite.Tpo -c -o libsynfig_la-valuenode_radialcomposite.lo `test -f 'valuenode_radialcomposite.cpp' || echo './`valuenode_radialcomposite.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DLIBDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_radialcomposite.lo -MD -MP -MF .deps/libsynfig_la-valuenode_radialcomposite.Tpo -c valuenode_radialcomposite.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_radialcomposite.o
mv -f .deps/libsynfig_la-valuenode_radialcomposite.Tpo .deps/libsynfig_la-valuenode_radialcomposite.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DLIBDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_range.lo -MD -MP -MF .deps/libsynfig_la-valuenode_range.Tpo -c -o libsynfig_la-valuenode_range.lo `test -f 'valuenode_range.cpp' || echo './`valuenode_range.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DLIBDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_range.lo -MD -MP -MF .deps/libsynfig_la-valuenode_range.Tpo -c valuenode_range.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_range.o
mv -f .deps/libsynfig_la-valuenode_range.Tpo .deps/libsynfig_la-valuenode_range.Plo

```

```

ge.Tpo -c valuenode_range.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode
_range.o
mv -f .deps/libsynfig_la-valuenode_range.Tpo .deps/libsynfig_la-valuenode_range.
Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_realstring.lo -
MD -MP -MF .deps/libsynfig_la-valuenode_realstring.Tpo -c -o libsynfig_la-valuen
ode_realstring.lo `test -f 'valuenode_realstring.cpp' || echo './`valuenode_rea
lstring.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_realstring.lo -MD -MP -MF .deps/libsynfig_la-valuenod
e_realstring.Tpo -c valuenode_realstring.cpp -fno-common -DPIC -o .libs/libsynf
ig_la-valuenode_realstring.o
mv -f .deps/libsynfig_la-valuenode_realstring.Tpo .deps/libsynfig_la-valuenode_r
ealstring.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_reciprocal.lo -
MD -MP -MF .deps/libsynfig_la-valuenode_reciprocal.Tpo -c -o libsynfig_la-valuen
ode_reciprocal.lo `test -f 'valuenode_reciprocal.cpp' || echo './`valuenode_rec
iprocal.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_reciprocal.lo -MD -MP -MF .deps/libsynfig_la-valuenod

```

```

e_reciprocal.Tpo -c valuenode_reciprocal.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_reciprocal.o
mv -f .deps/libsynfig_la-valuenode_reciprocal.Tpo .deps/libsynfig_la-valuenode_reciprocal.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_reference.lo -MD -MP -MF .deps/libsynfig_la-valuenode_reference.Tpo -c -o libsynfig_la-valuenode_reference.lo `test -f 'valuenode_reference.cpp' || echo './`valuenode_reference.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_reference.lo -MD -MP -MF .deps/libsynfig_la-valuenode_reference.Tpo -c valuenode_reference.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_reference.o
mv -f .deps/libsynfig_la-valuenode_reference.Tpo .deps/libsynfig_la-valuenode_reference.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_repeat_gradient.lo -MD -MP -MF .deps/libsynfig_la-valuenode_repeat_gradient.Tpo -c -o libsynfig_la-valuenode_repeat_gradient.lo `test -f 'valuenode_repeat_gradient.cpp' || echo './`valuenode_repeat_gradient.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_repeat_gradient.lo -MD -MP -MF .deps/libsynfig_la-val

```

```

uencode_repeat_gradient.Tpo -c valuenode_repeat_gradient.cpp -fno-common -DPIC -
o .libs/libsynfig_la-valuenode_repeat_gradient.o
mv -f .deps/libsynfig_la-valuenode_repeat_gradient.Tpo .deps/libsynfig_la-valuen
ode_repeat_gradient.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_scale.lo -MD -M
P -MF .deps/libsynfig_la-valuenode_scale.Tpo -c -o libsynfig_la-valuenode_scale.
lo `test -f 'valuenode_scale.cpp' || echo './`valuenode_scale.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_scale.lo -MD -MP -MF .deps/libsynfig_la-valuenode_sca
le.Tpo -c valuenode_scale.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode
_scale.o
mv -f .deps/libsynfig_la-valuenode_scale.Tpo .deps/libsynfig_la-valuenode_scale.
Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_segcalctangent.
lo -MD -MP -MF .deps/libsynfig_la-valuenode_segcalctangent.Tpo -c -o libsynfig_l
a-valuenode_segcalctangent.lo `test -f 'valuenode_segcalctangent.cpp' || echo './
`valuenode_segcalctangent.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_segcalctangent.lo -MD -MP -MF .deps/libsynfig_la-valu
enode_segcalctangent.Tpo -c valuenode_segcalctangent.cpp -fno-common -DPIC -o .

```

```

libs/libsynfig_la-valuenode_segcalctangent.o
mv -f .deps/libsynfig_la-valuenode_segcalctangent.Tpo .deps/libsynfig_la-valuenode_segcalctangent.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_segcalcvertex.lo -MD -MP -MF .deps/libsynfig_la-valuenode_segcalcvertex.Tpo -c -o libsynfig_la-valuenode_segcalcvertex.lo `test -f 'valuenode_segcalcvertex.cpp' || echo './`valuenode_segcalcvertex.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_segcalcvertex.lo -MD -MP -MF .deps/libsynfig_la-valuenode_segcalcvertex.Tpo -c valuenode_segcalcvertex.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_segcalcvertex.o
mv -f .deps/libsynfig_la-valuenode_segcalcvertex.Tpo .deps/libsynfig_la-valuenode_segcalcvertex.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_sine.lo -MD -MP -MF .deps/libsynfig_la-valuenode_sine.Tpo -c -o libsynfig_la-valuenode_sine.lo `test -f 'valuenode_sine.cpp' || echo './`valuenode_sine.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_sine.lo -MD -MP -MF .deps/libsynfig_la-valuenode_sine.Tpo -c valuenode_sine.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_sine.o

```

```

mv -f .deps/libsynfig_la-valuenode_sine.Tpo .deps/libsynfig_la-valuenode_sine.Pl
o
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_step.lo -MD -MP
-MF .deps/libsynfig_la-valuenode_step.Tpo -c -o libsynfig_la-valuenode_step.lo
`test -f 'valuenode_step.cpp' || echo './`valuenode_step.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_step.lo -MD -MP -MF .deps/libsynfig_la-valuenode_step
.Tpo -c valuenode_step.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_st
ep.o
mv -f .deps/libsynfig_la-valuenode_step.Tpo .deps/libsynfig_la-valuenode_step.Pl
o
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_stripes.lo -MD
-MP -MF .deps/libsynfig_la-valuenode_stripes.Tpo -c -o libsynfig_la-valuenode_st
ripes.lo `test -f 'valuenode_stripes.cpp' || echo './`valuenode_stripes.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-valuenode_stripes.lo -MD -MP -MF .deps/libsynfig_la-valuenode_s
tripes.Tpo -c valuenode_stripes.cpp -fno-common -DPIC -o .libs/libsynfig_la-val
uenode_stripes.o
mv -f .deps/libsynfig_la-valuenode_stripes.Tpo .deps/libsynfig_la-valuenode_stri
pes.Plo

```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_subtract.lo -MD -MP -MF .deps/libsynfig_la-valuenode_subtract.Tpo -c -o libsynfig_la-valuenode_subtract.lo `test -f 'valuenode_subtract.cpp' || echo './`valuenode_subtract.cpp
```

```
p  
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_subtract.lo -MD -MP -MF .deps/libsynfig_la-valuenode_subtract.Tpo -c valuenode_subtract.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_subtract.o
```

```
mv -f .deps/libsynfig_la-valuenode_subtract.Tpo .deps/libsynfig_la-valuenode_subtract.Plo
```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_switch.lo -MD -MP -MF .deps/libsynfig_la-valuenode_switch.Tpo -c -o libsynfig_la-valuenode_switch.lo `test -f 'valuenode_switch.cpp' || echo './`valuenode_switch.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_switch.lo -MD -MP -MF .deps/libsynfig_la-valuenode_switch.Tpo -c valuenode_switch.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_switch.o
```

```
mv -f .deps/libsynfig_la-valuenode_switch.Tpo .deps/libsynfig_la-valuenode_switch.Plo
```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
```



```
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_timedswap.lo -MD -MP -MF .deps/libsynfig_la-valuenode_timedswap.Tpo -c -o libsynfig_la-valuenode_timedswap.lo `test -f 'valuenode_timedswap.cpp' || echo './`valuenode_timedswap.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_timedswap.lo -MD -MP -MF .deps/libsynfig_la-valuenode_timedswap.Tpo -c valuenode_timedswap.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_timedswap.o
```

```
mv -f .deps/libsynfig_la-valuenode_timedswap.Tpo .deps/libsynfig_la-valuenode_timedswap.Plo
```

```
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_timeloop.lo -MD -MP -MF .deps/libsynfig_la-valuenode_timeloop.Tpo -c -o libsynfig_la-valuenode_timeloop.lo `test -f 'valuenode_timeloop.cpp' || echo './`valuenode_timeloop.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_timeloop.lo -MD -MP -MF .deps/libsynfig_la-valuenode_timeloop.Tpo -c valuenode_timeloop.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_timeloop.o
```

```
mv -f .deps/libsynfig_la-valuenode_timeloop.Tpo .deps/libsynfig_la-valuenode_timeloop.Plo
```

```
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
```

```
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_timestring.lo -MD -MP -MF .deps/libsynfig_la-valuenode_timestring.Tpo -c -o libsynfig_la-valuenode_timestring.lo `test -f 'valuenode_timestring.cpp' || echo './`valuenode_timestring.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_timestring.lo -MD -MP -MF .deps/libsynfig_la-valuenode_timestring.Tpo -c valuenode_timestring.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_timestring.o
```

```
mv -f .deps/libsynfig_la-valuenode_timestring.Tpo .deps/libsynfig_la-valuenode_timestring.Plo
```

```
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_twotone.lo -MD -MP -MF .deps/libsynfig_la-valuenode_twotone.Tpo -c -o libsynfig_la-valuenode_twotone.lo `test -f 'valuenode_twotone.cpp' || echo './`valuenode_twotone.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_twotone.lo -MD -MP -MF .deps/libsynfig_la-valuenode_twotone.Tpo -c valuenode_twotone.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_twotone.o
```

```
mv -f .deps/libsynfig_la-valuenode_twotone.Tpo .deps/libsynfig_la-valuenode_twotone.Plo
```

```
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
```

```
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_vectorangle.lo -MD -MP -MF .deps/libsynfig_la-valuenode_vectorangle.Tpo -c -o libsynfig_la-valuenode_vectorangle.lo `test -f 'valuenode_vectorangle.cpp' || echo './`valuenode_vectorangle.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_vectorangle.lo -MD -MP -MF .deps/libsynfig_la-valuenode_vectorangle.Tpo -c valuenode_vectorangle.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_vectorangle.o
```

```
mv -f .deps/libsynfig_la-valuenode_vectorangle.Tpo .deps/libsynfig_la-valuenode_vectorangle.Plo
```

```
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_vectorlength.lo -MD -MP -MF .deps/libsynfig_la-valuenode_vectorlength.Tpo -c -o libsynfig_la-valuenode_vectorlength.lo `test -f 'valuenode_vectorlength.cpp' || echo './`valuenode_vectorlength.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_vectorlength.lo -MD -MP -MF .deps/libsynfig_la-valuenode_vectorlength.Tpo -c valuenode_vectorlength.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_vectorlength.o
```

```
mv -f .deps/libsynfig_la-valuenode_vectorlength.Tpo .deps/libsynfig_la-valuenode_vectorlength.Plo
```

```
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
```

```

/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_vectorx.lo -MD -MP -MF .deps/libsynfig_la-valuenode_vectorx.Tpo -c -o libsynfig_la-valuenode_vectorx.lo `test -f 'valuenode_vectorx.cpp' || echo './`valuenode_vectorx.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_vectorx.lo -MD -MP -MF .deps/libsynfig_la-valuenode_vectorx.Tpo -c valuenode_vectorx.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_vectorx.o
mv -f .deps/libsynfig_la-valuenode_vectorx.Tpo .deps/libsynfig_la-valuenode_vectorx.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_vectorory.lo -MD -MP -MF .deps/libsynfig_la-valuenode_vectorory.Tpo -c -o libsynfig_la-valuenode_vectorory.lo `test -f 'valuenode_vectorory.cpp' || echo './`valuenode_vectorory.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode_vectorory.lo -MD -MP -MF .deps/libsynfig_la-valuenode_vectorory.Tpo -c valuenode_vectorory.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode_vectorory.o
mv -f .deps/libsynfig_la-valuenode_vectorory.Tpo .deps/libsynfig_la-valuenode_vectorory.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt

```

```

t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-activepoint.lo -MD -MP -MF .deps/libsynfig_la-activepoint.Tpo -c -o libsynfig_la-activepoint.lo `test -f 'activepoint.cpp' || echo './`activepoint.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-activepoint.lo -MD -MP -MF .deps/libsynfig_la-activepoint.Tpo -c activepoint.cpp -fno-common -DPIC -o .libs/libsynfig_la-activepoint.o
mv -f .deps/libsynfig_la-activepoint.Tpo .deps/libsynfig_la-activepoint.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-blur.lo -MD -MP -MF .deps/libsynfig_la-blur.Tpo -c -o libsynfig_la-blur.lo `test -f 'blur.cpp' || echo './`blur.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-blur.lo -MD -MP -MF .deps/libsynfig_la-blur.Tpo -c blur.cpp -fno-common -DPIC -o .libs/libsynfig_la-blur.o
mv -f .deps/libsynfig_la-blur.Tpo .deps/libsynfig_la-blur.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-canvas.lo -MD -MP -MF .deps/libsynfig_la-canvas.Tpo -c -o libsynfig_la-canvas.lo `test -f 'canvas.cpp' ||

```

```

echo './`canvas.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-canvas.lo -MD -MP -MF .deps/libsynfig_la-canvas.Tpo -c canvas.c
pp -fno-common -DPIC -o .libs/libsynfig_la-canvas.o
mv -f .deps/libsynfig_la-canvas.Tpo .deps/libsynfig_la-canvas.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/sy
nfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-color.lo -MD -MP -MF .dep
s/libsynfig_la-color.Tpo -c -o libsynfig_la-color.lo `test -f 'color.cpp' || ech
o './`color.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-color.lo -MD -MP -MF .deps/libsynfig_la-color.Tpo -c color.cpp
-fno-common -DPIC -o .libs/libsynfig_la-color.o
mv -f .deps/libsynfig_la-color.Tpo .deps/libsynfig_la-color.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/sy
nfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-context.lo -MD -MP -MF .d
eps/libsynfig_la-context.Tpo -c -o libsynfig_la-context.lo `test -f 'context.cpp
' || echo './`context.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ

```

```

e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-context.lo -MD -MP -MF .deps/libsynfig_la-context.Tpo -c context.cpp -fno-common -DPIC -o .libs/libsynfig_la-context.o
mv -f .deps/libsynfig_la-context.Tpo .deps/libsynfig_la-context.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-curve_helper.lo -MD -MP -MF .deps/libsynfig_la-curve_helper.Tpo -c -o libsynfig_la-curve_helper.lo `test -f 'curve_helper.cpp' || echo './`curve_helper.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-curve_helper.lo -MD -MP -MF .deps/libsynfig_la-curve_helper.Tpo -c curve_helper.cpp -fno-common -DPIC -o .libs/libsynfig_la-curve_helper.o
mv -f .deps/libsynfig_la-curve_helper.Tpo .deps/libsynfig_la-curve_helper.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-curveset.lo -MD -MP -MF .deps/libsynfig_la-curveset.Tpo -c -o libsynfig_la-curveset.lo `test -f 'curveset.cpp' || echo './`curveset.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-curveset.lo -MD -MP -MF .deps/libsynfig_la-curveset.Tpo -c curveset.cpp -fno-common -DPIC -o .libs/libsynfig_la-curveset.o
mv -f .deps/libsynfig_la-curveset.Tpo .deps/libsynfig_la-curveset.Plo

```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-distance.lo -MD -MP -MF .deps/libsynfig_la-distance.Tpo -c -o libsynfig_la-distance.lo `test -f 'distance.cpp' || echo './`distance.cpp`
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-distance.lo -MD -MP -MF .deps/libsynfig_la-distance.Tpo -c distance.cpp -fno-common -DPIC -o .libs/libsynfig_la-distance.o
```

```
mv -f .deps/libsynfig_la-distance.Tpo .deps/libsynfig_la-distance.Plo
```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-exception.lo -MD -MP -MF .deps/libsynfig_la-exception.Tpo -c -o libsynfig_la-exception.lo `test -f 'exception.cpp' || echo './`exception.cpp`
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-exception.lo -MD -MP -MF .deps/libsynfig_la-exception.Tpo -c exception.cpp -fno-common -DPIC -o .libs/libsynfig_la-exception.o
```

```
mv -f .deps/libsynfig_la-exception.Tpo .deps/libsynfig_la-exception.Plo
```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
```



```

igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIF_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale\" -DLIBDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/
t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-gamma.lo -MD -MP -MF .dep
s/libsynfig_la-gamma.Tpo -c -o libsynfig_la-gamma.lo `test -f 'gamma.cpp' || ech
o './`gamma.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIF_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DLI
BDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-gamma.lo -MD -MP -MF .deps/libsynfig_la-gamma.Tpo -c gamma.cpp
-fno-common -DPIC -o .libs/libsynfig_la-gamma.o
mv -f .deps/libsynfig_la-gamma.Tpo .deps/libsynfig_la-gamma.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIF_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale\" -DLIBDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/op
t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-guid.lo -MD -MP -MF .deps
/libsynfig_la-guid.Tpo -c -o libsynfig_la-guid.lo `test -f 'guid.cpp' || echo './
`guid.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIF_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DLI
BDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-guid.lo -MD -MP -MF .deps/libsynfig_la-guid.Tpo -c guid.cpp -f
no-common -DPIC -o .libs/libsynfig_la-guid.o
mv -f .deps/libsynfig_la-guid.Tpo .deps/libsynfig_la-guid.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIF_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale\" -DLIBDIR="/opt/synfig/lib\" -DSYSCONFDIR="/opt/op
t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-importer.lo -MD -MP -MF .
deps/libsynfig_la-importer.Tpo -c -o libsynfig_la-importer.lo `test -f 'importer
.cpp' || echo './`importer.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include

```

```

-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-importer.lo -MD -MP -MF .deps/libsynfig_la-importer.Tpo -c importer.cpp -fno-common -DPIC -o .libs/libsynfig_la-importer.o
mv -f .deps/libsynfig_la-importer.Tpo .deps/libsynfig_la-importer.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-keyframe.lo -MD -MP -MF .deps/libsynfig_la-keyframe.Tpo -c -o libsynfig_la-keyframe.lo `test -f 'keyframe.cpp' || echo './`keyframe.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-keyframe.lo -MD -MP -MF .deps/libsynfig_la-keyframe.Tpo -c keyframe.cpp -fno-common -DPIC -o .libs/libsynfig_la-keyframe.o
mv -f .deps/libsynfig_la-keyframe.Tpo .deps/libsynfig_la-keyframe.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-layer.lo -MD -MP -MF .deps/libsynfig_la-layer.Tpo -c -o libsynfig_la-layer.lo `test -f 'layer.cpp' || echo './`layer.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI

```

```

BDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-layer.lo -MD -MP -MF .deps/libsynfig_la-layer.Tpo -c layer.cpp
-fno-common -DPIC -o .libs/libsynfig_la-layer.o
mv -f .deps/libsynfig_la-layer.Tpo .deps/libsynfig_la-layer.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/op
t/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-loadcanvas.lo -MD -MP -MF
.deps/libsynfig_la-loadcanvas.Tpo -c -o libsynfig_la-loadcanvas.lo `test -f 'lo
adcanvas.cpp' || echo './`loadcanvas.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLI
BDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-loadcanvas.lo -MD -MP -MF .deps/libsynfig_la-loadcanvas.Tpo -c
loadcanvas.cpp -fno-common -DPIC -o .libs/libsynfig_la-loadcanvas.o
mv -f .deps/libsynfig_la-loadcanvas.Tpo .deps/libsynfig_la-loadcanvas.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/op
t/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-main.lo -MD -MP -MF .deps
/libsynfig_la-main.Tpo -c -o libsynfig_la-main.lo `test -f 'main.cpp' || echo './
`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLI
BDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-main.lo -MD -MP -MF .deps/libsynfig_la-main.Tpo -c main.cpp -f
no-common -DPIC -o .libs/libsynfig_la-main.o
mv -f .deps/libsynfig_la-main.Tpo .deps/libsynfig_la-main.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local

```

```

/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-module.lo -MD -MP -MF .deps/libsynfig_la-module.Tpo -c -o libsynfig_la-module.lo `test -f 'module.cpp' || echo './'`module.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-module.lo -MD -MP -MF .deps/libsynfig_la-module.Tpo -c module.cpp -fno-common -DPIC -o .libs/libsynfig_la-module.o
mv -f .deps/libsynfig_la-module.Tpo .deps/libsynfig_la-module.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-mutex.lo -MD -MP -MF .deps/libsynfig_la-mutex.Tpo -c -o libsynfig_la-mutex.lo `test -f 'mutex.cpp' || echo './'`mutex.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-mutex.lo -MD -MP -MF .deps/libsynfig_la-mutex.Tpo -c mutex.cpp -fno-common -DPIC -o .libs/libsynfig_la-mutex.o
mv -f .deps/libsynfig_la-mutex.Tpo .deps/libsynfig_la-mutex.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-mutex.lo -MD -MP -MF .deps/libsynfig_la-mutex.Tpo -c mutex.cpp -fno-common -DPIC -o .libs/libsynfig_la-mutex.o
mv -f .deps/libsynfig_la-mutex.Tpo .deps/libsynfig_la-mutex.Plo

```

```

t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-node.lo -MD -MP -MF .deps
/libsynfig_la-node.Tpo -c -o libsynfig_la-node.lo `test -f 'node.cpp' || echo '
./`node.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLI
BDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-node.lo -MD -MP -MF .deps/libsynfig_la-node.Tpo -c node.cpp -f
no-common -DPIC -o .libs/libsynfig_la-node.o
mv -f .deps/libsynfig_la-node.Tpo .deps/libsynfig_la-node.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/op
t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-palette.lo -MD -MP -MF .d
eps/libsynfig_la-palette.Tpo -c -o libsynfig_la-palette.lo `test -f 'palette.cpp
' || echo './`palette.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLI
BDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-palette.lo -MD -MP -MF .deps/libsynfig_la-palette.Tpo -c palett
e.cpp -fno-common -DPIC -o .libs/libsynfig_la-palette.o
mv -f .deps/libsynfig_la-palette.Tpo .deps/libsynfig_la-palette.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/op
t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-paramdesc.lo -MD -MP -MF
.deps/libsynfig_la-paramdesc.Tpo -c -o libsynfig_la-paramdesc.lo `test -f 'param
desc.cpp' || echo './`paramdesc.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4

```

```

/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-paramdesc.lo -MD -MP -MF .deps/libsynfig_la-paramdesc.Tpo -c pa
ramdesc.cpp -fno-common -DPIC -o .libs/libsynfig_la-paramdesc.o
mv -f .deps/libsynfig_la-paramdesc.Tpo .deps/libsynfig_la-paramdesc.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-polynomial_root.lo -MD -M
P -MF .deps/libsynfig_la-polynomial_root.Tpo -c -o libsynfig_la-polynomial_root.
lo `test -f 'polynomial_root.cpp' || echo './`polynomial_root.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-polynomial_root.lo -MD -MP -MF .deps/libsynfig_la-polynomial_ro
ot.Tpo -c polynomial_root.cpp -fno-common -DPIC -o .libs/libsynfig_la-polynomia
l_root.o
mv -f .deps/libsynfig_la-polynomial_root.Tpo .deps/libsynfig_la-polynomial_root.
Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/op
t/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-rect.lo -MD -MP -MF .deps
/libsynfig_la-rect.Tpo -c -o libsynfig_la-rect.lo `test -f 'rect.cpp' || echo './
`rect.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI

```

```

BDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-rect.lo -MD -MP -MF .deps/libsynfig_la-rect.Tpo -c rect.cpp -f
no-common -DPIC -o .libs/libsynfig_la-rect.o
mv -f .deps/libsynfig_la-rect.Tpo .deps/libsynfig_la-rect.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/op
t/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-renddesc.lo -MD -MP -MF .
deps/libsynfig_la-renddesc.Tpo -c -o libsynfig_la-renddesc.lo `test -f 'renddesc
.cpp' || echo './`renddesc.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLI
BDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-renddesc.lo -MD -MP -MF .deps/libsynfig_la-renddesc.Tpo -c rend
desc.cpp -fno-common -DPIC -o .libs/libsynfig_la-renddesc.o
mv -f .deps/libsynfig_la-renddesc.Tpo .deps/libsynfig_la-renddesc.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/op
t/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-render.lo -MD -MP -MF .de
ps/libsynfig_la-render.Tpo -c -o libsynfig_la-render.lo `test -f 'render.cpp' ||
echo './`render.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLI
BDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-render.lo -MD -MP -MF .deps/libsynfig_la-render.Tpo -c render.c
pp -fno-common -DPIC -o .libs/libsynfig_la-render.o
mv -f .deps/libsynfig_la-render.Tpo .deps/libsynfig_la-render.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../..src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local

```

```

/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-savecanvas.lo -MD -MP -MF .deps/libsynfig_la-savecanvas.Tpo -c -o libsynfig_la-savecanvas.lo `test -f 'savecanvas.cpp' || echo './`savecanvas.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-savecanvas.lo -MD -MP -MF .deps/libsynfig_la-savecanvas.Tpo -c savecanvas.cpp -fno-common -DPIC -o .libs/libsynfig_la-savecanvas.o
mv -f .deps/libsynfig_la-savecanvas.Tpo .deps/libsynfig_la-savecanvas.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-surface.lo -MD -MP -MF .deps/libsynfig_la-surface.Tpo -c -o libsynfig_la-surface.lo `test -f 'surface.cpp' || echo './`surface.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-surface.lo -MD -MP -MF .deps/libsynfig_la-surface.Tpo -c surface.cpp -fno-common -DPIC -o .libs/libsynfig_la-surface.o
mv -f .deps/libsynfig_la-surface.Tpo .deps/libsynfig_la-surface.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-surface.lo -MD -MP -MF .deps/libsynfig_la-surface.Tpo -c surface.cpp -fno-common -DPIC -o .libs/libsynfig_la-surface.o
mv -f .deps/libsynfig_la-surface.Tpo .deps/libsynfig_la-surface.Plo

```



```

t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-target.lo -MD -MP -MF .de
ps/libsynfig_la-target.Tpo -c -o libsynfig_la-target.lo `test -f 'target.cpp' ||
echo './`target.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLI
BDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-target.lo -MD -MP -MF .deps/libsynfig_la-target.Tpo -c target.c
pp -fno-common -DPIC -o .libs/libsynfig_la-target.o
mv -f .deps/libsynfig_la-target.Tpo .deps/libsynfig_la-target.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/op
t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-time.lo -MD -MP -MF .deps
/libsynfig_la-time.Tpo -c -o libsynfig_la-time.lo `test -f 'time.cpp' || echo './
`time.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DLI
BDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/opt/synfig/etc\" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-time.lo -MD -MP -MF .deps/libsynfig_la-time.Tpo -c time.cpp -f
no-common -DPIC -o .libs/libsynfig_la-time.o
mv -f .deps/libsynfig_la-time.Tpo .deps/libsynfig_la-time.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
=\"/opt/synfig/share/locale\" -DLIBDIR=\"/opt/synfig/lib\" -DSYSCONFDIR=\"/op
t/synfig/etc\" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-timepointcollect.lo -MD -
MP -MF .deps/libsynfig_la-timepointcollect.Tpo -c -o libsynfig_la-timepointcolle
ct.lo `test -f 'timepointcollect.cpp' || echo './`timepointcollect.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4

```

```

/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-timepointcollect.lo -MD -MP -MF .deps/libsynfig_la-timepointcol
lect.Tpo -c timepointcollect.cpp -fno-common -DPIC -o .libs/libsynfig_la-timepo
intcollect.o
mv -f .deps/libsynfig_la-timepointcollect.Tpo .deps/libsynfig_la-timepointcollec
t.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/
synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-transform.lo -MD -MP -MF
.deps/libsynfig_la-transform.Tpo -c -o libsynfig_la-transform.lo `test -f 'trans
form.cpp' || echo './`transform.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI
BDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-transform.lo -MD -MP -MF .deps/libsynfig_la-transform.Tpo -c tr
ansform.cpp -fno-common -DPIC -o .libs/libsynfig_la-transform.o
mv -f .deps/libsynfig_la-transform.Tpo .deps/libsynfig_la-transform.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -
I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local
/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glib
mm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/op
t/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/gl
ib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/s
igc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR
="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/
synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-uniqueid.lo -MD -MP -MF .
deps/libsynfig_la-uniqueid.Tpo -c -o libsynfig_la-uniqueid.lo `test -f 'uniqueid
.cpp' || echo './`uniqueid.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include
-I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/l
ocal/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4
/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/
opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/includ
e -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-
2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLI

```

```

BDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall
-MT libsynfig_la-uniqueid.lo -MD -MP -MF .deps/libsynfig_la-uniqueid.Tpo -c uniqueid.cpp -fno-common -DPIC -o .libs/libsynfig_la-uniqueid.o
mv -f .deps/libsynfig_la-uniqueid.Tpo .deps/libsynfig_la-uniqueid.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode.lo -MD -MP -MF .deps/libsynfig_la-valuenode.Tpo -c -o libsynfig_la-valuenode.lo `test -f 'valuenode.cpp' || echo './'`valuenode.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-valuenode.lo -MD -MP -MF .deps/libsynfig_la-valuenode.Tpo -c valuenode.cpp -fno-common -DPIC -o .libs/libsynfig_la-valuenode.o
mv -f .deps/libsynfig_la-valuenode.Tpo .deps/libsynfig_la-valuenode.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-waypoint.lo -MD -MP -MF .deps/libsynfig_la-waypoint.Tpo -c -o libsynfig_la-waypoint.lo `test -f 'waypoint.cpp' || echo './'`waypoint.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DLIBDIR="/opt/synfig/lib" -DSYSCONFDIR="/opt/synfig/etc" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-waypoint.lo -MD -MP -MF .deps/libsynfig_la-waypoint.Tpo -c waypoint.cpp -fno-common -DPIC -o .libs/libsynfig_la-waypoint.o
mv -f .deps/libsynfig_la-waypoint.Tpo .deps/libsynfig_la-waypoint.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../.. /src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local

```

```

/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-listimporter.lo -MD -MP -MF .deps/libsynfig_la-listimporter.Tpo -c -o libsynfig_la-listimporter.lo `test -f 'listimporter.cpp' || echo './`listimporter.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -MT libsynfig_la-listimporter.lo -MD -MP -MF .deps/libsynfig_la-listimporter.Tpo -c listimporter.cpp -fno-common -DPIC -o .libs/libsynfig_la-listimporter.o
mv -f .deps/libsynfig_la-listimporter.Tpo .deps/libsynfig_la-listimporter.Plo
/bin/sh ../..../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DLIBDIR="/opt/synfig/lib/" -DSYSCONFDIR="/opt/synfig/etc/" -DNDEBUG -O2 -W -Wall -export-dynamic -no-undefined -version-info 0:0:0 -L/opt/local/lib -o libsynfig_la -rpath /opt/synfig/lib libsynfig_la-blinspace.lo libsynfig_la-gradient.lo libsynfig_la-value.lo libsynfig_la-layer_bitmap.lo libsynfig_la-layer_composite.lo libsynfig_la-layer_duplicate.lo libsynfig_la-layer_mime.lo libsynfig_la-layer_motionblur.lo libsynfig_la-layer_pastecanvas.lo libsynfig_la-layer_polygon.lo libsynfig_la-layer_shape.lo libsynfig_la-layer_solidcolor.lo libsynfig_la-target_multi.lo libsynfig_la-target_null.lo libsynfig_la-target_null_tile.lo libsynfig_la-target_scanline.lo libsynfig_la-target_tile.lo libsynfig_la-valuenode_add.lo libsynfig_la-valuenode_and.lo libsynfig_la-valuenode_anglestring.lo libsynfig_la-valuenode_animated.lo libsynfig_la-valuenode_atan2.lo libsynfig_la-valuenode_bline.lo libsynfig_la-valuenode_blinecalctangent.lo libsynfig_la-valuenode_blinecalcvertex.lo libsynfig_la-valuenode_blinecalcwidth.lo libsynfig_la-valuenode_blinereversetangent.lo libsynfig_la-valuenode_compare.lo libsynfig_la-valuenode_composite.lo libsynfig_la-valuenode_const.lo libsynfig_la-valuenode_cos.lo libsynfig_la-valuenode_dotproduct.lo libsynfig_la-valuenode_duplicate.lo libsynfig_la-valuenode_dynamiclist.lo libsynfig_la-valuenode_exp.lo libsynfig_la-valuenode_gradientcolor.lo libsynfig_la-valuenode_gradientevaluate.lo libsynfig_la-valuenode_greyed.lo libsynfig_la-valuenode_integer.lo libsynfig_la-valuenode_intstring.lo libsynfig_la-valuenode_join.lo libsynfig_la-valuenode_linear.lo libsynfig_la-valuenode_log.lo libsynfig_la-valuenode_not.lo libsynfig_la-valuenode_or.lo libsynfig_la-valuenode_pow.lo libsynfig_la-valuenode_radialcomposite.lo libsynfig_la-valuenode_range.lo libsynfig_la-valuenode_realstring.lo libsynfig_la-valuenode_reciprocal.lo libsynfig_la-valuenode_

```

enode_reference.lo libsynfig_la-valuenode_repeat_gradient.lo libsynfig_la-valuenode_scale.lo libsynfig_la-valuenode_segcalctangent.lo libsynfig_la-valuenode_segcalcvertex.lo libsynfig_la-valuenode_sine.lo libsynfig_la-valuenode_step.lo libsynfig_la-valuenode_stripes.lo libsynfig_la-valuenode_subtract.lo libsynfig_la-valuenode_switch.lo libsynfig_la-valuenode_timedswap.lo libsynfig_la-valuenode_time_loop.lo libsynfig_la-valuenode_timestring.lo libsynfig_la-valuenode_twotone.lo libsynfig_la-valuenode_vectorangle.lo libsynfig_la-valuenode_vectorlength.lo libsynfig_la-valuenode_vectorx.lo libsynfig_la-valuenode_victory.lo libsynfig_la-activepoint.lo libsynfig_la-blur.lo libsynfig_la-canvas.lo libsynfig_la-color.lo libsynfig_la-context.lo libsynfig_la-curve_helper.lo libsynfig_la-curveset.lo libsynfig_la-distance.lo libsynfig_la-exception.lo libsynfig_la-gamma.lo libsynfig_la-guid.lo libsynfig_la-importer.lo libsynfig_la-keyframe.lo libsynfig_la-layer.lo libsynfig_la-loadcanvas.lo libsynfig_la-main.lo libsynfig_la-module.lo libsynfig_la-mutex.lo libsynfig_la-node.lo libsynfig_la-palette.lo libsynfig_la-paramdesc.lo libsynfig_la-polynomial_root.lo libsynfig_la-rect.lo libsynfig_la-renddesc.lo libsynfig_la-render.lo libsynfig_la-savecanvas.lo libsynfig_la-surface.lo libsynfig_la-target.lo libsynfig_la-time.lo libsynfig_la-timepointcollect.lo libsynfig_la-transform.lo libsynfig_la-uniqueid.lo libsynfig_la-valuenode.lo libsynfig_la-waypoint.lo libsynfig_la-listimporter.lo -lltdl -L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -lpthread -L/opt/local/lib -lsigc-2.0 -L/opt/local/lib -lintl -L/opt/local/lib -liconv -lc -R/opt/local/lib -Wl,-framework -Wl,CoreFoundation -lpthread

libtool: link: rm -fr .libs/libsynfig.0.dylib .libs/libsynfig.0.dylib.dSYM .libs/libsynfig.dylib .libs/libsynfig.la .libs/libsynfig.lai

libtool: link: g++ -dynamiclib -o .libs/libsynfig.0.dylib .libs/libsynfig_la-blendpoint.o .libs/libsynfig_la-gradient.o .libs/libsynfig_la-value.o .libs/libsynfig_la-layer_bitmap.o .libs/libsynfig_la-layer_composite.o .libs/libsynfig_la-layer_duplicate.o .libs/libsynfig_la-layer_mime.o .libs/libsynfig_la-layer_motionblur.o .libs/libsynfig_la-layer_pastecanvas.o .libs/libsynfig_la-layer_polygon.o .libs/libsynfig_la-layer_shape.o .libs/libsynfig_la-layer_solidcolor.o .libs/libsynfig_la-target_multi.o .libs/libsynfig_la-target_null.o .libs/libsynfig_la-target_null_tile.o .libs/libsynfig_la-target_scanline.o .libs/libsynfig_la-target_tile.o .libs/libsynfig_la-valuenode_add.o .libs/libsynfig_la-valuenode_and.o .libs/libsynfig_la-valuenode_anglestring.o .libs/libsynfig_la-valuenode_animated.o .libs/libsynfig_la-valuenode_atan2.o .libs/libsynfig_la-valuenode_bline.o .libs/libsynfig_la-valuenode_blinecalctangent.o .libs/libsynfig_la-valuenode_blinecalcvertex.o .libs/libsynfig_la-valuenode_blinecalcwidth.o .libs/libsynfig_la-valuenode_blinereversetangent.o .libs/libsynfig_la-valuenode_compare.o .libs/libsynfig_la-valuenode_composite.o .libs/libsynfig_la-valuenode_const.o .libs/libsynfig_la-valuenode_cos.o .libs/libsynfig_la-valuenode_dotproduct.o .libs/libsynfig_la-valuenode_duplicate.o .libs/libsynfig_la-valuenode_dynamiclist.o .libs/libsynfig_la-valuenode_exp.o .libs/libsynfig_la-valuenode_gradientcolor.o .libs/libsynfig_la-valuenode_gradientrotate.o .libs/libsynfig_la-valuenode_greyed.o .libs/libsynfig_la-valuenode_integer.o .libs/libsynfig_la-valuenode_intstring.o .libs/libsynfig_la-valuenode_join.o .libs/libsynfig_la-valuenode_linear.o .libs/libsynfig_la-valuenode_log.o .libs/libsynfig_la-valuenode_not.o .libs/libsynfig_la-valuenode_or.o .libs/libsynfig_la-valuenode_pow.o .libs/libsynfig_la-valuenode_radialcomposite.o .libs/libsynfig_la-valuenode_range.o .libs/libsynfig_la-valuenode_realstring.o .libs/libsynfig_la-valuenode_reciprocal.o .libs/libsynfig_la-valuenode_re


```

mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\"
-DNDEBUG -O2 -W -Wall -MT libmod_particle_la-random.lo -MD -MP -MF .deps/libmo
d_particle_la-random.Tpo -c random.cpp -fno-common -DPIC -o .libs/libmod_partic
le_la-random.o
mv -f .deps/libmod_particle_la-random.Tpo .deps/libmod_particle_la-random.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_particle_
la-plant.lo -MD -MP -MF .deps/libmod_particle_la-plant.Tpo -c -o libmod_particle_
la-plant.lo `test -f 'plant.cpp' || echo './`plant.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../../../../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\"
-DNDEBUG -O2 -W -Wall -MT libmod_particle_la-plant.lo -MD -MP -MF .deps/libmod
_particle_la-plant.Tpo -c plant.cpp -fno-common -DPIC -o .libs/libmod_particle_
la-plant.o
mv -f .deps/libmod_particle_la-plant.Tpo .deps/libmod_particle_la-plant.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_particle_
la-main.lo -MD -MP -MF .deps/libmod_particle_la-main.Tpo -c -o libmod_particle_l
a-main.lo `test -f 'main.cpp' || echo './`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../../../../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\"
-DNDEBUG -O2 -W -Wall -MT libmod_particle_la-main.lo -MD -MP -MF .deps/libmod_
particle_la-main.Tpo -c main.cpp -fno-common -DPIC -o .libs/libmod_particle_la-
main.o
mv -f .deps/libmod_particle_la-main.Tpo .deps/libmod_particle_la-main.Plo

```

```
/bin/sh ../../../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -module -no-undefined -avoid-version -L/opt/local/lib -o libmod_particle.la -rpath /opt/synfig/lib/synfig/modules libmod_particle_la-random.lo libmod_particle_la-plant.lo libmod_particle_la-main.lo ../../synfig/libsynfig.la -L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -lpthread -L/opt/local/lib -lsigc-2.0 -L/opt/local/lib -lintl -L/opt/local/lib -liconv -lc -R/opt/local/lib -Wl,-framework -Wl,CoreFoundation -lpthread
```

```
libtool: link: rm -fr .libs/libmod_particle.la .libs/libmod_particle.lai .libs/libmod_particle.so .libs/libmod_particle.so.dSYM
```

```
libtool: link: g++ -o .libs/libmod_particle.so -bundle .libs/libmod_particle_la-random.o .libs/libmod_particle_la-plant.o .libs/libmod_particle_la-main.o -L/opt/local/lib ../../synfig/.libs/libsynfig.dylib /opt/local/lib/libltdl.dylib /opt/local/lib/libxml++-2.6.dylib /opt/local/lib/libxml2.dylib -lz -lm /opt/local/lib/libglibmm-2.4.dylib /opt/local/lib/libgmodule-2.0.dylib /opt/local/lib/libgobject-2.0.dylib /opt/local/lib/libglib-2.0.dylib /opt/local/lib/libsigc-2.0.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib -lc -lpthread -Wl,-framework -Wl,CoreFoundation -framework Carbon
```

```
libtool: link: dsymutil .libs/libmod_particle.so || :
```

```
warning: no debug symbols in executable (-arch i386)
```

```
libtool: link: ( cd ".libs" && rm -f "libmod_particle.la" && ln -s "../libmod_particle.la" "libmod_particle.la" )
```

```
Making all in mod_filter
```

```
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_filter_la-blur.lo -MD -MP -MF .deps/libmod_filter_la-blur.Tpo -c -o libmod_filter_la-blur.lo `test -f 'blur.cpp' || echo './`blur.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_filter_la-blur.lo -MD -MP -MF .deps/libmod_filter_la-blur.Tpo -c blur.cpp -fno-common -DPIC -o .libs/libmod_filter_la-blur.o mv -f .deps/libmod_filter_la-blur.Tpo .deps/libmod_filter_la-blur.Plo
```

```
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../../src
```



```
./.. -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_filter_la-colorcorrect.lo -MD -MP -MF .deps/libmod_filter_la-colorcorrect.Tpo -c -o libmod_filter_la-colorcorrect.lo `test -f 'colorcorrect.cpp' || echo './'`colorcorrect.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_filter_la-colorcorrect.lo -MD -MP -MF .deps/libmod_filter_la-colorcorrect.Tpo -c colorcorrect.cpp -fno-common -DPIC -o .libs/libmod_filter_la-colorcorrect.o
```

```
mv -f .deps/libmod_filter_la-colorcorrect.Tpo .deps/libmod_filter_la-colorcorrect.Plo
```

```
/bin/sh ../.../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_filter_la-half-tone2.lo -MD -MP -MF .deps/libmod_filter_la-half-tone2.Tpo -c -o libmod_filter_la-half-tone2.lo `test -f 'half-tone2.cpp' || echo './'`half-tone2.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_filter_la-half-tone2.lo -MD -MP -MF .deps/libmod_filter_la-half-tone2.Tpo -c half-tone2.cpp -fno-common -DPIC -o .libs/libmod_filter_la-half-tone2.o
```

```
mv -f .deps/libmod_filter_la-half-tone2.Tpo .deps/libmod_filter_la-half-tone2.Plo
```

```
/bin/sh ../.../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
```

```

OCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT libmod_filter_la-lumakey.lo -MD -MP -MF .deps/libmod_filter_la-lumakey.Tpo -c -o libmod_filter_la-lumakey.lo `test -f 'lumakey.cpp' || echo './'`lumakey.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT libmod_filter_la-lumakey.lo -MD -MP -MF .deps/libmod_filter_la-lumakey.Tpo -c lumakey.cpp -fno-common -DPIC -o .libs/libmod_filter_la-lumakey.o
mv -f .deps/libmod_filter_la-lumakey.Tpo .deps/libmod_filter_la-lumakey.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../..../.. -I../..../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT libmod_filter_la-radialblur.lo -MD -MP -MF .deps/libmod_filter_la-radialblur.Tpo -c -o libmod_filter_la-radialblur.lo `test -f 'radialblur.cpp' || echo './'`radialblur.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../..../.. -I../..../..../src -I/opt/local/include -I/opt/local/lib/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT libmod_filter_la-radialblur.lo -MD -MP -MF .deps/libmod_filter_la-radialblur.Tpo -c radialblur.cpp -fno-common -DPIC -o .libs/libmod_filter_la-radialblur.o
mv -f .deps/libmod_filter_la-radialblur.Tpo .deps/libmod_filter_la-radialblur.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../..../.. -I../..../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT libmod_filter_la-main.lo -MD -MP -MF .deps/libmod_filter_la-main.Tpo -c -o libmod_filter_la-main.lo `test -f 'main.cpp' || echo './'`main.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../..../.. -I../..../..../src -I/opt/local/include -I/opt/local/lib/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu

```

```

de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT libmod_filter_la-main.lo -MD -MP -MF .deps/libmod_fi
lter_la-main.Tpo -c main.cpp -fno-common -DPIC -o .libs/libmod_filter_la-main.o
mv -f .deps/libmod_filter_la-main.Tpo .deps/libmod_filter_la-main.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_filter_la
-halfitone.lo -MD -MP -MF .deps/libmod_filter_la-halfitone.Tpo -c -o libmod_filt
er_la-halfitone.lo `test -f 'halfitone.cpp' || echo './'`halfitone.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../../../../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT libmod_filter_la-halfitone.lo -MD -MP -MF .deps/libmo
d_filter_la-halfitone.Tpo -c halfitone.cpp -fno-common -DPIC -o .libs/libmod_filt
er_la-halfitone.o
mv -f .deps/libmod_filter_la-halfitone.Tpo .deps/libmod_filter_la-halfitone.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_filter_la
-halfitone3.lo -MD -MP -MF .deps/libmod_filter_la-halfitone3.Tpo -c -o libmod_filt
er_la-halfitone3.lo `test -f 'halfitone3.cpp' || echo './'`halfitone3.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../../../../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT libmod_filter_la-halfitone3.lo -MD -MP -MF .deps/libm
od_filter_la-halfitone3.Tpo -c halfitone3.cpp -fno-common -DPIC -o .libs/libmod_f
ilter_la-halfitone3.o
mv -f .deps/libmod_filter_la-halfitone3.Tpo .deps/libmod_filter_la-halfitone3.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml
++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt

```

```

/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/inclu
de/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0
-I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/
opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEP
RECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -module -
no-undefined -avoid-version -L/opt/local/lib -o libmod_filter_la -rpath /opt/syn
fig/lib/synfig/modules libmod_filter_la-blur.lo libmod_filter_la-colorcorrect.lo
libmod_filter_la-halftone2.lo libmod_filter_la-lumakey.lo libmod_filter_la-radi
alblur.lo libmod_filter_la-main.lo libmod_filter_la-halftone.lo libmod_filter_la
-halftone3.lo ../../synfig/libsynfig.la -L/opt/local/lib -lxml++-2.6 -lxml2 -lpt
hread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -l
pthread -L/opt/local/lib -lsigc-2.0 -L/opt/local/lib -lintl -L/opt/local/lib -li
conv -lc -R/opt/local/lib -Wl,-framework -Wl,CoreFoundation -lpthread
libtool: link: rm -fr .libs/libmod_filter_la .libs/libmod_filter.lai .libs/libm
od_filter.so .libs/libmod_filter.so.dSYM
libtool: link: g++ -o .libs/libmod_filter.so -bundle .libs/libmod_filter_la-bl
ur.o .libs/libmod_filter_la-colorcorrect.o .libs/libmod_filter_la-halftone2.o .l
ibs/libmod_filter_la-lumakey.o .libs/libmod_filter_la-radialblur.o .libs/libmod_
filter_la-main.o .libs/libmod_filter_la-halftone.o .libs/libmod_filter_la-halfto
ne3.o -L/opt/local/lib ../../synfig/.libs/libsynfig.dylib /opt/local/lib/liblt
dl.dylib /opt/local/lib/libxml++-2.6.dylib /opt/local/lib/libxml2.dylib -lz -lm
/opt/local/lib/libglibmm-2.4.dylib /opt/local/lib/libgmodule-2.0.dylib /opt/loca
l/lib/libgobject-2.0.dylib /opt/local/lib/libglib-2.0.dylib /opt/local/lib/libsi
gc-2.0.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib -lc -lpt
hread -Wl,-framework -Wl,CoreFoundation -framework Carbon
libtool: link: dsymutil .libs/libmod_filter.so || :
warning: no debug symbols in executable (-arch i386)
libtool: link: ( cd ".libs" && rm -f "libmod_filter.la" && ln -s "../libmod_filt
er.la" "libmod_filter.la" )
Making all in mod_yuv420p
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_yuv420p_l
a-main.lo -MD -MP -MF .deps/libmod_yuv420p_la-main.Tpo -c -o libmod_yuv420p_la-m
ain.lo `test -f 'main.cpp' || echo './`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\"
-DNDEBUG -O2 -W -Wall -MT libmod_yuv420p_la-main.lo -MD -MP -MF .deps/libmod_y
uv420p_la-main.Tpo -c main.cpp -fno-common -DPIC -o .libs/libmod_yuv420p_la-mai
n.o

```

```

mv -f .deps/libmod_yuv420p_la-main.Tpo .deps/libmod_yuv420p_la-main.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIF_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_yuv420p_l
a-trgt_yuv.lo -MD -MP -MF .deps/libmod_yuv420p_la-trgt_yuv.Tpo -c -o libmod_yuv4
20p_la-trgt_yuv.lo `test -f 'trgt_yuv.cpp' || echo './`trgt_yuv.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIF_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DNDEBUG -O2 -W -Wall -MT libmod_yuv420p_la-trgt_yuv.lo -MD -MP -MF .deps/libm
od_yuv420p_la-trgt_yuv.Tpo -c trgt_yuv.cpp -fno-common -DPIC -o .libs/libmod_yu
v420p_la-trgt_yuv.o
mv -f .deps/libmod_yuv420p_la-trgt_yuv.Tpo .deps/libmod_yuv420p_la-trgt_yuv.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml
++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt
/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/inclu
de/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0
-I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/
opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIF_NO_DEP
RECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -module -
no-undefined -avoid-version -L/opt/local/lib -o libmod_yuv420p.la -rpath /opt/sy
nfig/lib/synfig/modules libmod_yuv420p_la-main.lo libmod_yuv420p_la-trgt_yuv.lo
../../synfig/libsynfig.la -L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread -lz -lm
-lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -lpthread -L/opt
/local/lib -lsigc-2.0 -L/opt/local/lib -lintl -L/opt/local/lib -liconv -lc -R/op
t/local/lib -Wl,-framework -Wl,CoreFoundation -lpthread
libtool: link: rm -fr .libs/libmod_yuv420p.la .libs/libmod_yuv420p.lai .libs/li
bmod_yuv420p.so .libs/libmod_yuv420p.so.dSYM
libtool: link: g++ -o .libs/libmod_yuv420p.so -bundle .libs/libmod_yuv420p_la-
main.o .libs/libmod_yuv420p_la-trgt_yuv.o -L/opt/local/lib ../../synfig/.libs/
libsynfig.dylib /opt/local/lib/libltdl.dylib /opt/local/lib/libxml++-2.6.dylib /
opt/local/lib/libxml2.dylib -lz -lm /opt/local/lib/libglibmm-2.4.dylib /opt/loca
l/lib/libgmodule-2.0.dylib /opt/local/lib/libgobject-2.0.dylib /opt/local/lib/li
bglib-2.0.dylib /opt/local/lib/libsigc-2.0.dylib /opt/local/lib/libintl.dylib /o
pt/local/lib/libiconv.dylib -lc -lpthread -Wl,-framework -Wl,CoreFoundation -
framework Carbon
libtool: link: dsymutil .libs/libmod_yuv420p.so || :
warning: no debug symbols in executable (-arch i386)
libtool: link: ( cd ".libs" && rm -f "libmod_yuv420p.la" && ln -s "../libmod_yuv
420p.la" "libmod_yuv420p.la" )
Making all in mod_gif

```

```

/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../. -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DDEBUG -O2 -W -Wall -MT libmod_gif_la-ma
in.lo -MD -MP -MF .deps/libmod_gif_la-main.Tpo -c -o libmod_gif_la-main.lo `test
-f 'main.cpp' || echo './`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.../.. -I../.../.../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DDEBUG -O2 -W -Wall -MT libmod_gif_la-main.lo -MD -MP -MF .deps/libmod_gif_l
a-main.Tpo -c main.cpp -fno-common -DPIC -o .libs/libmod_gif_la-main.o
mv -f .deps/libmod_gif_la-main.Tpo .deps/libmod_gif_la-main.Plo
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../. -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DDEBUG -O2 -W -Wall -MT libmod_gif_la-tr
gt_gif.lo -MD -MP -MF .deps/libmod_gif_la-trgt_gif.Tpo -c -o libmod_gif_la-trgt_
gif.lo `test -f 'trgt_gif.cpp' || echo './`trgt_gif.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.../.. -I../.../.../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DDEBUG -O2 -W -Wall -MT libmod_gif_la-trgt_gif.lo -MD -MP -MF .deps/libmod_g
if_la-trgt_gif.Tpo -c trgt_gif.cpp -fno-common -DPIC -o .libs/libmod_gif_la-trg
t_gif.o
mv -f .deps/libmod_gif_la-trgt_gif.Tpo .deps/libmod_gif_la-trgt_gif.Plo
/bin/sh ../../../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml
++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt
/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/inclu
de/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0
-I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/
opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEP
RECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DDEBUG -O2 -W -Wall -module -
no-undefined -avoid-version -L/opt/local/lib -o libmod_gif_la -rpath /opt/synfig
/lib/synfig/modules libmod_gif_la-main.lo libmod_gif_la-trgt_gif.lo ../../synfig

```

```

/libsynfig.la -L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread -lz -lm -lglibmm-2.4
-lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -lpthread -L/opt/local/lib -
lsigc-2.0 -L/opt/local/lib -lintl -L/opt/local/lib -liconv -lc -R/opt/local/lib
-Wl,-framework -Wl,CoreFoundation -lpthread
libtool: link: rm -fr .libs/libmod_gif.la .libs/libmod_gif.lai .libs/libmod_gif
.so .libs/libmod_gif.so.dSYM
libtool: link: g++ -o .libs/libmod_gif.so -bundle .libs/libmod_gif_la-main.o .
libs/libmod_gif_la-trgt_gif.o -L/opt/local/lib ../../synfig/.libs/libsynfig.dy
lib /opt/local/lib/libltdl.dylib /opt/local/lib/libxml++-2.6.dylib /opt/local/li
b/libxml2.dylib -lz -lm /opt/local/lib/libglibmm-2.4.dylib /opt/local/lib/libgmo
dule-2.0.dylib /opt/local/lib/libgobject-2.0.dylib /opt/local/lib/libglib-2.0.dy
lib /opt/local/lib/libsigc-2.0.dylib /opt/local/lib/libintl.dylib /opt/local/lib
/libiconv.dylib -lc -lpthread -Wl,-framework -Wl,CoreFoundation -framework Ca
rbon
libtool: link: dsymutil .libs/libmod_gif.so || :
warning: no debug symbols in executable (-arch i386)
libtool: link: ( cd ".libs" && rm -f "libmod_gif.la" && ln -s "../libmod_gif.la"
"libmod_gif.la" )
Making all in mod_gradient
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../../
../../ -I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFING_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DDEBUG -O2 -W -Wall -MT libmod_gradient_
la-curvegradient.lo -MD -MP -MF .deps/libmod_gradient_la-curvegradient.Tpo -c -o
libmod_gradient_la-curvegradient.lo `test -f 'curvegradient.cpp' || echo './`c
urvegradient.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../../../../ -I../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFING_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DDEBUG -O2 -W -Wall -MT libmod_gradient_la-curvegradient.lo -MD -MP -MF .dep
s/libmod_gradient_la-curvegradient.Tpo -c curvegradient.cpp -fno-common -DPIC -
o .libs/libmod_gradient_la-curvegradient.o
curvegradient.cpp: In member function 'synfig::Color CurveGradient::color_func(c
onst synfig::Point&, int, float) const':
curvegradient.cpp:239: warning: 'thickness' may be used uninitialized in this fu
nction
mv -f .deps/libmod_gradient_la-curvegradient.Tpo .deps/libmod_gradient_la-curveg
radient.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../../
../../ -I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2

```

```
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_gradient_la-lineargradient.lo -MD -MP -MF .deps/libmod_gradient_la-lineargradient.Tpo -c -o libmod_gradient_la-lineargradient.lo `test -f 'lineargradient.cpp' || echo './`lineargradient.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_gradient_la-lineargradient.lo -MD -MP -MF .deps/libmod_gradient_la-lineargradient.Tpo -c lineargradient.cpp -fno-common -DPIC -o .libs/libmod_gradient_la-lineargradient.o
mv -f .deps/libmod_gradient_la-lineargradient.Tpo .deps/libmod_gradient_la-lineargradient.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_gradient_la-conicalgradient.lo -MD -MP -MF .deps/libmod_gradient_la-conicalgradient.Tpo -c -o libmod_gradient_la-conicalgradient.lo `test -f 'conicalgradient.cpp' || echo './`conicalgradient.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_gradient_la-conicalgradient.lo -MD -MP -MF .deps/libmod_gradient_la-conicalgradient.Tpo -c conicalgradient.cpp -fno-common -DPIC -o .libs/libmod_gradient_la-conicalgradient.o
mv -f .deps/libmod_gradient_la-conicalgradient.Tpo .deps/libmod_gradient_la-conicalgradient.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_gradient_
```



```

la-spiralgradient.lo -MD -MP -MF .deps/libmod_gradient_la-spiralgradient.Tpo -c
-o libmod_gradient_la-spiralgradient.lo `test -f 'spiralgradient.cpp' || echo './`spiralgradient.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_gradient_la-spiralgradient.lo -MD -MP -MF .deps/libmod_gradient_la-spiralgradient.Tpo -c spiralgradient.cpp -fno-common -DPI C -o .libs/libmod_gradient_la-spiralgradient.o
mv -f .deps/libmod_gradient_la-spiralgradient.Tpo .deps/libmod_gradient_la-spiralgradient.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_gradient_la-radialgradient.lo -MD -MP -MF .deps/libmod_gradient_la-radialgradient.Tpo -c
-o libmod_gradient_la-radialgradient.lo `test -f 'radialgradient.cpp' || echo './`radialgradient.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_gradient_la-radialgradient.lo -MD -MP -MF .deps/libmod_gradient_la-radialgradient.Tpo -c radialgradient.cpp -fno-common -DPI C -o .libs/libmod_gradient_la-radialgradient.o
mv -f .deps/libmod_gradient_la-radialgradient.Tpo .deps/libmod_gradient_la-radialgradient.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_gradient_la-main.lo -MD -MP -MF .deps/libmod_gradient_la-main.Tpo -c -o libmod_gradient_la-main.lo `test -f 'main.cpp' || echo './`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I

```

```
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_gradient_la-main.lo -MD -MP -MF .deps/libmod_gradient_la-main.Tpo -c main.cpp -fno-common -DPIC -o .libs/libmod_gradient_la-main.o
```

```
mv -f .deps/libmod_gradient_la-main.Tpo .deps/libmod_gradient_la-main.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -module -no-undefined -avoid-version -L/opt/local/lib -o libmod_gradient_la -rpath /opt/synfig/lib/synfig/modules libmod_gradient_la-curvegradient.lo libmod_gradient_la-lineargradient.lo libmod_gradient_la-conicalgradient.lo libmod_gradient_la-spiralgradient.lo libmod_gradient_la-radialgradient.lo libmod_gradient_la-main.lo ../../synfig/libsynfig.la -L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -lpthread -L/opt/local/lib -lsigc-2.0 -L/opt/local/lib -lintl -L/opt/local/lib -liconv -lc -R/opt/local/lib -Wl,-framework -Wl,CoreFoundation -lpthread
```

```
libtool: link: rm -fr .libs/libmod_gradient.la .libs/libmod_gradient.lai .libs/libmod_gradient.so .libs/libmod_gradient.so.dSYM
```

```
libtool: link: g++ -o .libs/libmod_gradient.so -bundle .libs/libmod_gradient_la-curvegradient.o .libs/libmod_gradient_la-lineargradient.o .libs/libmod_gradient_la-conicalgradient.o .libs/libmod_gradient_la-spiralgradient.o .libs/libmod_gradient_la-radialgradient.o .libs/libmod_gradient_la-main.o -L/opt/local/lib ../../synfig/.libs/libsynfig.dylib /opt/local/lib/libltdl.dylib /opt/local/lib/libxml++-2.6.dylib /opt/local/lib/libxml2.dylib -lz -lm /opt/local/lib/libglibmm-2.4.dylib /opt/local/lib/libgmodule-2.0.dylib /opt/local/lib/libgobject-2.0.dylib /opt/local/lib/libglib-2.0.dylib /opt/local/lib/libsigc-2.0.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib -lc -lpthread -Wl,-framework -Wl,CoreFoundation -framework Carbon
```

```
libtool: link: dsymutil .libs/libmod_gradient.so || :
```

```
warning: no debug symbols in executable (-arch i386)
```

```
libtool: link: ( cd ".libs" && rm -f "libmod_gradient.la" && ln -s "../libmod_gradient.la" "libmod_gradient.la" )
```

```
Making all in mod_geometry
```

```
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_geometry_la-rectangle.lo -MD -MP -MF .deps/libmod_geometry_la-rectangle.Tpo -c -o libmod_
```

```

geometry_la-rectangle.lo `test -f 'rectangle.cpp' || echo './'`rectangle.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_geometry_la-rectangle.lo -MD -MP -MF .deps/libmod_geometry_la-rectangle.Tpo -c rectangle.cpp -fno-common -DPIC -o .libs/libmod_geometry_la-rectangle.o
mv -f .deps/libmod_geometry_la-rectangle.Tpo .deps/libmod_geometry_la-rectangle.Plo
/bin/sh ../.../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_geometry_la-star.lo -MD -MP -MF .deps/libmod_geometry_la-star.Tpo -c -o libmod_geometry_la-star.lo `test -f 'star.cpp' || echo './'`star.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_geometry_la-star.lo -MD -MP -MF .deps/libmod_geometry_la-star.Tpo -c star.cpp -fno-common -DPIC -o .libs/libmod_geometry_la-star.o
mv -f .deps/libmod_geometry_la-star.Tpo .deps/libmod_geometry_la-star.Plo
/bin/sh ../.../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_geometry_la-checkerboard.lo -MD -MP -MF .deps/libmod_geometry_la-checkerboard.Tpo -c -o libmod_geometry_la-checkerboard.lo `test -f 'checkerboard.cpp' || echo './'`checkerboard.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/

```

```

include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT libmod_geometry_la-checkerboard.lo -MD -MP -MF .deps
/libmod_geometry_la-checkerboard.Tpo -c checkerboard.cpp -fno-common -DPIC -o .
libs/libmod_geometry_la-checkerboard.o
mv -f .deps/libmod_geometry_la-checkerboard.Tpo .deps/libmod_geometry_la-checker
board.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_geometry_
la-circle.lo -MD -MP -MF .deps/libmod_geometry_la-circle.Tpo -c -o libmod_geomet
ry_la-circle.lo `test -f 'circle.cpp' || echo './`circle.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../..../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT libmod_geometry_la-circle.lo -MD -MP -MF .deps/libmo
d_geometry_la-circle.Tpo -c circle.cpp -fno-common -DPIC -o .libs/libmod_geomet
ry_la-circle.o
mv -f .deps/libmod_geometry_la-circle.Tpo .deps/libmod_geometry_la-circle.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_geometry_
la-region.lo -MD -MP -MF .deps/libmod_geometry_la-region.Tpo -c -o libmod_geomet
ry_la-region.lo `test -f 'region.cpp' || echo './`region.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../..../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT libmod_geometry_la-region.lo -MD -MP -MF .deps/libmo
d_geometry_la-region.Tpo -c region.cpp -fno-common -DPIC -o .libs/libmod_geomet
ry_la-region.o
mv -f .deps/libmod_geometry_la-region.Tpo .deps/libmod_geometry_la-region.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.

```

```

./.. -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_geometry_la-outline.lo -MD -MP -MF .deps/libmod_geometry_la-outline.Tpo -c -o libmod_geometry_la-outline.lo `test -f 'outline.cpp' || echo './`outline.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_geometry_la-outline.lo -MD -MP -MF .deps/libmod_geometry_la-outline.Tpo -c outline.cpp -fno-common -DPIC -o .libs/libmod_geometry_la-outline.o
mv -f .deps/libmod_geometry_la-outline.Tpo .deps/libmod_geometry_la-outline.Plo
/bin/sh ../.../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_geometry_la-main.lo -MD -MP -MF .deps/libmod_geometry_la-main.Tpo -c -o libmod_geometry_la-main.lo `test -f 'main.cpp' || echo './`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_geometry_la-main.lo -MD -MP -MF .deps/libmod_geometry_la-main.Tpo -c main.cpp -fno-common -DPIC -o .libs/libmod_geometry_la-main.o
mv -f .deps/libmod_geometry_la-main.Tpo .deps/libmod_geometry_la-main.Plo
/bin/sh ../.../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -module -no-undefined -avoid-version -L/opt/local/lib -o libmod_geometry_la -rpath /opt/synfig/lib/synfig/modules libmod_geometry_la-rectangle.lo libmod_geometry_la-star

```

```

.lo libmod_geometry_la-checkerboard.lo libmod_geometry_la-circle.lo libmod_geome
try_la-region.lo libmod_geometry_la-outline.lo libmod_geometry_la-main.lo ../../
synfig/libsynfig.la -L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread -lz -lm -lglib
mm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -lpthread -L/opt/local
/lib -lsigc-2.0 -L/opt/local/lib -lintl -L/opt/local/lib -liconv -lc -R/opt/loca
l/lib -Wl,-framework -Wl,CoreFoundation -lpthread
libtool: link: rm -fr .libs/libmod_geometry.la .libs/libmod_geometry.lai .libs/
libmod_geometry.so .libs/libmod_geometry.so.dSYM
libtool: link: g++ -o .libs/libmod_geometry.so -bundle .libs/libmod_geometry_l
a-rectangle.o .libs/libmod_geometry_la-star.o .libs/libmod_geometry_la-checkerbo
ard.o .libs/libmod_geometry_la-circle.o .libs/libmod_geometry_la-region.o .libs/
libmod_geometry_la-outline.o .libs/libmod_geometry_la-main.o -L/opt/local/lib
../../synfig/.libs/libsynfig.dylib /opt/local/lib/libltdl.dylib /opt/local/lib/l
ibxml++-2.6.dylib /opt/local/lib/libxml2.dylib -lz -lm /opt/local/lib/libglibmm-
2.4.dylib /opt/local/lib/libgmodule-2.0.dylib /opt/local/lib/libgobject-2.0.dyli
b /opt/local/lib/libglib-2.0.dylib /opt/local/lib/libsigc-2.0.dylib /opt/local/l
ib/libintl.dylib /opt/local/lib/libiconv.dylib -lc -lpthread -Wl,-framework -Wl
,CoreFoundation -framework Carbon
libtool: link: dsymutil .libs/libmod_geometry.so || :
warning: no debug symbols in executable (-arch i386)
libtool: link: ( cd ".libs" && rm -f "libmod_geometry.la" && ln -s "../libmod_ge
ometry.la" "libmod_geometry.la" )
Making all in mod_noise
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../../
../../ -I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_noise_la-
random_noise.lo -MD -MP -MF .deps/libmod_noise_la-random_noise.Tpo -c -o libmod_
noise_la-random_noise.lo `test -f 'random_noise.cpp' || echo './`random_noise.c
pp
libtool: compile: g++ -DHAVE_CONFIG_H -I../../.. -I../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DNDEBUG -O2 -W -Wall -MT libmod_noise_la-random_noise.lo -MD -MP -MF .deps/li
bmod_noise_la-random_noise.Tpo -c random_noise.cpp -fno-common -DPIC -o .libs/l
ibmod_noise_la-random_noise.o
mv -f .deps/libmod_noise_la-random_noise.Tpo .deps/libmod_noise_la-random_noise.
Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../../
../../ -I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2

```

```

.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_noise_la-distort.lo -MD -MP -MF .deps/libmod_noise_la-distort.Tpo -c -o libmod_noise_la-distort.lo `test -f 'distort.cpp' || echo './'`distort.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_noise_la-distort.lo -MD -MP -MF .deps/libmod_noise_la-distort.Tpo -c distort.cpp -fno-common -DPIC -o .libs/libmod_noise_la-distort.o
mv -f .deps/libmod_noise_la-distort.Tpo .deps/libmod_noise_la-distort.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_noise_la-noise.lo -MD -MP -MF .deps/libmod_noise_la-noise.Tpo -c -o libmod_noise_la-noise.lo `test -f 'noise.cpp' || echo './'`noise.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_noise_la-noise.lo -MD -MP -MF .deps/libmod_noise_la-noise.Tpo -c noise.cpp -fno-common -DPIC -o .libs/libmod_noise_la-noise.o
mv -f .deps/libmod_noise_la-noise.Tpo .deps/libmod_noise_la-noise.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_noise_la-valuenode_random.lo -MD -MP -MF .deps/libmod_noise_la-valuenode_random.Tpo -c -o libmod_noise_la-valuenode_random.lo `test -f 'valuenode_random.cpp' || echo './'`valuenode_random.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/in

```

```

clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT libmod_noise_la-valuenode_random.lo -MD -MP -MF .dep
s/libmod_noise_la-valuenode_random.Tpo -c valuenode_random.cpp -fno-common -DPI
C -o .libs/libmod_noise_la-valuenode_random.o
mv -f .deps/libmod_noise_la-valuenode_random.Tpo .deps/libmod_noise_la-valuenode
_random.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_noise_la-
main.lo -MD -MP -MF .deps/libmod_noise_la-main.Tpo -c -o libmod_noise_la-main.lo
`test -f 'main.cpp' || echo './'`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../../../../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT libmod_noise_la-main.lo -MD -MP -MF .deps/libmod_noi
se_la-main.Tpo -c main.cpp -fno-common -DPIIC -o .libs/libmod_noise_la-main.o
mv -f .deps/libmod_noise_la-main.Tpo .deps/libmod_noise_la-main.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml
++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt
/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/inclu
de/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0
-I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/
opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEP
RECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -module -
no-undefined -avoid-version -L/opt/local/lib -o libmod_noise_la libmod_noise_la-
random_noise.lo libmod_noise_la-distort.lo libmod_noise_la-noise.lo libmod_noise_la-valuenode_random.lo libmod_noise_la-ma
in.lo ../../synfig/libsynfig_la -L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread -l
z -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -lpthread
-L/opt/local/lib -lsigc-2.0 -L/opt/local/lib -lintl -L/opt/local/lib -liconv -lc
-R/opt/local/lib -Wl,-framework -Wl,CoreFoundation -lpthread
libtool: link: rm -fr .libs/libmod_noise_la .libs/libmod_noise.lai .libs/libmod
_noise.so .libs/libmod_noise.so.dSYM
libtool: link: g++ -o .libs/libmod_noise.so -bundle .libs/libmod_noise_la-rand
om_noise.o .libs/libmod_noise_la-distort.o .libs/libmod_noise_la-noise.o .libs/l
ibmod_noise_la-valuenode_random.o .libs/libmod_noise_la-main.o -L/opt/local/li

```



```

b ../../synfig/.libs/libsynfig.dylib /opt/local/lib/libltdl.dylib /opt/local/lib
/libxml++-2.6.dylib /opt/local/lib/libxml2.dylib -lz -lm /opt/local/lib/libglibm
m-2.4.dylib /opt/local/lib/libgmodule-2.0.dylib /opt/local/lib/libgobject-2.0.dy
lib /opt/local/lib/libglib-2.0.dylib /opt/local/lib/libsigc-2.0.dylib /opt/local
/lib/libintl.dylib /opt/local/lib/libiconv.dylib -lc -lpthread -Wl,-framework -
Wl,CoreFoundation -framework Carbon
libtool: link: dsymutil .libs/libmod_noise.so || :
warning: no debug symbols in executable (-arch i386)
libtool: link: ( cd ".libs" && rm -f "libmod_noise.la" && ln -s "../libmod_noise
.la" "libmod_noise.la" )
Making all in mod_libavcodec
make[4]: Nothing to be done for `all'.
Making all in mod_jpeg
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../../
../.. -I../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale" -DDEBUG -O2 -W -Wall -MT libmod_jpeg_la-m
ain.lo -MD -MP -MF .deps/libmod_jpeg_la-main.Tpo -c -o libmod_jpeg_la-main.lo `t
est -f 'main.cpp' || echo './'`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../../.. -I../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\
" -DDEBUG -O2 -W -Wall -MT libmod_jpeg_la-main.lo -MD -MP -MF .deps/libmod_jpeg
_la-main.Tpo -c main.cpp -fno-common -DPIC -o .libs/libmod_jpeg_la-main.o
In file included from /opt/local/include/jpeglib.h:28,
    from trgt_jpeg.h:37,
    from main.cpp:37:
/opt/local/include/jconfig.h:12:1: warning: "HAVE_STDLIB_H" redefined
In file included from /opt/synfig/include/ETL/etl_config.h:6,
    from /opt/synfig/include/ETL/stringf:30,
    from ../../../src/synfig/general.h:30,
    from ../../../src/synfig/module.h:31,
    from main.cpp:36:
/opt/synfig/include/ETL/etl_profile.h:59:1: warning: this is the location of the
previous definition
mv -f .deps/libmod_jpeg_la-main.Tpo .deps/libmod_jpeg_la-main.Plo
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../../
../.. -I../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i

```

```
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIDG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DNDEBUG -O2 -W -Wall -MT libmod_jpeg_la-trgt_jpeg.lo -MD -MP -MF .deps/libmod_jpeg_la-trgt_jpeg.Tpo -c -o libmod_jpeg_la-trgt_jpeg.lo `test -f 'trgt_jpeg.cpp' || echo './`trgt_jpeg.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIDG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DNDEBUG -O2 -W -Wall -MT libmod_jpeg_la-trgt_jpeg.lo -MD -MP -MF .deps/libmod_jpeg_la-trgt_jpeg.Tpo -c trgt_jpeg.cpp -fno-common -DPIC -o .libs/libmod_jpeg_la-trgt_jpeg.o
```

In file included from /opt/local/include/jpeglib.h:28,

from trgt_jpeg.h:37,

from trgt_jpeg.cpp:37:

/opt/local/include/jconfig.h:12:1: warning: "HAVE_STDLIB_H" redefined

In file included from /opt/synfig/include/ETL/etl_config.h:6,

from /opt/synfig/include/ETL/handle:31,

from ../.../src/synfig/target.h:36,

from ../.../src/synfig/target_scanline.h:30,

from trgt_jpeg.h:33,

from trgt_jpeg.cpp:37:

/opt/synfig/include/ETL/etl_profile.h:59:1: warning: this is the location of the previous definition

```
mv -f .deps/libmod_jpeg_la-trgt_jpeg.Tpo .deps/libmod_jpeg_la-trgt_jpeg.Plo
```

```
/bin/sh ../.../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../... -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIDG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DNDEBUG -O2 -W -Wall -MT libmod_jpeg_la-mptr_jpeg.lo -MD -MP -MF .deps/libmod_jpeg_la-mptr_jpeg.Tpo -c -o libmod_jpeg_la-mptr_jpeg.lo `test -f 'mptr_jpeg.cpp' || echo './`mptr_jpeg.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIDG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DNDEBUG -O2 -W -Wall -MT libmod_jpeg_la-mptr_jpeg.lo -MD -MP -MF .deps/libmod_jpeg_la-mptr_jpeg.Tpo -c mptr_jpeg.cpp -fno-common -DPIC -o .libs/libmod_jpeg_la-mptr_jpeg.o
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIDG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale" -DNDEBUG -O2 -W -Wall -MT libmod_jpeg_la-mptr_jpeg.lo -MD -MP -MF .deps/libmod_jpeg_la-mptr_jpeg.Tpo -c mptr_jpeg.cpp -fno-common -DPIC -o .libs/libmod_jpeg_la-mptr_jpeg.o
```

In file included from /opt/local/include/jpeglib.h:28,

from mptr_jpeg.h:37,

from mptr_jpeg.cpp:40:

/opt/local/include/jconfig.h:12:1: warning: "HAVE_STDLIB_H" redefined

In file included from /opt/synfig/include/ETL/etl_config.h:6,
from /opt/synfig/include/ETL/handle:31,
from ../../../../src/synfig/importer.h:33,
from mptr_jpeg.h:33,
from mptr_jpeg.cpp:40:

/opt/synfig/include/ETL/etl_profile.h:59:1: warning: this is the location of the
previous definition

```
mv -f .deps/libmod_jpeg_la-mptr_jpeg.Tpo .deps/libmod_jpeg_la-mptr_jpeg.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml
+-2.6 -I/opt/local/lib/libxml+-2.6/include -I/opt/local/include/libxml2 -I/opt
/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/inclu
de/sigc+-2.0 -I/opt/local/lib/sigc+-2.0/include -I/opt/local/include/glib-2.0
-I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/
opt/local/include/sigc+-2.0 -I/opt/local/lib/sigc+-2.0/include -DSYFIG_NO_DEP
RECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -module -
ljpeg -no-undefined -avoid-version -L/opt/local/lib -o libmod_jpeg_la -rpath /op
t/synfig/lib/synfig/modules libmod_jpeg_la-main.lo libmod_jpeg_la-trgt_jpeg.lo l
ibmod_jpeg_la-mptr_jpeg.lo ../../synfig/libsynfig.la -L/opt/local/lib -lxml+-2.
6 -lxml2 -lpthread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lin
tl -liconv -lpthread -L/opt/local/lib -lsigc-2.0 -L/opt/local/lib -lintl -L/opt/
local/lib -liconv -lc -R/opt/local/lib -Wl,-framework -Wl,CoreFoundation -lpthre
ad
```

```
libtool: link: g++ -o .libs/libmod_jpeg.so -bundle .libs/libmod_jpeg_la-main.o
.libs/libmod_jpeg_la-trgt_jpeg.o .libs/libmod_jpeg_la-mptr_jpeg.o /opt/local/
lib/libjpeg.dylib -L/opt/local/lib ../../synfig/.libs/libsynfig.dylib /opt/local
/lib/libltdl.dylib /opt/local/lib/libxml+-2.6.dylib /opt/local/lib/libxml2.dyli
b -lz -lm /opt/local/lib/libglibmm-2.4.dylib /opt/local/lib/libgmodule-2.0.dylib
/opt/local/lib/libgobject-2.0.dylib /opt/local/lib/libglib-2.0.dylib /opt/local
/lib/libsigc-2.0.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dyli
b -lc -lpthread -Wl,-framework -Wl,CoreFoundation -framework Carbon
```

```
libtool: link: dsymutil .libs/libmod_jpeg.so || :
```

warning: no debug symbols in executable (-arch i386)

```
libtool: link: ( cd ".libs" && rm -f "libmod_jpeg.la" && ln -s "../libmod_jpeg.l
a" "libmod_jpeg.la" )
```

Making all in mod_openexr

make[4]: Nothing to be done for `all'.

Making all in mod_bmp

```
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../../ -I../../../../src -I/opt/local/include -I/opt/local/include/libxml+-2.6 -I/o
pt/local/lib/libxml+-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc+-2
.0 -I/opt/local/lib/sigc+-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc+-2.0 -I/opt/local/lib/sigc+-2.0/include -DSYFIG_NO_DEPRECATED -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_bmp_la-ma
in.lo -MD -MP -MF .deps/libmod_bmp_la-main.Tpo -c -o libmod_bmp_la-main.lo `test
-f 'main.cpp' || echo './'`main.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I../../../../ -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml+-2.6 -I/opt/local/lib/libxml+-2.6/include -I
```

```

/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_bmp_la-main.lo -MD -MP -MF .deps/libmod_bmp_la-main.Tpo -c main.cpp -fno-common -DPIC -o .libs/libmod_bmp_la-main.o
mv -f .deps/libmod_bmp_la-main.Tpo .deps/libmod_bmp_la-main.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../.. -I../.. -I../.. -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_bmp_la-trgt_bmp.lo -MD -MP -MF .deps/libmod_bmp_la-trgt_bmp.Tpo -c -o libmod_bmp_la-trgt_bmp.lo `test -f 'trgt_bmp.cpp' || echo './`trgt_bmp.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../.. -I../.. -I../.. -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_bmp_la-trgt_bmp.lo -MD -MP -MF .deps/libmod_bmp_la-trgt_bmp.Tpo -c trgt_bmp.cpp -fno-common -DPIC -o .libs/libmod_bmp_la-trgt_bmp.o
mv -f .deps/libmod_bmp_la-trgt_bmp.Tpo .deps/libmod_bmp_la-trgt_bmp.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../.. -I../.. -I../.. -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_bmp_la-mptr_bmp.lo -MD -MP -MF .deps/libmod_bmp_la-mptr_bmp.Tpo -c -o libmod_bmp_la-mptr_bmp.lo `test -f 'mptr_bmp.cpp' || echo './`mptr_bmp.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../.. -I../.. -I../.. -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_bmp_la-mptr_bmp.lo -MD -MP -MF .deps/libmod_bmp_la-mptr_bmp.Tpo -c mptr_bmp.cpp -fno-common -DPIC -o .libs/libmod_bmp_la-mptr_bmp.o
mv -f .deps/libmod_bmp_la-mptr_bmp.Tpo .deps/libmod_bmp_la-mptr_bmp.Plo

```

```

/bin/sh ../../../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml
++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt
/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/inclu
de/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0
-I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/
opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEP
RECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -module -
no-undefined -avoid-version -L/opt/local/lib -o libmod_bmp.la -rpath /opt/synfig
/lib/synfig/modules libmod_bmp_la-main.lo libmod_bmp_la-trgt_bmp.lo libmod_bmp_l
a-mptr_bmp.lo ../../synfig/libsynfig.la -L/opt/local/lib -lxml++-2.6 -lxml2 -lpt
hread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -l
pthread -L/opt/local/lib -lsigc-2.0 -L/opt/local/lib -lintl -L/opt/local/lib -li
conv -lc -R/opt/local/lib -Wl,-framework -Wl,CoreFoundation -lpthread
libtool: link: rm -fr .libs/libmod_bmp.la .libs/libmod_bmp.lai .libs/libmod_bmp
.so .libs/libmod_bmp.so.dSYM
libtool: link: g++ -o .libs/libmod_bmp.so -bundle .libs/libmod_bmp_la-main.o .
libs/libmod_bmp_la-trgt_bmp.o .libs/libmod_bmp_la-mptr_bmp.o -L/opt/local/lib
../../synfig/.libs/libsynfig.dylib /opt/local/lib/libltdl.dylib /opt/local/lib/l
ibxml++-2.6.dylib /opt/local/lib/libxml2.dylib -lz -lm /opt/local/lib/libglibmm-
2.4.dylib /opt/local/lib/libgmodule-2.0.dylib /opt/local/lib/libgobject-2.0.dyli
b /opt/local/lib/libglib-2.0.dylib /opt/local/lib/libsigc-2.0.dylib /opt/local/l
ib/libintl.dylib /opt/local/lib/libiconv.dylib -lc -lpthread -Wl,-framework -Wl
,CoreFoundation -framework Carbon
libtool: link: dsymutil .libs/libmod_bmp.so || :
warning: no debug symbols in executable (-arch i386)
libtool: link: ( cd ".libs" && rm -f "libmod_bmp.la" && ln -s "../../libmod_bmp.la"
"libmod_bmp.la" )
Making all in mod_ppm
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../../
../.. -I../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_ppm_la-ma
in.lo -MD -MP -MF .deps/libmod_ppm_la-main.Tpo -c -o libmod_ppm_la-main.lo `test
-f 'main.cpp' || echo './`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../../.. -I../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT libmod_ppm_la-main.lo -MD -MP -MF .deps/libmod_ppm_l
a-main.Tpo -c main.cpp -fno-common -DPIC -o .libs/libmod_ppm_la-main.o
mv -f .deps/libmod_ppm_la-main.Tpo .deps/libmod_ppm_la-main.Plo
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../../
../.. -I../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o

```

```

pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIF_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_ppm_la-tr
gt_ppm.lo -MD -MP -MF .deps/libmod_ppm_la-trgt_ppm.Tpo -c -o libmod_ppm_la-trgt_
ppm.lo `test -f 'trgt_ppm.cpp' || echo './`trgt_ppm.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/incl
ude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIF_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DNDEBUG -O2 -W -Wall -MT libmod_ppm_la-trgt_ppm.lo -MD -MP -MF .deps/libmod_p
pm_la-trgt_ppm.Tpo -c trgt_ppm.cpp -fno-common -DPIC -o .libs/libmod_ppm_la-trg
t_ppm.o
mv -f .deps/libmod_ppm_la-trgt_ppm.Tpo .deps/libmod_ppm_la-trgt_ppm.Plo
/bin/sh ../.../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIF_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_ppm_la-mp
tr_ppm.lo -MD -MP -MF .deps/libmod_ppm_la-mptr_ppm.Tpo -c -o libmod_ppm_la-mptr_
ppm.lo `test -f 'mptr_ppm.cpp' || echo './`mptr_ppm.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/incl
ude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIF_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DNDEBUG -O2 -W -Wall -MT libmod_ppm_la-mptr_ppm.lo -MD -MP -MF .deps/libmod_p
pm_la-mptr_ppm.Tpo -c mptr_ppm.cpp -fno-common -DPIC -o .libs/libmod_ppm_la-mp
tr_ppm.o
mv -f .deps/libmod_ppm_la-mptr_ppm.Tpo .deps/libmod_ppm_la-mptr_ppm.Plo
/bin/sh ../.../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml
++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt
/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/inclu
de/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0
-I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/
opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIF_NO_DEP
RECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -module -
no-undefined -avoid-version -L/opt/local/lib -o libmod_ppm_la -rpath /opt/synfig
/lib/synfig/modules libmod_ppm_la-main.lo libmod_ppm_la-trgt_ppm.lo libmod_ppm_l
a-mptr_ppm.lo ../.../synfig/libsynfig.la -L/opt/local/lib -lxml++-2.6 -lxml2 -lpt

```

```

hread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -l
pthread -L/opt/local/lib -lsigc-2.0 -L/opt/local/lib -lintl -L/opt/local/lib -li
conv -lc -R/opt/local/lib -WL,-framework -WL,CoreFoundation -lpthread
libtool: link: rm -fr .libs/libmod_ppm.la .libs/libmod_ppm.lai .libs/libmod_ppm
.so .libs/libmod_ppm.so.dSYM
libtool: link: g++ -o .libs/libmod_ppm.so -bundle .libs/libmod_ppm_la-main.o .
libs/libmod_ppm_la-trgt_ppm.o .libs/libmod_ppm_la-mptr_ppm.o -L/opt/local/lib
../../synfig/.libs/libsynfig.dylib /opt/local/lib/libltdl.dylib /opt/local/lib/l
ibxml++-2.6.dylib /opt/local/lib/libxml2.dylib -lz -lm /opt/local/lib/libglibmm-
2.4.dylib /opt/local/lib/libgmodule-2.0.dylib /opt/local/lib/libgobject-2.0.dyli
b /opt/local/lib/libglib-2.0.dylib /opt/local/lib/libsigc-2.0.dylib /opt/local/l
ib/libintl.dylib /opt/local/lib/libiconv.dylib -lc -lpthread -WL,-framework -WL
,CoreFoundation -framework Carbon
libtool: link: dsymutil .libs/libmod_ppm.so || :
warning: no debug symbols in executable (-arch i386)
libtool: link: ( cd ".libs" && rm -f "libmod_ppm.la" && ln -s "../libmod_ppm.la"
"libmod_ppm.la" )
Making all in mod_png
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DDEBUG -O2 -W -Wall -MT libmod_png_la-ma
in.lo -MD -MP -MF .deps/libmod_png_la-main.Tpo -c -o libmod_png_la-main.lo `test
-f 'main.cpp' || echo './'`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../../.. -I../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DDEBUG -O2 -W -Wall -MT libmod_png_la-main.lo -MD -MP -MF .deps/libmod_png_la
-main.Tpo -c main.cpp -fno-common -DPIC -o .libs/libmod_png_la-main.o
mv -f .deps/libmod_png_la-main.Tpo .deps/libmod_png_la-main.Plo
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DDEBUG -O2 -W -Wall -MT libmod_png_la-tr
gt_png.lo -MD -MP -MF .deps/libmod_png_la-trgt_png.Tpo -c -o libmod_png_la-trgt_
png.lo `test -f 'trgt_png.cpp' || echo './'`trgt_png.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../../.. -I../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I

```

```

/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_png_la-trgt_png.lo -MD -MP -MF .deps/libmod_png_la-trgt_png.Tpo -c trgt_png.cpp -fno-common -DPIC -o .libs/libmod_png_la-trgt_png.o
mv -f .deps/libmod_png_la-trgt_png.Tpo .deps/libmod_png_la-trgt_png.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../.. -I../.. -I../.. -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_png_la-mptr_png.lo -MD -MP -MF .deps/libmod_png_la-mptr_png.Tpo -c -o libmod_png_la-mptr_png.lo `test -f 'mptr_png.cpp' || echo './'`mptr_png.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../.. -I../.. -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_png_la-mptr_png.lo -MD -MP -MF .deps/libmod_png_la-mptr_png.Tpo -c mptr_png.cpp -fno-common -DPIC -o .libs/libmod_png_la-mptr_png.o
mv -f .deps/libmod_png_la-mptr_png.Tpo .deps/libmod_png_la-mptr_png.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -module -lpng -no-undefined -avoid-version -L/opt/local/lib -o libmod_png_la libmod_png_la-main.lo libmod_png_la-trgt_png.lo libmod_png_la-mptr_png.lo ../../synfig/libsynfig/lib -L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -lpthread -L/opt/local/lib -lsigc-2.0 -L/opt/local/lib -lintl -L/opt/local/lib -liconv -lc -R/opt/local/lib -Wl,-framework -Wl,CoreFoundation -lpthread
libtool: link: g++ -o .libs/libmod_png.so -bundle .libs/libmod_png_la-main.o .libs/libmod_png_la-trgt_png.o .libs/libmod_png_la-mptr_png.o /opt/local/lib/libpng12.dylib -L/opt/local/lib ../../synfig/.libs/libsynfig.dylib /opt/local/lib/libltdl.dylib /opt/local/lib/libxml++-2.6.dylib /opt/local/lib/libxml2.dylib -lz -lm /opt/local/lib/libglibmm-2.4.dylib /opt/local/lib/libgmodule-2.0.dylib /opt/local/lib/libgobject-2.0.dylib /opt/local/lib/libglib-2.0.dylib /opt/local/lib/libsigc-2.0.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib -lc

```



```

-lpthread -Wl,-framework -Wl,CoreFoundation -framework Carbon
libtool: link: dsymutil .libs/libmod_png.so || :
warning: no debug symbols in executable (-arch i386)
libtool: link: ( cd ".libs" && rm -f "libmod_png.la" && ln -s "../libmod_png.la"
"libmod_png.la" )
Making all in mod_dv
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_dv_la-mai
n.lo -MD -MP -MF .deps/libmod_dv_la-main.Tpo -c -o libmod_dv_la-main.lo `test -f
'main.cpp' || echo './'`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLCALEDIR="/opt/synfig/share/locale/"
-DNDEBUG -O2 -W -Wall -MT libmod_dv_la-main.lo -MD -MP -MF .deps/libmod_dv_la-
main.Tpo -c main.cpp -fno-common -DPIC -o .libs/libmod_dv_la-main.o
mv -f .deps/libmod_dv_la-main.Tpo .deps/libmod_dv_la-main.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_dv_la-trgt
_dv.lo -MD -MP -MF .deps/libmod_dv_la-trgt_dv.Tpo -c -o libmod_dv_la-trgt_dv.lo
`test -f 'trgt_dv.cpp' || echo './'`trgt_dv.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLCALEDIR="/opt/synfig/share/locale/"
-DNDEBUG -O2 -W -Wall -MT libmod_dv_la-trgt_dv.lo -MD -MP -MF .deps/libmod_dv_
la-trgt_dv.Tpo -c trgt_dv.cpp -fno-common -DPIC -o .libs/libmod_dv_la-trgt_dv.o
mv -f .deps/libmod_dv_la-trgt_dv.Tpo .deps/libmod_dv_la-trgt_dv.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml
++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt
/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/inclu
de/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0

```

```

-I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/
opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIFG_NO_DEP
RECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -module -
no-undefined -avoid-version -L/opt/local/lib -o libmod_dv.la -rpath /opt/synfig/
lib/synfig/modules libmod_dv_la-main.lo libmod_dv_la-trgt_dv.lo ../../synfig/lib
synfig.la -L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread -lz -lm -lglibmm-2.4 -lg
object-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -lpthread -L/opt/local/lib -lsig
c-2.0 -L/opt/local/lib -lintl -L/opt/local/lib -liconv -lc -R/opt/local/lib -Wl,
-framework -Wl,CoreFoundation -lpthread
libtool: link: rm -fr .libs/libmod_dv.la .libs/libmod_dv.lai .libs/libmod_dv.so
.libs/libmod_dv.so.dSYM
libtool: link: g++ -o .libs/libmod_dv.so -bundle .libs/libmod_dv_la-main.o .li
bs/libmod_dv_la-trgt_dv.o -L/opt/local/lib ../../synfig/.libs/libsynfig.dylib
/opt/local/lib/libltdl.dylib /opt/local/lib/libxml++-2.6.dylib /opt/local/lib/li
bxml2.dylib -lz -lm /opt/local/lib/libglibmm-2.4.dylib /opt/local/lib/libgmodule
-2.0.dylib /opt/local/lib/libgobject-2.0.dylib /opt/local/lib/libglib-2.0.dylib
/opt/local/lib/libsigc-2.0.dylib /opt/local/lib/libintl.dylib /opt/local/lib/lib
iconv.dylib -lc -lpthread -Wl,-framework -Wl,CoreFoundation -framework Carbon
libtool: link: dsymutil .libs/libmod_dv.so || :
warning: no debug symbols in executable (-arch i386)
libtool: link: ( cd ".libs" && rm -f "libmod_dv.la" && ln -s "../libmod_dv.la" "
libmod_dv.la" )
Making all in mod_imagemagick
make[4]: Nothing to be done for `all'.
Making all in mod_ffmpeg
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libmod_ffmpeg_la
-main.lo -MD -MP -MF .deps/libmod_ffmpeg_la-main.Tpo -c -o libmod_ffmpeg_la-main
.lo `test -f 'main.cpp' || echo './'`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../../../../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT libmod_ffmpeg_la-main.lo -MD -MP -MF .deps/libmod_ff
mpeg_la-main.Tpo -c main.cpp -fno-common -DPIC -o .libs/libmod_ffmpeg_la-main.o
mv -f .deps/libmod_ffmpeg_la-main.Tpo .deps/libmod_ffmpeg_la-main.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca

```

```

l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_ffmpeg_la
-mptr_ffmpeg.lo -MD -MP -MF .deps/libmod_ffmpeg_la-mptr_ffmpeg.Tpo -c -o libmod_
ffmpeg_la-mptr_ffmpeg.lo `test -f 'mptr_ffmpeg.cpp' || echo './`mptr_ffmpeg.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DNDEBUG -O2 -W -Wall -MT libmod_ffmpeg_la-mptr_ffmpeg.lo -MD -MP -MF .deps/li
bmod_ffmpeg_la-mptr_ffmpeg.Tpo -c mptr_ffmpeg.cpp -fno-common -DPIC -o .libs/li
bmod_ffmpeg_la-mptr_ffmpeg.o
mv -f .deps/libmod_ffmpeg_la-mptr_ffmpeg.Tpo .deps/libmod_ffmpeg_la-mptr_ffmpeg.
Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_ffmpeg_la
-trgt_ffmpeg.lo -MD -MP -MF .deps/libmod_ffmpeg_la-trgt_ffmpeg.Tpo -c -o libmod_
ffmpeg_la-trgt_ffmpeg.lo `test -f 'trgt_ffmpeg.cpp' || echo './`trgt_ffmpeg.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../..../.. -I../..../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DNDEBUG -O2 -W -Wall -MT libmod_ffmpeg_la-trgt_ffmpeg.lo -MD -MP -MF .deps/li
bmod_ffmpeg_la-trgt_ffmpeg.Tpo -c trgt_ffmpeg.cpp -fno-common -DPIC -o .libs/li
bmod_ffmpeg_la-trgt_ffmpeg.o
mv -f .deps/libmod_ffmpeg_la-trgt_ffmpeg.Tpo .deps/libmod_ffmpeg_la-trgt_ffmpeg.
Plo
/bin/sh ../..../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml
++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt
/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/inclu
de/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0
-I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/
opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEP
RECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -module -
no-undefined -avoid-version -L/opt/local/lib -o libmod_ffmpeg_la -rpath /opt/syn
fig/lib/synfig/modules libmod_ffmpeg_la-main.lo libmod_ffmpeg_la-mptr_ffmpeg.lo
libmod_ffmpeg_la-trgt_ffmpeg.lo ../..../synfig/libsynfig.la -L/opt/local/lib -lxml
++-2.6 -lxml2 -lpthread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0

```

```

-lintl -liconv -lpthread -L/opt/local/lib -lsigc-2.0 -L/opt/local/lib -lintl -L
/opt/local/lib -liconv -lc -R/opt/local/lib -Wl,-framework -Wl,CoreFoundation -l
pthread
libtool: link: rm -fr .libs/libmod_ffmpeg.la .libs/libmod_ffmpeg.lai .libs/libm
od_ffmpeg.so .libs/libmod_ffmpeg.so.dSYM
libtool: link: g++ -o .libs/libmod_ffmpeg.so -bundle .libs/libmod_ffmpeg_la-ma
in.o .libs/libmod_ffmpeg_la-mptr_ffmpeg.o .libs/libmod_ffmpeg_la-trgt_ffmpeg.o
-L/opt/local/lib ../../synfig/.libs/libsynfig.dylib /opt/local/lib/libltdl.dyli
b /opt/local/lib/libxml++-2.6.dylib /opt/local/lib/libxml2.dylib -lz -lm /opt/lo
cal/lib/libglibmm-2.4.dylib /opt/local/lib/libgmodule-2.0.dylib /opt/local/lib/l
ibgobject-2.0.dylib /opt/local/lib/libglib-2.0.dylib /opt/local/lib/libsigc-2.0.
dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib -lc -lpthread
-Wl,-framework -Wl,CoreFoundation -framework Carbon
libtool: link: dsymutil .libs/libmod_ffmpeg.so || :
warning: no debug symbols in executable (-arch i386)
libtool: link: ( cd ".libs" && rm -f "libmod_ffmpeg.la" && ln -s "../libmod_ffmp
eg.la" "libmod_ffmpeg.la" )
Making all in lyr_freetype
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -I/opt/local/include/freetype2 -I/opt/loca
l/include -I/opt/local/include -DNDEBUG -O2 -W -Wall -MT liblyr_freetype_la-m
ain.lo -MD -MP -MF .deps/liblyr_freetype_la-main.Tpo -c -o liblyr_freetype_la-m
ain.lo `test -f 'main.cpp' || echo './`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../../.. -I../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-I/opt/local/include/freetype2 -I/opt/local/include -I/opt/local/include -DNDE
BUG -O2 -W -Wall -MT liblyr_freetype_la-main.lo -MD -MP -MF .deps/liblyr_freety
e_la-main.Tpo -c main.cpp -fno-common -DPIC -o .libs/liblyr_freetype_la-main.o
mv -f .deps/liblyr_freetype_la-main.Tpo .deps/liblyr_freetype_la-main.Plo
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -I/opt/local/include/freetype2 -I/opt/loca
l/include -I/opt/local/include -DNDEBUG -O2 -W -Wall -MT liblyr_freetype_la-
lyr_freetype.lo -MD -MP -MF .deps/liblyr_freetype_la-lyr_freetype.Tpo -c -o libl

```

```

yr_freetype_la-lyr_freetype.lo `test -f 'lyr_freetype.cpp' || echo './'`lyr_freetype.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -I/opt/local/include/freetype2 -I/opt/local/include -I/opt/local/include -DNDEBUG -O2 -W -Wall -MT liblyr_freetype_la-lyr_freetype.lo -MD -MP -MF .deps/liblyr_freetype_la-lyr_freetype.Tpo -c lyr_freetype.cpp -fno-common -DPIC -o .libs/liblyr_freetype_la-lyr_freetype.o
mv -f .deps/liblyr_freetype_la-lyr_freetype.Tpo .deps/liblyr_freetype_la-lyr_freetype.Plo
/bin/sh ../.../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -I/opt/local/include/freetype2 -I/opt/local/include -I/opt/local/include -DNDEBUG -O2 -W -Wall -module -no-undefined -avoid-version -L/opt/local/lib -o liblyr_freetype_la-main.lo liblyr_freetype_la-lyr_freetype.lo ../.../synfig/libsynfig.la -L/opt/local/lib -lfreetype -lz -L/opt/local/lib -libxml++-2.6 -libxml2 -lpthread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -lpthread -L/opt/local/lib -lsigc-2.0 -L/opt/local/lib -lintl -L/opt/local/lib -liconv -lc -R/opt/local/lib -Wl,-framework -Wl,CoreFoundation -L/opt/local/lib -lfontconfig -lexpat -lfreetype -lz -lpthread
libtool: link: rm -fr .libs/liblyr_freetype_la .libs/liblyr_freetype.lai .libs/liblyr_freetype.so .libs/liblyr_freetype.so.dSYM
libtool: link: g++ -o .libs/liblyr_freetype.so -bundle .libs/liblyr_freetype_la-main.o .libs/liblyr_freetype_la-lyr_freetype.o -L/opt/local/lib ../.../synfig/.libs/libsynfig.dylib /opt/local/lib/libltdl.dylib /opt/local/lib/libxml++-2.6.dylib /opt/local/lib/libxml2.dylib -lm /opt/local/lib/libglibmm-2.4.dylib /opt/local/lib/libgmodule-2.0.dylib /opt/local/lib/libgobject-2.0.dylib /opt/local/lib/libglib-2.0.dylib /opt/local/lib/libsigc-2.0.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libfontconfig.dylib /opt/local/lib/libiconv.dylib /opt/local/lib/libexpat.dylib /opt/local/lib/libfreetype.dylib -lz -lpthread -Wl,-framework -Wl,CoreFoundation -framework Carbon
libtool: link: dsymutil .libs/liblyr_freetype.so || :
warning: no debug symbols in executable (-arch i386)
libtool: link: ( cd ".libs" && rm -f "liblyr_freetype_la" && ln -s "../liblyr_freetype_la" "liblyr_freetype_la" )
Making all in lyr_std
/bin/sh ../.../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2

```

```

.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-main.lo -MD -MP -MF .deps/liblyr_std_la-main.Tpo -c -o liblyr_std_la-main.lo `test -f 'main.cpp' || echo './`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-main.lo -MD -MP -MF .deps/liblyr_std_la-main.Tpo -c main.cpp -fno-common -DPIC -o .libs/liblyr_std_la-main.o
mv -f .deps/liblyr_std_la-main.Tpo .deps/liblyr_std_la-main.Plo
/bin/sh ../.../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-timeloop.lo -MD -MP -MF .deps/liblyr_std_la-timeloop.Tpo -c -o liblyr_std_la-timeloop.lo `test -f 'timeloop.cpp' || echo './`timeloop.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-timeloop.lo -MD -MP -MF .deps/liblyr_std_la-timeloop.Tpo -c timeloop.cpp -fno-common -DPIC -o .libs/liblyr_std_la-timeloop.o
mv -f .deps/liblyr_std_la-timeloop.Tpo .deps/liblyr_std_la-timeloop.Plo
/bin/sh ../.../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-warp.lo -MD -MP -MF .deps/liblyr_std_la-warp.Tpo -c -o liblyr_std_la-warp.lo `test -f 'warp.cpp' || echo './`warp.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib

```

```

mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-warp.lo -MD -MP -MF .deps/liblyr_std_l
a-warp.Tpo -c warp.cpp -fno-common -DPIC -o .libs/liblyr_std_la-warp.o
mv -f .deps/liblyr_std_la-warp.Tpo .deps/liblyr_std_la-warp.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-xo
rpattern.lo -MD -MP -MF .deps/liblyr_std_la-xorpattern.Tpo -c -o liblyr_std_la-x
orpattern.lo `test -f 'xorpattern.cpp' || echo './'`xorpattern.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-xorpattern.lo -MD -MP -MF .deps/liblyr
_std_la-xorpattern.Tpo -c xorpattern.cpp -fno-common -DPIC -o .libs/liblyr_std_
la-xorpattern.o
mv -f .deps/liblyr_std_la-xorpattern.Tpo .deps/liblyr_std_la-xorpattern.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-bo
oleancurve.lo -MD -MP -MF .deps/liblyr_std_la-booleancurve.Tpo -c -o liblyr_std_
la-booleancurve.lo `test -f 'booleancurve.cpp' || echo './'`booleancurve.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-booleancurve.lo -MD -MP -MF .deps/libl
yr_std_la-booleancurve.Tpo -c booleancurve.cpp -fno-common -DPIC -o .libs/libly
r_std_la-booleancurve.o
mv -f .deps/liblyr_std_la-booleancurve.Tpo .deps/liblyr_std_la-booleancurve.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.

```

```

./.. -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-bevel.lo -MD -MP -MF .deps/liblyr_std_la-bevel.Tpo -c -o liblyr_std_la-bevel.lo `test -f 'bevel.cpp' || echo './`bevel.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.../.. -I../.../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-bevel.lo -MD -MP -MF .deps/liblyr_std_la-bevel.Tpo -c bevel.cpp -fno-common -DPIC -o .libs/liblyr_std_la-bevel.o
mv -f .deps/liblyr_std_la-bevel.Tpo .deps/liblyr_std_la-bevel.Plo
/bin/sh ../.../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.../... -I../.../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-shade.lo -MD -MP -MF .deps/liblyr_std_la-shade.Tpo -c -o liblyr_std_la-shade.lo `test -f 'shade.cpp' || echo './`shade.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.../.. -I../.../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-shade.lo -MD -MP -MF .deps/liblyr_std_la-shade.Tpo -c shade.cpp -fno-common -DPIC -o .libs/liblyr_std_la-shade.o
mv -f .deps/liblyr_std_la-shade.Tpo .deps/liblyr_std_la-shade.Plo
/bin/sh ../.../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.../... -I../.../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-twirl.lo -MD -MP -MF .deps/liblyr_std_la-twirl.Tpo -c -o liblyr_std_la-twirl.lo `test -f 'twirl.cpp' || echo './`twirl.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.../.. -I../.../.../src -I/opt/local/in

```



```

clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-twirl.lo -MD -MP -MF .deps/liblyr_std_
la-twirl.Tpo -c twirl.cpp -fno-common -DPIC -o .libs/liblyr_std_la-twirl.o
mv -f .deps/liblyr_std_la-twirl.Tpo .deps/liblyr_std_la-twirl.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-st
retch.lo -MD -MP -MF .deps/liblyr_std_la-stretch.Tpo -c -o liblyr_std_la-stretch
.lo `test -f 'stretch.cpp' || echo './`stretch.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../..../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-stretch.lo -MD -MP -MF .deps/liblyr_st
d_la-stretch.Tpo -c stretch.cpp -fno-common -DPIC -o .libs/liblyr_std_la-stretc
h.o
mv -f .deps/liblyr_std_la-stretch.Tpo .deps/liblyr_std_la-stretch.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-cl
amp.lo -MD -MP -MF .deps/liblyr_std_la-clamp.Tpo -c -o liblyr_std_la-clamp.lo `t
est -f 'clamp.cpp' || echo './`clamp.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../..../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-clamp.lo -MD -MP -MF .deps/liblyr_std_
la-clamp.Tpo -c clamp.cpp -fno-common -DPIC -o .libs/liblyr_std_la-clamp.o
mv -f .deps/liblyr_std_la-clamp.Tpo .deps/liblyr_std_la-clamp.Plo

```

```

/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-su
persample.lo -MD -MP -MF .deps/liblyr_std_la-supersample.Tpo -c -o liblyr_std_la
-supersample.lo `test -f 'supersample.cpp' || echo './'`supersample.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.../.. -I../.../.../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DNDEBUG -O2 -W -Wall -MT liblyr_std_la-supersample.lo -MD -MP -MF .deps/libly
r_std_la-supersample.Tpo -c supersample.cpp -fno-common -DPIC -o .libs/liblyr_s
td_la-supersample.o
mv -f .deps/liblyr_std_la-supersample.Tpo .deps/liblyr_std_la-supersample.Plo
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-in
sideout.lo -MD -MP -MF .deps/liblyr_std_la-insideout.Tpo -c -o liblyr_std_la-ins
ideout.lo `test -f 'insideout.cpp' || echo './'`insideout.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.../.. -I../.../.../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DNDEBUG -O2 -W -Wall -MT liblyr_std_la-insideout.lo -MD -MP -MF .deps/liblyr_
std_la-insideout.Tpo -c insideout.cpp -fno-common -DPIC -o .libs/liblyr_std_la-
insideout.o
mv -f .deps/liblyr_std_la-insideout.Tpo .deps/liblyr_std_la-insideout.Plo
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-ju

```

```

lia.lo -MD -MP -MF .deps/liblyr_std_la-julia.Tpo -c -o liblyr_std_la-julia.lo `t
est -f 'julia.cpp' || echo './`julia.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFING_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-julia.lo -MD -MP -MF .deps/liblyr_std_
la-julia.Tpo -c julia.cpp -fno-common -DPIC -o .libs/liblyr_std_la-julia.o
mv -f .deps/liblyr_std_la-julia.Tpo .deps/liblyr_std_la-julia.Plo
/bin/sh ../.../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFING_NO_DEPRECATED -D
LOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-ro
tate.lo -MD -MP -MF .deps/liblyr_std_la-rotate.Tpo -c -o liblyr_std_la-rotate.lo
`test -f 'rotate.cpp' || echo './`rotate.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFING_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-rotate.lo -MD -MP -MF .deps/liblyr_std
_la-rotate.Tpo -c rotate.cpp -fno-common -DPIC -o .libs/liblyr_std_la-rotate.o
mv -f .deps/liblyr_std_la-rotate.Tpo .deps/liblyr_std_la-rotate.Plo
/bin/sh ../.../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFING_NO_DEPRECATED -D
LOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-ma
ndelbrot.lo -MD -MP -MF .deps/liblyr_std_la-mandelbrot.Tpo -c -o liblyr_std_la-m
andelbrot.lo `test -f 'mandelbrot.cpp' || echo './`mandelbrot.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFING_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-mandelbrot.lo -MD -MP -MF .deps/liblyr

```

```

_std_la-mandelbrot.Tpo -c mandelbrot.cpp -fno-common -DPIC -o .libs/liblyr_std_
la-mandelbrot.o
mv -f .deps/liblyr_std_la-mandelbrot.Tpo .deps/liblyr_std_la-mandelbrot.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-zo
om.lo -MD -MP -MF .deps/liblyr_std_la-zoom.Tpo -c -o liblyr_std_la-zoom.lo `test
-f 'zoom.cpp' || echo './`zoom.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DNDEBUG -O2 -W -Wall -MT liblyr_std_la-zoom.lo -MD -MP -MF .deps/liblyr_std_l
a-zoom.Tpo -c zoom.cpp -fno-common -DPIC -o .libs/liblyr_std_la-zoom.o
mv -f .deps/liblyr_std_la-zoom.Tpo .deps/liblyr_std_la-zoom.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-im
port.lo -MD -MP -MF .deps/liblyr_std_la-import.Tpo -c -o liblyr_std_la-import.lo
`test -f 'import.cpp' || echo './`import.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DNDEBUG -O2 -W -Wall -MT liblyr_std_la-import.lo -MD -MP -MF .deps/liblyr_std
_la-import.Tpo -c import.cpp -fno-common -DPIC -o .libs/liblyr_std_la-import.o
mv -f .deps/liblyr_std_la-import.Tpo .deps/liblyr_std_la-import.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL

```

```

OCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT liblyr_std_la-trans
late.lo -MD -MP -MF .deps/liblyr_std_la-translate.Tpo -c -o liblyr_std_la-tra
nslate.lo `test -f 'translate.cpp' || echo './`translate.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\"
-DDEBUG -O2 -W -Wall -MT liblyr_std_la-translate.lo -MD -MP -MF .deps/liblyr_
std_la-translate.Tpo -c translate.cpp -fno-common -DPIC -o .libs/liblyr_std_la-
translate.o
mv -f .deps/liblyr_std_la-translate.Tpo .deps/liblyr_std_la-translate.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT liblyr_std_la-sp
here_distort.lo -MD -MP -MF .deps/liblyr_std_la-sphere_distort.Tpo -c -o liblyr_
std_la-sphere_distort.lo `test -f 'sphere_distort.cpp' || echo './`sphere_disto
rt.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\"
-DDEBUG -O2 -W -Wall -MT liblyr_std_la-sphere_distort.lo -MD -MP -MF .deps/li
blyr_std_la-sphere_distort.Tpo -c sphere_distort.cpp -fno-common -DPIC -o .libs
/liblyr_std_la-sphere_distort.o
sphere_distort.cpp: In function 'synfig::Point sphtrans(const synfig::Point&, co
nst synfig::Point&, const float&, const synfig::Real&, int, bool&)':
sphere_distort.cpp:234: warning: control may reach end of non-void function 'flo
at unspherify(float)' being inlined
mv -f .deps/liblyr_std_la-sphere_distort.Tpo .deps/liblyr_std_la-sphere_distort.
Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT liblyr_std_la-cu
rviewarp.lo -MD -MP -MF .deps/liblyr_std_la-curveviewarp.Tpo -c -o liblyr_std_la-cur

```

```

viewarp.lo `test -f 'curviewarp.cpp' || echo './`curviewarp.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT liblyr_std_la-curviewarp.lo -MD -MP -MF .deps/liblyr_
std_la-curviewarp.Tpo -c curviewarp.cpp -fno-common -DPIC -o .libs/liblyr_std_la-
curviewarp.o
mv -f .deps/liblyr_std_la-curviewarp.Tpo .deps/liblyr_std_la-curviewarp.Plo
/bin/sh ../.../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml
++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt
/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/inclu
de/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0
-I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/
opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIFG_NO_DEP
RECATED -DLOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -module -
no-undefined -avoid-version -L/opt/local/lib -o liblyr_std.la -rpath /opt/synfig
/lib/synfig/modules liblyr_std_la-main.lo liblyr_std_la-timeloop.lo liblyr_std_l
a-warp.lo liblyr_std_la-xorpattern.lo liblyr_std_la-booleancurve.lo liblyr_std_l
a-bevel.lo liblyr_std_la-shade.lo liblyr_std_la-twirl.lo liblyr_std_la-stretch.l
o liblyr_std_la-clamp.lo liblyr_std_la-supersample.lo liblyr_std_la-insideout.lo
liblyr_std_la-julia.lo liblyr_std_la-rotate.lo liblyr_std_la-mandelbrot.lo libl
yr_std_la-zoom.lo liblyr_std_la-import.lo liblyr_std_la-translate.lo liblyr_std_
la-sphere_distort.lo liblyr_std_la-curviewarp.lo ../.../synfig/libsynfig.la -L/opt
/local/lib -lxml++-2.6 -lxml2 -lpthread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsig
c-2.0 -lglib-2.0 -lintl -liconv -lpthread -L/opt/local/lib -lsigc-2.0 -L/opt/loc
al/lib -lintl -L/opt/local/lib -liconv -lc -R/opt/local/lib -Wl,-framework -Wl,C
oreFoundation -lpthread
libtool: link: rm -fr .libs/liblyr_std.la .libs/liblyr_std.lai .libs/liblyr_std
.so .libs/liblyr_std.so.dSYM
libtool: link: g++ -o .libs/liblyr_std.so -bundle .libs/liblyr_std_la-main.o .
libs/liblyr_std_la-timeloop.o .libs/liblyr_std_la-warp.o .libs/liblyr_std_la-xor
pattern.o .libs/liblyr_std_la-booleancurve.o .libs/liblyr_std_la-bevel.o .libs/l
iblyr_std_la-shade.o .libs/liblyr_std_la-twirl.o .libs/liblyr_std_la-stretch.o .
libs/liblyr_std_la-clamp.o .libs/liblyr_std_la-supersample.o .libs/liblyr_std_la
-insideout.o .libs/liblyr_std_la-julia.o .libs/liblyr_std_la-rotate.o .libs/libl
yr_std_la-mandelbrot.o .libs/liblyr_std_la-zoom.o .libs/liblyr_std_la-import.o .
libs/liblyr_std_la-translate.o .libs/liblyr_std_la-sphere_distort.o .libs/liblyr
_std_la-curviewarp.o -L/opt/local/lib ../.../synfig/.libs/libsynfig.dylib /opt/l
ocal/lib/libltdl.dylib /opt/local/lib/libxml++-2.6.dylib /opt/local/lib/libxml2.
dylib -lz -lm /opt/local/lib/libglibmm-2.4.dylib /opt/local/lib/libgmodule-2.0.d
ylib /opt/local/lib/libgobject-2.0.dylib /opt/local/lib/libglib-2.0.dylib /opt/l
ocal/lib/libsigc-2.0.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.
dylib -lc -lpthread -Wl,-framework -Wl,CoreFoundation -framework Carbon
libtool: link: dsymutil .libs/liblyr_std.so || :
warning: no debug symbols in executable (-arch i386)
libtool: link: ( cd ".libs" && rm -f "liblyr_std.la" && ln -s "../liblyr_std.la"

```

```

"liblyr_std.la" )
Making all in mod_mng
make[4]: Nothing to be done for `all'.
Making all in mod_svg
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_svg_la-ma
in.lo -MD -MP -MF .deps/libmod_svg_la-main.Tpo -c -o libmod_svg_la-main.lo `test
-f 'main.cpp' || echo './'`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DNDEBUG -O2 -W -Wall -MT libmod_svg_la-main.lo -MD -MP -MF .deps/libmod_svg_l
a-main.Tpo -c main.cpp -fno-common -DPIC -o .libs/libmod_svg_la-main.o
mv -f .deps/libmod_svg_la-main.Tpo .deps/libmod_svg_la-main.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_svg_la-la
yer_svg.lo -MD -MP -MF .deps/libmod_svg_la-layer_svg.Tpo -c -o libmod_svg_la-lay
er_svg.lo `test -f 'layer_svg.cpp' || echo './'`layer_svg.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../../../../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIFG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DNDEBUG -O2 -W -Wall -MT libmod_svg_la-layer_svg.lo -MD -MP -MF .deps/libmod_
svg_la-layer_svg.Tpo -c layer_svg.cpp -fno-common -DPIC -o .libs/libmod_svg_la-
layer_svg.o
mv -f .deps/libmod_svg_la-layer_svg.Tpo .deps/libmod_svg_la-layer_svg.Plo
/bin/sh ../../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../../../../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca

```

```

l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libmod_svg_la-sv
g_parser.lo -MD -MP -MF .deps/libmod_svg_la-svg_parser.Tpo -c -o libmod_svg_la-s
vg_parser.lo `test -f 'svg_parser.cpp' || echo './'`svg_parser.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../... -I../.../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/"
-DNDEBUG -O2 -W -Wall -MT libmod_svg_la-svg_parser.lo -MD -MP -MF .deps/libmod
_svg_la-svg_parser.Tpo -c svg_parser.cpp -fno-common -DPIC -o .libs/libmod_svg_
la-svg_parser.o
mv -f .deps/libmod_svg_la-svg_parser.Tpo .deps/libmod_svg_la-svg_parser.Plo
/bin/sh ../.../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml
++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt
/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/inclu
de/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0
-I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/
opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEP
RECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -module -
no-undefined -avoid-version -L/opt/local/lib -o libmod_svg.la -rpath /opt/synfig
/lib/synfig/modules libmod_svg_la-main.lo libmod_svg_la-layer_svg.lo libmod_svg_
la-svg_parser.lo ../.../synfig/libsynfig.la -L/opt/local/lib -lxml++-2.6 -lxml2 -
lpthread -lz -lm -lglibmm-2.4 -lobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv
-lpthread -L/opt/local/lib -lsigc-2.0 -L/opt/local/lib -lintl -L/opt/local/lib
-liconv -lc -R/opt/local/lib -Wl,-framework -Wl,CoreFoundation -lpthread
libtool: link: rm -fr .libs/libmod_svg.la .libs/libmod_svg.lai .libs/libmod_svg
.so .libs/libmod_svg.so.dSYM
libtool: link: g++ -o .libs/libmod_svg.so -bundle .libs/libmod_svg_la-main.o .
libs/libmod_svg_la-layer_svg.o .libs/libmod_svg_la-svg_parser.o -L/opt/local/li
b ../.../synfig/.libs/libsynfig.dylib /opt/local/lib/libltdl.dylib /opt/local/li
b/libxml++-2.6.dylib /opt/local/lib/libxml2.dylib -lz -lm /opt/local/lib/libglib
mm-2.4.dylib /opt/local/lib/libgmodule-2.0.dylib /opt/local/lib/libgobject-2.0.d
ylib /opt/local/lib/libglib-2.0.dylib /opt/local/lib/libsigc-2.0.dylib /opt/loca
l/lib/libintl.dylib /opt/local/lib/libiconv.dylib -lc -lpthread -Wl,-framework
-Wl,CoreFoundation -framework Carbon
libtool: link: dsymutil .libs/libmod_svg.so || :
warning: no debug symbols in executable (-arch i386)
libtool: link: ( cd ".libs" && rm -f "libmod_svg.la" && ln -s "../libmod_svg.la"
"libmod_svg.la" )
Making all in mod_magickpp
make[4]: Nothing to be done for `all'.
Making all in example
/bin/sh ../.../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../... -I../.../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2

```



```
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libexample_la-main.lo -MD -MP -MF .deps/libexample_la-main.Tpo -c -o libexample_la-main.lo `test -f 'main.cpp' || echo './`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libexample_la-main.lo -MD -MP -MF .deps/libexample_la-main.Tpo -c main.cpp -fno-common -DPIC -o .libs/libexample_la-main.o
mv -f .deps/libexample_la-main.Tpo .deps/libexample_la-main.Plo
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libexample_la-simplecircle.lo -MD -MP -MF .deps/libexample_la-simplecircle.Tpo -c -o libexample_la-simplecircle.lo `test -f 'simplecircle.cpp' || echo './`simplecircle.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libexample_la-simplecircle.lo -MD -MP -MF .deps/libexample_la-simplecircle.Tpo -c simplecircle.cpp -fno-common -DPIC -o .libs/libexample_la-simplecircle.o
mv -f .deps/libexample_la-simplecircle.Tpo .deps/libexample_la-simplecircle.Plo
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libexample_la-filledrect.lo -MD -MP -MF .deps/libexample_la-filledrect.Tpo -c -o libexample_la-filledrect.lo `test -f 'filledrect.cpp' || echo './`filledrect.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
```

```

mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT libexample_la-filledrect.lo -MD -MP -MF .deps/libexa
mple_la-filledrect.Tpo -c filledrect.cpp -fno-common -DPIC -o .libs/libexample_
la-filledrect.o
mv -f .deps/libexample_la-filledrect.Tpo .deps/libexample_la-filledrect.Plo
/bin/sh ../../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I../.
../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/o
pt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/incl
ude/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2
.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/loca
l/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEPRECATED -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libexample_la-me
taballs.lo -MD -MP -MF .deps/libexample_la-metaballs.Tpo -c -o libexample_la-met
aballs.lo `test -f 'metaballs.cpp' || echo './'`metaballs.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I../..../.. -I../..../src -I/opt/local/in
clude -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I
/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glib
mm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/s
igc++-2.0/include -DSYNFIG_NO_DEPRECATED -DLOCALEDIR=\"/opt/synfig/share/locale\
" -DNDEBUG -O2 -W -Wall -MT libexample_la-metaballs.lo -MD -MP -MF .deps/libexam
ple_la-metaballs.Tpo -c metaballs.cpp -fno-common -DPIC -o .libs/libexample_la-
metaballs.o
mv -f .deps/libexample_la-metaballs.Tpo .deps/libexample_la-metaballs.Plo
/bin/sh ../../../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml
++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt
/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/inclu
de/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0
-I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/
opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYNFIG_NO_DEP
RECATED -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -module -
no-undefined -avoid-version -L/opt/local/lib -o libexample_la-main.o libexampl
e_la-simplecircle.o libexampl
e_la-filledrect.o libexample_la-metaballs.o ../../synfig/libsynfig.dylib -L/opt/
local/lib -lxml++-2.6 -lxml2 -lpthread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc
-2.0 -lglib-2.0 -lintl -liconv -lpthread -L/opt/local/lib -lsigc-2.0 -L/opt/loca
l/lib -lintl -L/opt/local/lib -liconv -lc -R/opt/local/lib -Wl,-framework -Wl,Co
reFoundation -lpthread
libtool: link: rm -fr .libs/libexample_la-main.o .libs/libexample_la-simplecircle.o
.libs/libexample_la-filledrect.o .libs/libexam
ple_la-metaballs.o .libs/libexample_la-main.o .libs/libexample_la-simplecircle.o
.libs/libexample_la-filledrect.o .libs/libexam
ple_la-metaballs.o -L/opt/local/lib ../../synfig/.libs/libsynfig.dylib /opt/lo
cal/lib/libltdl.dylib /opt/local/lib/libxml++-2.6.dylib /opt/local/lib/libxml2.d
ylib -lz -lm /opt/local/lib/libglibmm-2.4.dylib /opt/local/lib/libgmodule-2.0.dy

```

```

lib /opt/local/lib/libgobject-2.0.dylib /opt/local/lib/libglib-2.0.dylib /opt/local/lib/libsigc-2.0.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib -lc -lpthread -Wl,-framework -Wl,CoreFoundation -framework Carbon
libtool: link: dsymutil .libs/libexample.so || :
warning: no debug symbols in executable (-arch i386)
libtool: link: ( cd ".libs" && rm -f "libexample.la" && ln -s "../libexample.la" "libexample.la" )
make[4]: Nothing to be done for `all-am'.
Making all in tool
g++ -DHAVE_CONFIG_H -I../.. -I../..../src -I/opt/local/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DDEBUG -O2 -W -Wall -MT synfig-main.o -MD -MP -MF .deps/synfig-main.Tpo -c -o synfig-main.o `test -f 'main.cpp' || echo './'`main.cpp
mv -f .deps/synfig-main.Tpo .deps/synfig-main.Po
/bin/sh ../..../libtool --tag=CXX --mode=link g++ -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DDEBUG -O2 -W -Wall -L/opt/local/lib -o synfig synfig-main.o ../synfig/libsynfig.la -L/opt/local/lib -lxml++-2.6 -lxml2 -lpthread -lz -lm -lglibmm-2.4 -lgobject-2.0 -lsigc-2.0 -lglib-2.0 -lintl -liconv -lpthread -L/opt/local/lib -lsigc-2.0 -L/opt/local/lib -lintl -L/opt/local/lib -liconv -lc -R/opt/local/lib -Wl,-framework -Wl,CoreFoundation -lpthread
libtool: link: g++ -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/synfig/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -DSYFIG_NO_DEPRECATED -DLOCALEDIR="/opt/synfig/share/locale/" -DDEBUG -O2 -W -Wall -o .libs/synfig synfig-main.o -Wl,-framework -Wl,CoreFoundation -Wl,-bind_at_load -L/opt/local/lib ../synfig/.libs/libsynfig.dylib /opt/local/lib/libltdl.dylib /opt/local/lib/libxml++-2.6.dylib /opt/local/lib/libxml2.dylib -lz -lm /opt/local/lib/libglibmm-2.4.dylib /opt/local/lib/libgmodule-2.0.dylib /opt/local/lib/libgobject-2.0.dylib /opt/local/lib/libglib-2.0.dylib /opt/local/lib/libsigc-2.0.dylib /opt/local/lib/libintl.dylib /opt/local/lib/libiconv.dylib -lc -lpthread -framework Carbon
make[3]: Nothing to be done for `all-am'.
Making all in examples
Making all in walk
make[3]: Nothing to be done for `all'.
make[3]: Nothing to be done for `all-am'.
Making all in po

```

```

make[2]: Nothing to be done for `all'.
make[2]: Nothing to be done for `all-am'.
imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ sudo make install
Password:
Making install in libltdl
make install-am
test -z "/opt/synfig/lib" || config/install-sh -c -d "/opt/synfig/lib"
test -z "/opt/synfig/include" || config/install-sh -c -d "/opt/synfig/include"
test -z "" || config/install-sh -c -d ""
Making install in build_tools
sh ./autorevision.sh ".." ".."
make[2]: Nothing to be done for `install-exec-am'.
make[2]: Nothing to be done for `install-data-am'.
Making install in src
Making install in synfig
test -z "/opt/synfig/lib" || ../../libltdl/config/install-sh -c -d "/opt/synfig/lib"
/bin/sh ../../libtool --mode=install /usr/bin/install -c libsynfig.la '/opt/synfig/lib'
libtool: install: /usr/bin/install -c .libs/libsynfig.0.dylib /opt/synfig/lib/libsynfig.0.dylib
libtool: install: (cd /opt/synfig/lib && { ln -s -f libsynfig.0.dylib libsynfig.dylib || { rm -f libsynfig.dylib && ln -s libsynfig.0.dylib libsynfig.dylib; }; })
libtool: install: /usr/bin/install -c .libs/libsynfig.lai /opt/synfig/lib/libsynfig.la

```

Libraries have been installed in:
 /opt/synfig/lib

If you ever happen to want to link against installed libraries in a given directory, LIBDIR, you must either use libtool, and specify the full pathname of the library, or use the '-LLIBDIR' flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable during execution

See any operating system documentation about shared libraries for more information, such as the ld(1) and ld.so(8) manual pages.

```

test -z "/opt/synfig/include/synfig-0.0/synfig" || ../../libltdl/config/install-sh -c -d "/opt/synfig/include/synfig-0.0/synfig"
/usr/bin/install -c -m 644 angle.h canvasbase.h general.h guidset.h interpolation.h nodebase.h protocol.h quick_rng.h real.h releases.h segment.h smartfile.h string.h string_decl.h surfacenew.h synfig.h types.h vector.h version.h activepoint.h blur.h canvas.h color.h context.h curve_helper.h curveset.h distance.h exception.h gamma.h guid.h importer.h keyframe.h layer.h loadcanvas.h main.h module.h mutex.h node.h palette.h paramdesc.h '/opt/synfig/include/synfig-0.0/synfig'
/usr/bin/install -c -m 644 polynomial_root.h rect.h renddesc.h render.h savecanvas.h surface.h target.h time.h timepointcollect.h transform.h uniqueid.h valuen

```

```
ode.h waypoint.h layer_bitmap.h layer_composite.h layer_duplicate.h layer_mime.h
layer_motionblur.h layer_pastecanvas.h layer_polygon.h layer_shape.h layer_sol
dcolor.h target_multi.h target_null.h target_null_tile.h target_scanline.h targe
t_tile.h valuenode_add.h valuenode_and.h valuenode_anglestring.h valuenode_anima
ted.h valuenode_atan2.h valuenode_bline.h valuenode_blinecalcctangent.h valuenode
_blinecalcvertex.h valuenode_blinecalcwidth.h valuenode_blinereversetangent.h va
luenode_compare.h valuenode_composite.h valuenode_const.h '/opt/synfig/include/s
ynfig-0.0/synfig'
```

```
/usr/bin/install -c -m 644 valuenode_cos.h valuenode_dotproduct.h valuenode_dup
licate.h valuenode_dynamiclist.h valuenode_exp.h valuenode_gradientcolor.h value
node_gradientrotate.h valuenode_greyed.h valuenode_integer.h valuenode_intstring
.h valuenode_join.h valuenode_linear.h valuenode_log.h valuenode_not.h valuenode
_or.h valuenode_pow.h valuenode_radialcomposite.h valuenode_range.h valuenode_re
alstring.h valuenode_reciprocal.h valuenode_reference.h valuenode_repeat_gradien
t.h valuenode_scale.h valuenode_segcaltangent.h valuenode_segcaltvertex.h value
node_sine.h valuenode_step.h valuenode_stripes.h valuenode_subtract.h valuenode_
switch.h valuenode_timedswap.h valuenode_timeloop.h valuenode_timestring.h value
node_twotone.h valuenode_vectorangle.h valuenode_vectorlength.h valuenode_vector
x.h valuenode_vectory.h listimporter.h blinepoint.h '/opt/synfig/include/synfig-
0.0/synfig'
```

```
/usr/bin/install -c -m 644 gradient.h value.h '/opt/synfig/include/synfig-0.0/s
ynfig'
```

Making install in modules

Making install in mod_particle

```
make[4]: Nothing to be done for `install-exec-am'.
```

```
test -z "/opt/synfig/lib/synfig/modules" || ../../../../libltdl/config/install-sh -
c -d "/opt/synfig/lib/synfig/modules"
```

```
/bin/sh ../../../../libtool --mode=install /usr/bin/install -c libmod_particle
.la '/opt/synfig/lib/synfig/modules'
```

```
libtool: install: /usr/bin/install -c .libs/libmod_particle.so /opt/synfig/lib/s
ynfig/modules/libmod_particle.so
```

```
libtool: install: /usr/bin/install -c .libs/libmod_particle.lai /opt/synfig/lib/
synfig/modules/libmod_particle.la
```

Libraries have been installed in:

 /opt/synfig/lib/synfig/modules

If you ever happen to want to link against installed libraries
in a given directory, LIBDIR, you must either use libtool, and
specify the full pathname of the library, or use the '-LLIBDIR'
flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable
 during execution

See any operating system documentation about shared libraries for
more information, such as the ld(1) and ld.so(8) manual pages.

Making install in mod_filter

```
make[4]: Nothing to be done for `install-exec-am'.
```

```
test -z "/opt/synfig/lib/synfig/modules" || ../../../../libltdl/config/install-sh -
```

```
c -d "/opt/synfig/lib/synfig/modules"
/bin/sh ../../../../libtool --mode=install /usr/bin/install -c libmod_filter.la '/opt/synfig/lib/synfig/modules'
libtool: install: /usr/bin/install -c .libs/libmod_filter.so /opt/synfig/lib/synfig/modules/libmod_filter.so
libtool: install: /usr/bin/install -c .libs/libmod_filter.lai /opt/synfig/lib/synfig/modules/libmod_filter.la
```

Libraries have been installed in:
/opt/synfig/lib/synfig/modules

If you ever happen to want to link against installed libraries in a given directory, LIBDIR, you must either use libtool, and specify the full pathname of the library, or use the '-LLIBDIR' flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable during execution

See any operating system documentation about shared libraries for more information, such as the ld(1) and ld.so(8) manual pages.

Making install in mod_yuv420p
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || ../../../../libltdl/config/install-sh -c -d "/opt/synfig/lib/synfig/modules"
/bin/sh ../../../../libtool --mode=install /usr/bin/install -c libmod_yuv420p.la '/opt/synfig/lib/synfig/modules'
libtool: install: /usr/bin/install -c .libs/libmod_yuv420p.so /opt/synfig/lib/synfig/modules/libmod_yuv420p.so
libtool: install: /usr/bin/install -c .libs/libmod_yuv420p.lai /opt/synfig/lib/synfig/modules/libmod_yuv420p.la

Libraries have been installed in:
/opt/synfig/lib/synfig/modules

If you ever happen to want to link against installed libraries in a given directory, LIBDIR, you must either use libtool, and specify the full pathname of the library, or use the '-LLIBDIR' flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable during execution

See any operating system documentation about shared libraries for more information, such as the ld(1) and ld.so(8) manual pages.

Making install in mod_gif
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || ../../../../libltdl/config/install-sh -c -d "/opt/synfig/lib/synfig/modules"
/bin/sh ../../../../libtool --mode=install /usr/bin/install -c libmod_gif.la '

```
/opt/synfig/lib/synfig/modules'
libtool: install: /usr/bin/install -c .libs/libmod_gif.so /opt/synfig/lib/synfig
/modules/libmod_gif.so
libtool: install: /usr/bin/install -c .libs/libmod_gif.lai /opt/synfig/lib/synfi
g/modules/libmod_gif.la
```

Libraries have been installed in:
 /opt/synfig/lib/synfig/modules

If you ever happen to want to link against installed libraries
in a given directory, LIBDIR, you must either use libtool, and
specify the full pathname of the library, or use the '-LLIBDIR'
flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable
 during execution

See any operating system documentation about shared libraries for
more information, such as the ld(1) and ld.so(8) manual pages.

Making install in mod_gradient

```
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || ../../../libltdl/config/install-sh -
c -d "/opt/synfig/lib/synfig/modules"
/bin/sh ../../../libtool --mode=install /usr/bin/install -c libmod_gradient
.la '/opt/synfig/lib/synfig/modules'
libtool: install: /usr/bin/install -c .libs/libmod_gradient.so /opt/synfig/lib/s
ynfig/modules/libmod_gradient.so
libtool: install: /usr/bin/install -c .libs/libmod_gradient.lai /opt/synfig/lib/
synfig/modules/libmod_gradient.la
```

Libraries have been installed in:
 /opt/synfig/lib/synfig/modules

If you ever happen to want to link against installed libraries
in a given directory, LIBDIR, you must either use libtool, and
specify the full pathname of the library, or use the '-LLIBDIR'
flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable
 during execution

See any operating system documentation about shared libraries for
more information, such as the ld(1) and ld.so(8) manual pages.

Making install in mod_geometry

```
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || ../../../libltdl/config/install-sh -
c -d "/opt/synfig/lib/synfig/modules"
/bin/sh ../../../libtool --mode=install /usr/bin/install -c libmod_geometry
.la '/opt/synfig/lib/synfig/modules'
libtool: install: /usr/bin/install -c .libs/libmod_geometry.so /opt/synfig/lib/s
```

```
ynfig/modules/libmod_geometry.so
libtool: install: /usr/bin/install -c .libs/libmod_geometry.lai /opt/synfig/lib/
synfig/modules/libmod_geometry.la
```

Libraries have been installed in:
/opt/synfig/lib/synfig/modules

If you ever happen to want to link against installed libraries in a given directory, LIBDIR, you must either use libtool, and specify the full pathname of the library, or use the '-LLIBDIR' flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable during execution

See any operating system documentation about shared libraries for more information, such as the ld(1) and ld.so(8) manual pages.

Making install in mod_noise
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || .././../libltdl/config/install-sh -c -d "/opt/synfig/lib/synfig/modules"
/bin/sh .././../libtool --mode=install /usr/bin/install -c libmod_noise.la '/opt/synfig/lib/synfig/modules'
libtool: install: /usr/bin/install -c .libs/libmod_noise.so /opt/synfig/lib/synfig/modules/libmod_noise.so
libtool: install: /usr/bin/install -c .libs/libmod_noise.lai /opt/synfig/lib/synfig/modules/libmod_noise.la

Libraries have been installed in:
/opt/synfig/lib/synfig/modules

If you ever happen to want to link against installed libraries in a given directory, LIBDIR, you must either use libtool, and specify the full pathname of the library, or use the '-LLIBDIR' flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable during execution

See any operating system documentation about shared libraries for more information, such as the ld(1) and ld.so(8) manual pages.

Making install in mod_libavcodec
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || .././../libltdl/config/install-sh -c -d "/opt/synfig/lib/synfig/modules"
Making install in mod_jpeg
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || .././../libltdl/config/install-sh -c -d "/opt/synfig/lib/synfig/modules"
/bin/sh .././../libtool --mode=install /usr/bin/install -c libmod_jpeg.la


```
'/opt/synfig/lib/synfig/modules'
```

```
libtool: install: /usr/bin/install -c .libs/libmod_jpeg.so /opt/synfig/lib/synfig/modules/libmod_jpeg.so
```

```
libtool: install: /usr/bin/install -c .libs/libmod_jpeg.lai /opt/synfig/lib/synfig/modules/libmod_jpeg.la
```

```
-----  
Libraries have been installed in:  
  /opt/synfig/lib/synfig/modules
```

If you ever happen to want to link against installed libraries in a given directory, LIBDIR, you must either use libtool, and specify the full pathname of the library, or use the '-LLIBDIR' flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable during execution

See any operating system documentation about shared libraries for more information, such as the ld(1) and ld.so(8) manual pages.

```
-----  
Making install in mod_openexr
```

```
make[4]: Nothing to be done for `install-exec-am'.
```

```
test -z "/opt/synfig/lib/synfig/modules" || .././../libltdl/config/install-sh -c -d "/opt/synfig/lib/synfig/modules"
```

```
Making install in mod_bmp
```

```
make[4]: Nothing to be done for `install-exec-am'.
```

```
test -z "/opt/synfig/lib/synfig/modules" || .././../libltdl/config/install-sh -c -d "/opt/synfig/lib/synfig/modules"
```

```
  /bin/sh .././../libtool --mode=install /usr/bin/install -c libmod_bmp.la '/opt/synfig/lib/synfig/modules'
```

```
libtool: install: /usr/bin/install -c .libs/libmod_bmp.so /opt/synfig/lib/synfig/modules/libmod_bmp.so
```

```
libtool: install: /usr/bin/install -c .libs/libmod_bmp.lai /opt/synfig/lib/synfig/modules/libmod_bmp.la
```

```
-----  
Libraries have been installed in:  
  /opt/synfig/lib/synfig/modules
```

If you ever happen to want to link against installed libraries in a given directory, LIBDIR, you must either use libtool, and specify the full pathname of the library, or use the '-LLIBDIR' flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable during execution

See any operating system documentation about shared libraries for more information, such as the ld(1) and ld.so(8) manual pages.

```
-----  
Making install in mod_ppm
```

```
make[4]: Nothing to be done for `install-exec-am'.
```

```
test -z "/opt/synfig/lib/synfig/modules" || .././../libltdl/config/install-sh -
```

```
c -d "/opt/synfig/lib/synfig/modules"
/bin/sh ../../../../libtool --mode=install /usr/bin/install -c libmod_ppm.la '
/opt/synfig/lib/synfig/modules'
libtool: install: /usr/bin/install -c .libs/libmod_ppm.so /opt/synfig/lib/synfig
/modules/libmod_ppm.so
libtool: install: /usr/bin/install -c .libs/libmod_ppm.lai /opt/synfig/lib/synfi
g/modules/libmod_ppm.la
```

Libraries have been installed in:
/opt/synfig/lib/synfig/modules

If you ever happen to want to link against installed libraries in a given directory, LIBDIR, you must either use libtool, and specify the full pathname of the library, or use the '-LLIBDIR' flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable during execution

See any operating system documentation about shared libraries for more information, such as the ld(1) and ld.so(8) manual pages.

Making install in mod_png
make[4]: Nothing to be done for 'install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || ../../../../libltdl/config/install-sh -
c -d "/opt/synfig/lib/synfig/modules"
/bin/sh ../../../../libtool --mode=install /usr/bin/install -c libmod_png.la '
/opt/synfig/lib/synfig/modules'
libtool: install: /usr/bin/install -c .libs/libmod_png.so /opt/synfig/lib/synfig
/modules/libmod_png.so
libtool: install: /usr/bin/install -c .libs/libmod_png.lai /opt/synfig/lib/synfi
g/modules/libmod_png.la

Libraries have been installed in:
/opt/synfig/lib/synfig/modules

If you ever happen to want to link against installed libraries in a given directory, LIBDIR, you must either use libtool, and specify the full pathname of the library, or use the '-LLIBDIR' flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable during execution

See any operating system documentation about shared libraries for more information, such as the ld(1) and ld.so(8) manual pages.

Making install in mod_dv
make[4]: Nothing to be done for 'install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || ../../../../libltdl/config/install-sh -
c -d "/opt/synfig/lib/synfig/modules"
/bin/sh ../../../../libtool --mode=install /usr/bin/install -c libmod_dv.la '/'

```
opt/synfig/lib/synfig/modules'
libtool: install: /usr/bin/install -c .libs/libmod_dv.so /opt/synfig/lib/synfig/
modules/libmod_dv.so
libtool: install: /usr/bin/install -c .libs/libmod_dv.lai /opt/synfig/lib/synfig
/modules/libmod_dv.la
```

Libraries have been installed in:
 /opt/synfig/lib/synfig/modules

If you ever happen to want to link against installed libraries
in a given directory, LIBDIR, you must either use libtool, and
specify the full pathname of the library, or use the '-LLIBDIR'
flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable
 during execution

See any operating system documentation about shared libraries for
more information, such as the ld(1) and ld.so(8) manual pages.

Making install in mod_imagemagick
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || .././../libltdl/config/install-sh -
c -d "/opt/synfig/lib/synfig/modules"
Making install in mod_ffmpeg
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || .././../libltdl/config/install-sh -
c -d "/opt/synfig/lib/synfig/modules"
 /bin/sh .././../libtool --mode=install /usr/bin/install -c libmod_ffmpeg.l
a '/opt/synfig/lib/synfig/modules'
libtool: install: /usr/bin/install -c .libs/libmod_ffmpeg.so /opt/synfig/lib/syn
fig/modules/libmod_ffmpeg.so
libtool: install: /usr/bin/install -c .libs/libmod_ffmpeg.lai /opt/synfig/lib/sy
nfig/modules/libmod_ffmpeg.la

Libraries have been installed in:
 /opt/synfig/lib/synfig/modules

If you ever happen to want to link against installed libraries
in a given directory, LIBDIR, you must either use libtool, and
specify the full pathname of the library, or use the '-LLIBDIR'
flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable
 during execution

See any operating system documentation about shared libraries for
more information, such as the ld(1) and ld.so(8) manual pages.

Making install in lyr_freetype
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || .././../libltdl/config/install-sh -

```
c -d "/opt/synfig/lib/synfig/modules"
/bin/sh ../../../../libtool --mode=install /usr/bin/install -c liblyr_freetype
.la '/opt/synfig/lib/synfig/modules'
libtool: install: /usr/bin/install -c .libs/liblyr_freetype.so /opt/synfig/lib/s
ynfig/modules/liblyr_freetype.so
libtool: install: /usr/bin/install -c .libs/liblyr_freetype.lai /opt/synfig/lib/
synfig/modules/liblyr_freetype.la
```

Libraries have been installed in:
/opt/synfig/lib/synfig/modules

If you ever happen to want to link against installed libraries in a given directory, LIBDIR, you must either use libtool, and specify the full pathname of the library, or use the '-LLIBDIR' flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable during execution

See any operating system documentation about shared libraries for more information, such as the ld(1) and ld.so(8) manual pages.

Making install in lyr_std
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || ../../../../libltdl/config/install-sh -
c -d "/opt/synfig/lib/synfig/modules"
/bin/sh ../../../../libtool --mode=install /usr/bin/install -c liblyr_std.la '
/opt/synfig/lib/synfig/modules'
libtool: install: /usr/bin/install -c .libs/liblyr_std.so /opt/synfig/lib/synfig
/modules/liblyr_std.so
libtool: install: /usr/bin/install -c .libs/liblyr_std.lai /opt/synfig/lib/synfi
g/modules/liblyr_std.la

Libraries have been installed in:
/opt/synfig/lib/synfig/modules

If you ever happen to want to link against installed libraries in a given directory, LIBDIR, you must either use libtool, and specify the full pathname of the library, or use the '-LLIBDIR' flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable during execution

See any operating system documentation about shared libraries for more information, such as the ld(1) and ld.so(8) manual pages.

Making install in mod_mng
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || ../../../../libltdl/config/install-sh -
c -d "/opt/synfig/lib/synfig/modules"
Making install in mod_svg

```
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || ../../../libltdl/config/install-sh -
c -d "/opt/synfig/lib/synfig/modules"
/bin/sh ../../../libtool --mode=install /usr/bin/install -c libmod_svg.la '
/opt/synfig/lib/synfig/modules'
libtool: install: /usr/bin/install -c .libs/libmod_svg.so /opt/synfig/lib/synfig
/modules/libmod_svg.so
libtool: install: /usr/bin/install -c .libs/libmod_svg.lai /opt/synfig/lib/synfi
g/modules/libmod_svg.la
```

Libraries have been installed in:
/opt/synfig/lib/synfig/modules

If you ever happen to want to link against installed libraries
in a given directory, LIBDIR, you must either use libtool, and
specify the full pathname of the library, or use the '-LLIBDIR'
flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable
during execution

See any operating system documentation about shared libraries for
more information, such as the ld(1) and ld.so(8) manual pages.

Making install in mod_magickpp

```
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || ../../../libltdl/config/install-sh -
c -d "/opt/synfig/lib/synfig/modules"
Making install in example
make[4]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/lib/synfig/modules" || ../../../libltdl/config/install-sh -
c -d "/opt/synfig/lib/synfig/modules"
/bin/sh ../../../libtool --mode=install /usr/bin/install -c libexample.la '
/opt/synfig/lib/synfig/modules'
libtool: install: /usr/bin/install -c .libs/libexample.so /opt/synfig/lib/synfig
/modules/libexample.so
libtool: install: /usr/bin/install -c .libs/libexample.lai /opt/synfig/lib/synfi
g/modules/libexample.la
```

Libraries have been installed in:
/opt/synfig/lib/synfig/modules

If you ever happen to want to link against installed libraries
in a given directory, LIBDIR, you must either use libtool, and
specify the full pathname of the library, or use the '-LLIBDIR'
flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable
during execution

See any operating system documentation about shared libraries for
more information, such as the ld(1) and ld.so(8) manual pages.

```

-----
test -z "/opt/synfig/etc" || ../../libltdl/config/install-sh -c -d "/opt/synfig/
etc"
  /usr/bin/install -c -m 644 synfig_modules.cfg '/opt/synfig/etc'
make[4]: Nothing to be done for `install-data-am'.
Making install in tool
test -z "/opt/synfig/bin" || ../../libltdl/config/install-sh -c -d "/opt/synfig/
bin"
  /bin/sh ../../libtool  --mode=install /usr/bin/install -c synfig '/opt/synfig
/bin'
libtool: install: /usr/bin/install -c .libs/synfig /opt/synfig/bin/synfig
make[3]: Nothing to be done for `install-data-am'.
make[3]: Nothing to be done for `install-exec-am'.
make[3]: Nothing to be done for `install-data-am'.
Making install in examples
Making install in walk
make[3]: Nothing to be done for `install-exec-am'.
make[3]: Nothing to be done for `install-data-am'.
make[3]: Nothing to be done for `install-exec-am'.
make[3]: Nothing to be done for `install-data-am'.
Making install in po
../libltdl/config/install-sh -c -d /opt/synfig/share
installing es.gmo as /opt/synfig/share/locale/es/LC_MESSAGES/synfig.mo
installing fr.gmo as /opt/synfig/share/locale/fr/LC_MESSAGES/synfig.mo
installing ru.gmo as /opt/synfig/share/locale/ru/LC_MESSAGES/synfig.mo
if test "synfig" = "gettext-tools"; then \
    ../libltdl/config/install-sh -c -d /opt/synfig/share/gettext/po; \
    for file in Makefile.in.in remove-potcdates.in quot.sed boldquot.sed e
n@quot.header en@boldquot.header insert-header.sin Rules-quot  Makevars.templat
e; do \
        /usr/bin/install -c -m 644 ./\$file \
            /opt/synfig/share/gettext/po/\$file; \
    done; \
    for file in Makevars; do \
        rm -f /opt/synfig/share/gettext/po/\$file; \
    done; \
else \
    : ; \
fi
test -z "/opt/synfig/bin" || libltdl/config/install-sh -c -d "/opt/synfig/bin"
  /usr/bin/install -c synfig-config '/opt/synfig/bin'
test -z "/opt/synfig/lib/pkgconfig" || libltdl/config/install-sh -c -d "/opt/syn
fig/lib/pkgconfig"
  /usr/bin/install -c -m 644 synfig.pc '/opt/synfig/lib/pkgconfig'
imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ cd
imac-de-rafa-y-maria-bardisa-quintero:~ rafaymaria$ cd synfig
imac-de-rafa-y-maria-bardisa-quintero:synfig rafaymaria$ cd synfigstudio
imac-de-rafa-y-maria-bardisa-quintero:synfigstudio rafaymaria$ export PKG_CONFIG
_PATH=/opt/synfig/lib/pkgconfig
imac-de-rafa-y-maria-bardisa-quintero:synfigstudio rafaymaria$ export PATH=/opt/

```

```
synfig/bin:$PATH
imac-de-rafa-y-maria-bardisa-quintero:synfigstudio rafaymaria$ autoreconf --inst
all --force
glibtoolize: putting auxiliary files in AC_CONFIG_AUX_DIR, `config'.
glibtoolize: copying file `config/ltmain.sh'
glibtoolize: putting macros in `m4'.
glibtoolize: copying file `m4/libtool.m4'
glibtoolize: copying file `m4/ltoptions.m4'
glibtoolize: copying file `m4/ltsugar.m4'
glibtoolize: copying file `m4/ltversion.m4'
glibtoolize: copying file `m4/lt~obsolete.m4'
glibtoolize: Consider adding `AC_CONFIG_MACRO_DIR([m4])' to configure.ac and
glibtoolize: rerunning glibtoolize, to keep the correct libtool macros in-tree.
Makefile.am:83: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:83: (probably a GNU make extension)
Makefile.am:85: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:85: (probably a GNU make extension)
Makefile.am:92: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:92: (probably a GNU make extension)
Makefile.am:99: shell find $(top_srcdir: non-POSIX variable name
Makefile.am:99: (probably a GNU make extension)
imac-de-rafa-y-maria-bardisa-quintero:synfigstudio rafaymaria$ ./configure --pre
fix=/opt/synfig
checking build system type... i386-apple-darwin9.8.0
checking host system type... i386-apple-darwin9.8.0
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... config/install-sh -c -d
checking for gawk... gawk
checking whether make sets $(MAKE)... yes
checking whether to enable maintainer-specific portions of Makefiles... no
checking for gcc... gcc
checking for C compiler default output file name... a.out
checking whether the C compiler works... yes
checking whether we are cross compiling... no
checking for suffix of executables...
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking for style of include used by make... GNU
checking dependency style of gcc... gcc3
checking how to run the C preprocessor... gcc -E
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for ANSI C header files... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes
```

checking for memory.h... yes
checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking minix/config.h usability... no
checking minix/config.h presence... no
checking for minix/config.h... no
checking whether it is safe to define __EXTENSIONS__... yes
checking for g++... g++
checking whether we are using the GNU C++ compiler... yes
checking whether g++ accepts -g... yes
checking dependency style of g++... gcc3
checking how to run the C preprocessor... gcc -E
checking how to run the C++ preprocessor... g++ -E
checking for a BSD-compatible install... /usr/bin/install -c
checking for debug flags... -DNDEBUG
checking for optimization flags... -O2
checking for compiler warning flags to use... -W -Wall
checking for arc profiling... no
checking for branch-probabilities... no
checking for profiling... no
checking for a sed that does not truncate output... /usr/bin/sed
checking for fgrep... /usr/bin/grep -F
checking for ld used by gcc... /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) is GNU ld.
.. no
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -p
checking the name lister (/usr/bin/nm -p) interface... BSD nm
checking whether ln -s works... yes
checking the maximum length of command line arguments... 196608
checking whether the shell understands some XSI constructs... yes
checking whether the shell understands "+="... yes
checking for /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld option to reload object files... -r
checking for objdump... objdump
checking how to recognize dependent libraries... pass_all
checking for ar... ar
checking for strip... strip
checking for ranlib... ranlib
checking command to parse /usr/bin/nm -p output from gcc object... ok
checking for dsymutil... dsymutil
checking for nmedit... nmedit
checking for lipo... lipo
checking for otool... otool
checking for otool64... no
checking for -single_module linker flag... yes
checking for -exported_symbols_list linker flag... yes
checking for dlfcn.h... yes
checking whether we are using the GNU C++ compiler... (cached) yes

checking whether g++ accepts -g... (cached) yes
checking dependency style of g++... (cached) gcc3
checking how to run the C++ preprocessor... g++ -E
checking for objdir... .libs
checking if gcc supports -fno-rtti -fno-exceptions... no
checking for gcc option to produce PIC... -fno-common -DPIC
checking if gcc PIC flag -fno-common -DPIC works... yes
checking if gcc static flag -static works... no
checking if gcc supports -c -o file.o... yes
checking if gcc supports -c -o file.o... (cached) yes
checking whether the gcc linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin9.8.0 dyld
checking how to hardcode library paths into programs... immediate
checking for dlopen in -ldl... yes
checking whether a program can dlopen itself... yes
checking whether a statically linked program can dlopen itself... yes
checking whether stripping libraries is possible... yes
checking if libtool supports shared libraries... yes
checking whether to build shared libraries... yes
checking whether to build static libraries... no
checking for ld used by g++... /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) is GNU ld.
.. no
checking whether the g++ linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) supports shared libraries... yes
checking for g++ option to produce PIC... -fno-common -DPIC
checking if g++ PIC flag -fno-common -DPIC works... yes
checking if g++ static flag -static works... no
checking if g++ supports -c -o file.o... yes
checking if g++ supports -c -o file.o... (cached) yes
checking whether the g++ linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin9.8.0 dyld
checking how to hardcode library paths into programs... immediate
checking whether NLS is requested... yes
checking for msgfmt... /opt/local/bin/msgfmt
checking for gmsgfmt... /opt/local/bin/msgfmt
checking for xgettext... /opt/local/bin/xgettext
checking for msgmerge... /opt/local/bin/msgmerge
checking for ld used by GCC... /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) is GNU ld.
.. no
checking for shared library run path origin... done
checking for CFPreferencesCopyAppValue... yes
checking for CFLocaleCopyCurrent... yes
checking for GNU gettext in libc... no
checking for iconv... yes
checking how to link with libiconv... -liconv
checking for GNU gettext in libintl... yes

checking whether to use NLS... yes
checking where the gettext function comes from... external libintl
checking how to link with libintl... -lintl -liconv -lc -Wl,-framework -Wl,Core Foundation
checking for pkg-config... /opt/local/bin/pkg-config
checking for gtkmm-2.4 gthread-2.0... yes
checking GTKMM_CFLAGS... -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0
checking GTKMM_LIBS... -L/opt/local/lib -lgtkmm-2.4 -lgiomm-2.4 -lgdkmm-2.4 -latkmm-1.6 -lgtk-x11-2.0 -lpangomm-1.4 -lcaiomm-1.0 -lglibmm-2.4 -lsigc-2.0 -lgdk-x11-2.0 -latk-1.0 -lgdk_pixbuf-2.0 -lpangocairo-1.0 -lgio-2.0 -lXinerama -lXi -lXrandr -lXcursor -lXcomposite -lXdamage -lpangoft2-1.0 -lXext -lXfixes -lcairo -lpixman-1 -lpng12 -lXrender -lX11 -lXau -lXdmcp -lpango-1.0 -lm -lfontconfig -lexpat -lfreetype -lz -lgobject-2.0 -lgmodule-2.0 -lgthread-2.0 -lglib-2.0 -lintl -liconv
checking for Gtk::AboutDialog::set_program_name... yes
checking for Gtk::AboutDialog::set_wrap_license... yes
checking for synfig >= 0.62.00-RC1 ETL >= 0.04.13-RC1 sigc++-2.0... yes
checking SYNFIG_CFLAGS... -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include
checking SYNFIG_LIBS... -L/opt/synfig/lib -L/opt/local/lib -lsynfig -lxml++-2.6 -lxml2 -lz -lm -lglibmm-2.4 -lgobject-2.0 -lglib-2.0 -lintl -liconv -lpthread -lsigc-2.0
checking for FSOUND_Init in -lfmod... no
checking for unordered_map<int,int>::const_iterator... no
checking ext/hash_map usability... yes
checking ext/hash_map presence... yes
checking for ext/hash_map... yes
checking for unordered_set<int,int>::const_iterator... no
checking ext/hash_set usability... yes
checking ext/hash_set presence... yes
checking for ext/hash_set... yes
checking for unistd.h... (cached) yes
checking signal.h usability... yes
checking signal.h presence... yes
checking for signal.h... yes
checking fcntl.h usability... yes
checking fcntl.h presence... yes

```
checking for fcntl.h... yes
checking for sys/types.h... (cached) yes
checking sys/wait.h usability... yes
checking sys/wait.h presence... yes
checking for sys/wait.h... yes
checking for sys/stat.h... (cached) yes
checking sys/time.h usability... yes
checking sys/time.h presence... yes
checking for sys/time.h... yes
checking sys/resource.h usability... yes
checking sys/resource.h presence... yes
checking for sys/resource.h... yes
checking sys/errno.h usability... yes
checking sys/errno.h presence... yes
checking for sys/errno.h... yes
checking for fork... yes
checking for kill... yes
checking for pipe... yes
checking for setpriority... yes
checking for mkfifo... yes
checking for stat... yes
configure: creating ./config.status
config.status: creating Makefile
config.status: creating build_tools/Makefile
config.status: creating doxygen.cfg
config.status: creating po/Makefile.in
config.status: creating synfigstudio.desktop
config.status: creating synfigstudio.mime
config.status: creating synfigstudio.keys
config.status: creating synfigstudio.xml
config.status: creating synfigstudio-thumbnailer.schemas
config.status: creating src/Makefile
config.status: creating src/gtkmm/Makefile
config.status: creating src/synfigapp/Makefile
config.status: creating images/Makefile
config.status: creating win32inst.nsi
config.status: creating pkg-info/macosx/synfig-studio.info
config.status: creating config.h
config.status: executing depfiles commands
config.status: executing libtool commands
config.status: executing po-directories commands
config.status: creating po/POTFILES
config.status: creating po/Makefile
```

Synfig Studio v.0.62.00-RC1

Configuration Summary

- - - - -

Install Prefix -----> /opt/synfig

Host Platform -----> i386-apple-darwin9.8.0

Icon Format -----> png
Debug Mode -----> no
Profiling Mode -----> no
Optimizations -----> 2
Window System -----> gtkmm
FMOD Enabled -----> no

\$CXX -----> 'g++'
\$CXXFLAGS -----> '-DNDEBUG -O2 -W -Wall'
\$LDFLAGS -----> '-L/opt/local/lib'
\$SYNFIG_CFLAGS -----> '-I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include '
\$SYNFIG_LIBS -----> '-L/opt/synfig/lib -L/opt/local/lib -lsynfig -lxml++-2.6 -lxml2 -lz -lm -lglibmm-2.4 -lgobject-2.0 -lglib-2.0 -lintl -liconv -lpthread -lsigc-2.0 '
\$GTKMM_CFLAGS -----> '-D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/gio-2.4 -I/opt/local/lib/gio-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 '
\$GTKMM_LIBS -----> '-L/opt/local/lib -lgtkmm-2.4 -lgio-2.4 -lgdkmm-2.4 -latkmm-1.6 -lgtk-x11-2.0 -lpangomm-1.4 -lcairomm-1.0 -lglibmm-2.4 -lsigc-2.0 -lgdk-x11-2.0 -latk-1.0 -lgdk_pixbuf-2.0 -lpangocairo-1.0 -lgio-2.0 -lXinerama -lXi -lXrandr -lXcursor -lXcomposite -lXdamage -lpangoft2-1.0 -lXext -lXfixes -lcairo -lpixman-1 -lpng12 -lXrender -lX11 -lXau -lXdmc -lpango-1.0 -lm -lfontconfig -lexpat -lfreetype -lz -lgobject-2.0 -lgmodule-2.0 -lgthread-2.0 -glib-2.0 -lintl -liconv '

imac-de-rafa-y-maria-bardisa-quintero:synfigstudio rafaymaria\$./configure --prefix=/opt/synfig
checking build system type... i386-apple-darwin9.8.0
checking host system type... i386-apple-darwin9.8.0
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... config/install-sh -c -d
checking for gawk... gawk
checking whether make sets \$(MAKE)... yes
checking whether to enable maintainer-specific portions of Makefiles... no
checking for gcc... gcc
checking for C compiler default output file name... a.out

checking whether the C compiler works... yes
checking whether we are cross compiling... no
checking for suffix of executables...
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking for style of include used by make... GNU
checking dependency style of gcc... gcc3
checking how to run the C preprocessor... gcc -E
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for ANSI C header files... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for memory.h... yes
checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking minix/config.h usability... no
checking minix/config.h presence... no
checking for minix/config.h... no
checking whether it is safe to define __EXTENSIONS__... yes
checking for g++... g++
checking whether we are using the GNU C++ compiler... yes
checking whether g++ accepts -g... yes
checking dependency style of g++... gcc3
checking how to run the C preprocessor... gcc -E
checking how to run the C++ preprocessor... g++ -E
checking for a BSD-compatible install... /usr/bin/install -c
checking for debug flags... -DNDEBUG
checking for optimization flags... -O2
checking for compiler warning flags to use... -W -Wall
checking for arc profiling... no
checking for branch-probabilities... no
checking for profiling... no
checking for a sed that does not truncate output... /usr/bin/sed
checking for fgrep... /usr/bin/grep -F
checking for ld used by gcc... /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) is GNU ld.
.. no
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -p
checking the name lister (/usr/bin/nm -p) interface... BSD nm
checking whether ln -s works... yes
checking the maximum length of command line arguments... 196608
checking whether the shell understands some XSI constructs... yes
checking whether the shell understands "+="... yes

checking for /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld option to reload object files... -r
checking for objdump... objdump
checking how to recognize dependent libraries... pass_all
checking for ar... ar
checking for strip... strip
checking for ranlib... ranlib
checking command to parse /usr/bin/nm -p output from gcc object... ok
checking for dsymutil... dsymutil
checking for nmedit... nmedit
checking for lipo... lipo
checking for otool... otool
checking for otool64... no
checking for -single_module linker flag... yes
checking for -exported_symbols_list linker flag... yes
checking for dlfcn.h... yes
checking whether we are using the GNU C++ compiler... (cached) yes
checking whether g++ accepts -g... (cached) yes
checking dependency style of g++... (cached) gcc3
checking how to run the C++ preprocessor... g++ -E
checking for objdir... .libs
checking if gcc supports -fno-rtti -fno-exceptions... no
checking for gcc option to produce PIC... -fno-common -DPIC
checking if gcc PIC flag -fno-common -DPIC works... yes
checking if gcc static flag -static works... no
checking if gcc supports -c -o file.o... yes
checking if gcc supports -c -o file.o... (cached) yes
checking whether the gcc linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) supports shared libraries... yes
checking dynamic linker characteristics... darwin9.8.0 dyld
checking how to hardcode library paths into programs... immediate
checking for dlopen in -ldl... yes
checking whether a program can dlopen itself... yes
checking whether a statically linked program can dlopen itself... yes
checking whether stripping libraries is possible... yes
checking if libtool supports shared libraries... yes
checking whether to build shared libraries... yes
checking whether to build static libraries... no
checking for ld used by g++... /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) is GNU ld..
.. no
checking whether the g++ linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) supports shared libraries... yes
checking for g++ option to produce PIC... -fno-common -DPIC
checking if g++ PIC flag -fno-common -DPIC works... yes
checking if g++ static flag -static works... no
checking if g++ supports -c -o file.o... yes
checking if g++ supports -c -o file.o... (cached) yes
checking whether the g++ linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) supports shared libraries... yes

checking dynamic linker characteristics... darwin9.8.0 dyld
checking how to hardcode library paths into programs... immediate
checking whether NLS is requested... yes
checking for msgfmt... /opt/local/bin/msgfmt
checking for gmsgfmt... /opt/local/bin/msgfmt
checking for xgettext... /opt/local/bin/xgettext
checking for msgmerge... /opt/local/bin/msgmerge
checking for ld used by GCC... /usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld
checking if the linker (/usr/libexec/gcc/i686-apple-darwin9/4.0.1/ld) is GNU ld.
.. no
checking for shared library run path origin... done
checking for CFPPreferencesCopyAppValue... yes
checking for CFLocaleCopyCurrent... yes
checking for GNU gettext in libc... no
checking for iconv... yes
checking how to link with libiconv... -liconv
checking for GNU gettext in libintl... yes
checking whether to use NLS... yes
checking where the gettext function comes from... external libintl
checking how to link with libintl... -lintl -liconv -lc -Wl,-framework -Wl,Core
Foundation
checking for pkg-config... /opt/local/bin/pkg-config
checking for gtkmm-2.4 gthread-2.0... yes
checking GTKMM_CFLAGS... -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/giommm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0
checking GTKMM_LIBS... -L/opt/local/lib -lgtkmm-2.4 -lgiommm-2.4 -lgdkmm-2.4 -latkmm-1.6 -lgtk-x11-2.0 -lpangomm-1.4 -lcairomm-1.0 -lglibmm-2.4 -lsigc-2.0 -lgdk-x11-2.0 -latk-1.0 -lgdk_pixbuf-2.0 -lpangocairo-1.0 -lgio-2.0 -lXinerama -lXi -lXrandr -lXcursor -lXcomposite -lXdamage -lpangoft2-1.0 -lXext -lXfixes -lcairo -lpixman-1 -lpng12 -lXrender -lX11 -lXau -lXdmc -lpango-1.0 -lm -lfontconfig -lexpat -lfreetype -lz -lgobject-2.0 -lgmodule-2.0 -lgthread-2.0 -lglib-2.0 -lintl -liconv
checking for Gtk::AboutDialog::set_program_name... yes
checking for Gtk::AboutDialog::set_wrap_license... yes
checking for synfig >= 0.62.00-RC1 ETL >= 0.04.13-RC1 sigc++-2.0... yes
checking SYNFIG_CFLAGS... -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include
checking SYNFIG_LIBS... -L/opt/synfig/lib -L/opt/local/lib -lsynfig -lxml++-2.6

```
-lxml2 -lz -lm -lglibmm-2.4 -lgobject-2.0 -lglib-2.0 -lintl -liconv -lpthread -l
sigc-2.0
checking for FSOUND_Init in -lmod... no
checking for unordered_map<int,int>::const_iterator... no
checking ext/hash_map usability... yes
checking ext/hash_map presence... yes
checking for ext/hash_map... yes
checking for unordered_set<int,int>::const_iterator... no
checking ext/hash_set usability... yes
checking ext/hash_set presence... yes
checking for ext/hash_set... yes
checking for unistd.h... (cached) yes
checking signal.h usability... yes
checking signal.h presence... yes
checking for signal.h... yes
checking fcntl.h usability... yes
checking fcntl.h presence... yes
checking for fcntl.h... yes
checking for sys/types.h... (cached) yes
checking sys/wait.h usability... yes
checking sys/wait.h presence... yes
checking for sys/wait.h... yes
checking for sys/stat.h... (cached) yes
checking sys/time.h usability... yes
checking sys/time.h presence... yes
checking for sys/time.h... yes
checking sys/resource.h usability... yes
checking sys/resource.h presence... yes
checking for sys/resource.h... yes
checking sys/errno.h usability... yes
checking sys/errno.h presence... yes
checking for sys/errno.h... yes
checking for fork... yes
checking for kill... yes
checking for pipe... yes
checking for setpriority... yes
checking for mkfifo... yes
checking for stat... yes
configure: creating ./config.status
config.status: creating Makefile
config.status: creating build_tools/Makefile
config.status: creating doxygen.cfg
config.status: creating po/Makefile.in
config.status: creating synfigstudio.desktop
config.status: creating synfigstudio.mime
config.status: creating synfigstudio.keys
config.status: creating synfigstudio.xml
config.status: creating synfigstudio-thumbnailer.schemas
config.status: creating src/Makefile
config.status: creating src/gtkmm/Makefile
```



```
config.status: creating src/synfigapp/Makefile
config.status: creating images/Makefile
config.status: creating win32inst.nsi
config.status: creating pkg-info/macosx/synfig-studio.info
config.status: creating config.h
config.status: config.h is unchanged
config.status: executing depfiles commands
config.status: executing libtool commands
config.status: executing po-directories commands
config.status: creating po/POTFILES
config.status: creating po/Makefile
```

Synfig Studio v.0.62.00-RC1
Configuration Summary

- - - - -

```
Install Prefix -----> /opt/synfig
Host Platform -----> i386-apple-darwin9.8.0
Icon Format -----> png
Debug Mode -----> no
Profiling Mode -----> no
Optimizations -----> 2
Window System -----> gtkmm
FMOD Enabled -----> no

$CXX -----> 'g++'
$CXXFLAGS -----> ' -DNDEBUG -O2 -W -Wall'
$LDFLAGS -----> '-L/opt/local/lib'
$SYNFIG_CFLAGS -----> '-I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include '
$SYNFIG_LIBS -----> '-L/opt/synfig/lib -L/opt/local/lib -lsynfig -lxml++-2.6 -lxml2 -lz -lm -lglibmm-2.4 -lgobject-2.0 -lglib-2.0 -lintl -liconv -lpthread -lsigc-2.0 '
$GTKMM_CFLAGS -----> '-D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/giommm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 '
$GTKMM_LIBS -----> '-L/opt/local/lib -lgtkmm-2.4 -lgiommm-2.4 -lgdkmm-2.4 -latkmm-1.6 -lgtk-x11-2.0 -lpangomm-1.4 -lcairomm-1.0 -lglibmm-2.4 -l
```

```
sigc-2.0 -lgdk-x11-2.0 -latk-1.0 -lgdk_pixbuf-2.0 -lpangocairo-1.0 -lgio-2.0 -lXinerama -lXi -lXrandr -lXcursor -lXcomposite -lXdamage -lpangoft2-1.0 -lXext -lXfixes -lcairo -lpixman-1 -lpng12 -lXrender -lX11 -lXau -lXdmcp -lpango-1.0 -lm -lfontconfig -lexpat -lfreetype -lz -lobject-2.0 -lgmodule-2.0 -lgthread-2.0 -lglib-2.0 -lintl -liconv '
```

```
imac-de-rafa-y-maria-bardisa-quintero:synfigstudio rafaymaria$ make
```

```
make all-recursive
```

```
Making all in build_tools
```

```
sh ./autorevision.sh ".." ".."
```

```
Making all in src
```

```
Making all in synfigapp
```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-activepointadd.lo -MD -MP -MF .deps/libsynfigapp_la-activepointadd.Tpo -c -o libsynfigapp_la-activepointadd.lo `test -f 'actions/activepointadd.cpp' || echo './`actions/activepointadd.cpp`  
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-activepointadd.lo -MD -MP -MF .deps/libsynfigapp_la-activepointadd.Tpo -c actions/activepointadd.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-activepointadd.o  
mv -f .deps/libsynfigapp_la-activepointadd.Tpo .deps/libsynfigapp_la-activepointadd.Plo
```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-activepointremove.lo -MD -MP -MF .deps/libsynfigapp_la-activepointremove.Tpo -c -o libsynfigapp_la-activepointremove.lo `test -f 'actions/activepointremove.cpp' || echo './`actions/activepointremove.cpp`  
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-activepointremove.lo -MD -MP -MF .deps/libsynfigapp_la-activepointremove.Tpo -c actions/activepointremove.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-activepointremove.o
```

```

OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
activepointremove.lo -MD -MP -MF .deps/libsynfigapp_la-activepointremove.Tpo -c
actions/activepointremove.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-active
pointremove.o
mv -f .deps/libsynfigapp_la-activepointremove.Tpo .deps/libsynfigapp_la-activepo
intremove.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-activepointset.lo -MD -MP -MF .deps/libsynfiga
pp_la-activepointset.Tpo -c -o libsynfigapp_la-activepointset.lo `test -f 'actio
ns/activepointset.cpp' || echo './`actions/activepointset.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
activepointset.lo -MD -MP -MF .deps/libsynfigapp_la-activepointset.Tpo -c action
s/activepointset.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-activepointset.
o
mv -f .deps/libsynfigapp_la-activepointset.Tpo .deps/libsynfigapp_la-activepoint
set.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-activepointsetoff.lo -MD -MP -MF .deps/libsynf
igapp_la-activepointsetoff.Tpo -c -o libsynfigapp_la-activepointsetoff.lo `test
-f 'actions/activepointsetoff.cpp' || echo './`actions/activepointsetoff.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
activepointsetoff.lo -MD -MP -MF .deps/libsynfigapp_la-activepointsetoff.Tpo -c
actions/activepointsetoff.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-active
pointsetoff.o
mv -f .deps/libsynfigapp_la-activepointsetoff.Tpo .deps/libsynfigapp_la-activepo
intsetoff.Plo

```

```

/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-activepointseton.lo -MD -MP -MF .deps/libsynfi
gapp_la-activepointseton.Tpo -c -o libsynfigapp_la-activepointseton.lo `test -f
'actions/activepointseton.cpp' || echo './`actions/activepointseton.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
activepointseton.lo -MD -MP -MF .deps/libsynfigapp_la-activepointseton.Tpo -c ac
tions/activepointseton.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-activepoi
ntseton.o
mv -f .deps/libsynfigapp_la-activepointseton.Tpo .deps/libsynfigapp_la-activepoi
ntseton.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-activepointsetsmart.lo -MD -MP -MF .deps/libsy
nfigapp_la-activepointsetsmart.Tpo -c -o libsynfigapp_la-activepointsetsmart.lo
`test -f 'actions/activepointsetsmart.cpp' || echo './`actions/activepointsetsm
art.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
activepointsetsmart.lo -MD -MP -MF .deps/libsynfigapp_la-activepointsetsmart.Tpo
-c actions/activepointsetsmart.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-
activepointsetsmart.o
mv -f .deps/libsynfigapp_la-activepointsetsmart.Tpo .deps/libsynfigapp_la-active
pointsetsmart.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local

```

```

/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-activepointssimpleadd.lo -MD -MP -MF .deps/libsynfigapp_la-activepointssimpleadd.Tpo -c -o libsynfigapp_la-activepointssimpleadd.lo `test -f 'actions/activepointssimpleadd.cpp' || echo './`actions/activepointssimpleadd.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-activepointssimpleadd.lo -MD -MP -MF .deps/libsynfigapp_la-activepointssimpleadd.Tpo -c actions/activepointssimpleadd.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-activepointssimpleadd.o
mv -f .deps/libsynfigapp_la-activepointssimpleadd.Tpo .deps/libsynfigapp_la-activepointssimpleadd.Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-canvasadd.lo -MD -MP -MF .deps/libsynfigapp_la-canvasadd.Tpo -c -o libsynfigapp_la-canvasadd.lo `test -f 'actions/canvasadd.cpp' || echo './`actions/canvasadd.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-canvasadd.lo -MD -MP -MF .deps/libsynfigapp_la-canvasadd.Tpo -c actions/canvasadd.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-canvasadd.o
mv -f .deps/libsynfigapp_la-canvasadd.Tpo .deps/libsynfigapp_la-canvasadd.Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-canvasdescriptionset.lo -MD -MP -MF .deps/libsynfigapp_la-canvasdescriptionset.Tpo -c -o libsynfigapp_la-canvasdescriptionset.lo `test -f 'actions/canvasdescriptionset.cpp' || echo './`actions/canvasdescriptionset.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -

```

```

I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
canvasdescriptionset.lo -MD -MP -MF .deps/libsynfigapp_la-canvasdescriptionset.T
po -c actions/canvasdescriptionset.cpp -fno-common -DPIC -o .libs/libsynfigapp_
la-canvasdescriptionset.o
mv -f .deps/libsynfigapp_la-canvasdescriptionset.Tpo .deps/libsynfigapp_la-canva
sdescriptionset.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-canvasidset.lo -MD -MP -MF .deps/libsynfigapp_
la-canvasidset.Tpo -c -o libsynfigapp_la-canvasidset.lo `test -f 'actions/canvas
idset.cpp' || echo './`actions/canvasidset.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
canvasidset.lo -MD -MP -MF .deps/libsynfigapp_la-canvasidset.Tpo -c actions/canv
asidset.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-canvasidset.o
mv -f .deps/libsynfigapp_la-canvasidset.Tpo .deps/libsynfigapp_la-canvasidset.Pl
o
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-canvasnameset.lo -MD -MP -MF .deps/libsynfigap
p_la-canvasnameset.Tpo -c -o libsynfigapp_la-canvasnameset.lo `test -f 'actions/
canvasnameset.cpp' || echo './`actions/canvasnameset.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
canvasnameset.lo -MD -MP -MF .deps/libsynfigapp_la-canvasnameset.Tpo -c actions/

```

```

canvasnameset.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-canvasnameset.o
mv -f .deps/libsynfigapp_la-canvasnameset.Tpo .deps/libsynfigapp_la-canvasnameset.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
-I.././src -I.././libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-canvasremove.lo -MD -MP -MF .deps/libsynfigapp
_la-canvasremove.Tpo -c -o libsynfigapp_la-canvasremove.lo `test -f 'actions/can
vasremove.cpp' || echo './'`actions/canvasremove.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I.././src -I.././libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
canvasremove.lo -MD -MP -MF .deps/libsynfigapp_la-canvasremove.Tpo -c actions/ca
nvasremove.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-canvasremove.o
mv -f .deps/libsynfigapp_la-canvasremove.Tpo .deps/libsynfigapp_la-canvasremove.
Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
-I.././src -I.././libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-canvasrenddescset.lo -MD -MP -MF .deps/libsynf
igapp_la-canvasrenddescset.Tpo -c -o libsynfigapp_la-canvasrenddescset.lo `test
-f 'actions/canvasrenddescset.cpp' || echo './'`actions/canvasrenddescset.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I.././src -I.././libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
canvasrenddescset.lo -MD -MP -MF .deps/libsynfigapp_la-canvasrenddescset.Tpo -c
actions/canvasrenddescset.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-canvas
renddescset.o
mv -f .deps/libsynfigapp_la-canvasrenddescset.Tpo .deps/libsynfigapp_la-canvasre
nddescset.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
-I.././src -I.././libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i

```

```

include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-groupaddlayers.lo -MD -MP -MF .deps/libsynfiga
pp_la-groupaddlayers.Tpo -c -o libsynfigapp_la-groupaddlayers.lo `test -f 'actio
ns/groupaddlayers.cpp' || echo './`actions/groupaddlayers.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
groupaddlayers.lo -MD -MP -MF .deps/libsynfigapp_la-groupaddlayers.Tpo -c action
s/groupaddlayers.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-groupaddlayers.
o
mv -f .deps/libsynfigapp_la-groupaddlayers.Tpo .deps/libsynfigapp_la-groupaddlay
ers.Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..src -I../..libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-groupremove.lo -MD -MP -MF .deps/libsynfigapp_
la-groupremove.Tpo -c -o libsynfigapp_la-groupremove.lo `test -f 'actions/groupr
emove.cpp' || echo './`actions/groupremove.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
groupremove.lo -MD -MP -MF .deps/libsynfigapp_la-groupremove.Tpo -c actions/grou
premove.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-groupremove.o
mv -f .deps/libsynfigapp_la-groupremove.Tpo .deps/libsynfigapp_la-groupremove.Pl
o
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..src -I../..libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-groupremovelayers.lo -MD -MP -MF .deps/libsynf
igapp_la-groupremovelayers.Tpo -c -o libsynfigapp_la-groupremovelayers.lo `test
-f 'actions/groupremovelayers.cpp' || echo './`actions/groupremovelayers.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -

```



```

I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
groupremovelayers.lo -MD -MP -MF .deps/libsynfigapp_la-groupremovelayers.Tpo -c
actions/groupremovelayers.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-groupr
emovelayers.o
mv -f .deps/libsynfigapp_la-groupremovelayers.Tpo .deps/libsynfigapp_la-groupre
movelayers.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-grouprename.lo -MD -MP -MF .deps/libsynfigapp_
la-grouprename.Tpo -c -o libsynfigapp_la-grouprename.lo `test -f 'actions/groupr
ename.cpp' || echo './`actions/grouprename.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
grouprename.lo -MD -MP -MF .deps/libsynfigapp_la-grouprename.Tpo -c actions/grou
prrename.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-grouprename.o
mv -f .deps/libsynfigapp_la-grouprename.Tpo .deps/libsynfigapp_la-grouprename.Pl
o
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-keyframeadd.lo -MD -MP -MF .deps/libsynfigapp_
la-keyframeadd.Tpo -c -o libsynfigapp_la-keyframeadd.lo `test -f 'actions/keyfra
meadd.cpp' || echo './`actions/keyframeadd.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
keyframeadd.lo -MD -MP -MF .deps/libsynfigapp_la-keyframeadd.Tpo -c actions/keyf

```

```

rameadd.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-keyframeadd.o
mv -f .deps/libsynfigapp_la-keyframeadd.Tpo .deps/libsynfigapp_la-keyframeadd.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-keyframeduplicate.lo -MD -MP -MF .deps/libsynf
igapp_la-keyframeduplicate.Tpo -c -o libsynfigapp_la-keyframeduplicate.lo `test
-f 'actions/keyframeduplicate.cpp' || echo './`actions/keyframeduplicate.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
keyframeduplicate.lo -MD -MP -MF .deps/libsynfigapp_la-keyframeduplicate.Tpo -c
actions/keyframeduplicate.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-keyfra
meduplicate.o
mv -f .deps/libsynfigapp_la-keyframeduplicate.Tpo .deps/libsynfigapp_la-keyframe
duplicate.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-keyframeremove.lo -MD -MP -MF .deps/libsynfiga
pp_la-keyframeremove.Tpo -c -o libsynfigapp_la-keyframeremove.lo `test -f 'actio
ns/keyframeremove.cpp' || echo './`actions/keyframeremove.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
keyframeremove.lo -MD -MP -MF .deps/libsynfigapp_la-keyframeremove.Tpo -c action
s/keyframeremove.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-keyframeremove.
o
mv -f .deps/libsynfigapp_la-keyframeremove.Tpo .deps/libsynfigapp_la-keyframerem
ove.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li

```

```

bxml+-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-keyframeset.lo -MD -MP -MF .deps/libsynfigapp_
la-keyframeset.Tpo -c -o libsynfigapp_la-keyframeset.lo `test -f 'actions/keyfra
meset.cpp' || echo './`actions/keyframeset.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I../../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml+-2.6 -I/opt/local/lib/libxml+-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
keyframeset.lo -MD -MP -MF .deps/libsynfigapp_la-keyframeset.Tpo -c actions/keyf
rameset.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-keyframeset.o
mv -f .deps/libsynfigapp_la-keyframeset.Tpo .deps/libsynfigapp_la-keyframeset.Pl
o
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../../src -I../../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml+-2.6 -I/opt/local/lib/li
bxml+-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-keyframesetdelta.lo -MD -MP -MF .deps/libsynfi
gapp_la-keyframesetdelta.Tpo -c -o libsynfigapp_la-keyframesetdelta.lo `test -f
'actions/keyframesetdelta.cpp' || echo './`actions/keyframesetdelta.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I../../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml+-2.6 -I/opt/local/lib/libxml+-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
keyframesetdelta.lo -MD -MP -MF .deps/libsynfigapp_la-keyframesetdelta.Tpo -c ac
tions/keyframesetdelta.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-keyframes
etdelta.o
mv -f .deps/libsynfigapp_la-keyframesetdelta.Tpo .deps/libsynfigapp_la-keyframes
etdelta.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../../src -I../../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml+-2.6 -I/opt/local/lib/li
bxml+-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-keyframewaypointset.lo -MD -MP -MF .deps/libsy
nfigapp_la-keyframewaypointset.Tpo -c -o libsynfigapp_la-keyframewaypointset.lo
`test -f 'actions/keyframewaypointset.cpp' || echo './`actions/keyframewaypoint

```

set.cpp

```
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I../../libltdl -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DLOCALALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-keyframewaypointset.lo -MD -MP -MF .deps/libsynfigapp_la-keyframewaypointset.Tpo -c actions/keyframewaypointset.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-keyframewaypointset.o
```

```
mv -f .deps/libsynfigapp_la-keyframewaypointset.Tpo .deps/libsynfigapp_la-keyframewaypointset.Plo
```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I../../libltdl -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include "-DLOCALALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-layeractivate.lo -MD -MP -MF .deps/libsynfigapp_la-layeractivate.Tpo -c -o libsynfigapp_la-layeractivate.lo `test -f 'actions/layeractivate.cpp' || echo './`actions/layeractivate.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I../../libltdl -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DLOCALALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-layeractivate.lo -MD -MP -MF .deps/libsynfigapp_la-layeractivate.Tpo -c actions/layeractivate.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-layeractivate.o
mv -f .deps/libsynfigapp_la-layeractivate.Tpo .deps/libsynfigapp_la-layeractivate.Plo
```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I../../libltdl -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include "-DLOCALALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-layeradd.lo -MD -MP -MF .deps/libsynfigapp_la-layeradd.Tpo -c -o libsynfigapp_la-layeradd.lo `test -f 'actions/layeradd.cpp' || echo './`actions/layeradd.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I../../libltdl -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DLOCALALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-layeradd.lo -MD -MP -MF .deps/libsynfigapp_la-layeradd.Tpo -c actions/layeradd.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-layeradd.o
```

```

OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
layeradd.lo -MD -MP -MF .deps/libsynfigapp_la-layeradd.Tpo -c actions/layeradd.c
pp -fno-common -DPIC -o .libs/libsynfigapp_la-layeradd.o
mv -f .deps/libsynfigapp_la-layeradd.Tpo .deps/libsynfigapp_la-layeradd.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-layerduplicate.lo -MD -MP -MF .deps/libsynfiga
pp_la-layerduplicate.Tpo -c -o libsynfigapp_la-layerduplicate.lo `test -f 'actio
ns/layerduplicate.cpp' || echo './`actions/layerduplicate.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
layerduplicate.lo -MD -MP -MF .deps/libsynfigapp_la-layerduplicate.Tpo -c action
s/layerduplicate.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-layerduplicate.
o
mv -f .deps/libsynfigapp_la-layerduplicate.Tpo .deps/libsynfigapp_la-layerduplic
ate.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-layerencapsulate.lo -MD -MP -MF .deps/libsynfi
gapp_la-layerencapsulate.Tpo -c -o libsynfigapp_la-layerencapsulate.lo `test -f
'actions/layerencapsulate.cpp' || echo './`actions/layerencapsulate.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
layerencapsulate.lo -MD -MP -MF .deps/libsynfigapp_la-layerencapsulate.Tpo -c ac
tions/layerencapsulate.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-layerenca
psulate.o
mv -f .deps/libsynfigapp_la-layerencapsulate.Tpo .deps/libsynfigapp_la-layerenca
psulate.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig

```

```

-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-layerlower.lo -MD -MP -MF .deps/libsynfigapp_l
a-layerlower.Tpo -c -o libsynfigapp_la-layerlower.lo `test -f 'actions/layerlowe
r.cpp' || echo './`actions/layerlower.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
layerlower.lo -MD -MP -MF .deps/libsynfigapp_la-layerlower.Tpo -c actions/layerl
ower.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-layerlower.o
mv -f .deps/libsynfigapp_la-layerlower.Tpo .deps/libsynfigapp_la-layerlower.Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..src -I../..libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-layermove.lo -MD -MP -MF .deps/libsynfigapp_la
-layermove.Tpo -c -o libsynfigapp_la-layermove.lo `test -f 'actions/layermove.cp
p' || echo './`actions/layermove.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
layermove.lo -MD -MP -MF .deps/libsynfigapp_la-layermove.Tpo -c actions/layermov
e.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-layermove.o
mv -f .deps/libsynfigapp_la-layermove.Tpo .deps/libsynfigapp_la-layermove.Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..src -I../..libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-layerparamconnect.lo -MD -MP -MF .deps/libsynf
igapp_la-layerparamconnect.Tpo -c -o libsynfigapp_la-layerparamconnect.lo `test
-f 'actions/layerparamconnect.cpp' || echo './`actions/layerparamconnect.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op

```

```

t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
layerparamconnect.lo -MD -MP -MF .deps/libsynfigapp_la-layerparamconnect.Tpo -c
actions/layerparamconnect.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-layerp
aramconnect.o
mv -f .deps/libsynfigapp_la-layerparamconnect.Tpo .deps/libsynfigapp_la-layerpar
amconnect.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-layerparamdisconnect.lo -MD -MP -MF .deps/libs
ynfigapp_la-layerparamdisconnect.Tpo -c -o libsynfigapp_la-layerparamdisconnect.
lo `test -f 'actions/layerparamdisconnect.cpp' || echo './`actions/layerparamdi
sconnect.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. . -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
layerparamdisconnect.lo -MD -MP -MF .deps/libsynfigapp_la-layerparamdisconnect.T
po -c actions/layerparamdisconnect.cpp -fno-common -DPIC -o .libs/libsynfigapp_
la-layerparamdisconnect.o
mv -f .deps/libsynfigapp_la-layerparamdisconnect.Tpo .deps/libsynfigapp_la-layer
paramdisconnect.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-layerparamset.lo -MD -MP -MF .deps/libsynfigap
p_la-layerparamset.Tpo -c -o libsynfigapp_la-layerparamset.lo `test -f 'actions/
layerparamset.cpp' || echo './`actions/layerparamset.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. . -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-

```

```

layerparamset.lo -MD -MP -MF .deps/libsynfigapp_la-layerparamset.Tpo -c actions/
layerparamset.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-layerparamset.o
mv -f .deps/libsynfigapp_la-layerparamset.Tpo .deps/libsynfigapp_la-layerparamse
t.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-layerraise.lo -MD -MP -MF .deps/libsynfigapp_l
a-layerraise.Tpo -c -o libsynfigapp_la-layerraise.lo `test -f 'actions/layerrais
e.cpp' || echo './`actions/layerraise.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
layerraise.lo -MD -MP -MF .deps/libsynfigapp_la-layerraise.Tpo -c actions/layerr
aise.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-layerraise.o
mv -f .deps/libsynfigapp_la-layerraise.Tpo .deps/libsynfigapp_la-layerraise.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-layerremove.lo -MD -MP -MF .deps/libsynfigapp_
la-layerremove.Tpo -c -o libsynfigapp_la-layerremove.lo `test -f 'actions/layerr
emove.cpp' || echo './`actions/layerremove.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
layerremove.lo -MD -MP -MF .deps/libsynfigapp_la-layerremove.Tpo -c actions/laye
rremove.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-layerremove.o
mv -f .deps/libsynfigapp_la-layerremove.Tpo .deps/libsynfigapp_la-layerremove.Pl
o
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local

```



```

/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-layersetdesc.lo -MD -MP -MF .deps/libsynfigapp
_la-layersetdesc.Tpo -c -o libsynfigapp_la-layersetdesc.lo `test -f 'actions/lay
ersetdesc.cpp' || echo './`actions/layersetdesc.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I../..../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
layersetdesc.lo -MD -MP -MF .deps/libsynfigapp_la-layersetdesc.Tpo -c actions/la
yersetdesc.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-layersetdesc.o
mv -f .deps/libsynfigapp_la-layersetdesc.Tpo .deps/libsynfigapp_la-layersetdesc.
Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..../src -I../..../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-blinspacepointtangentmerge.lo -MD -MP -MF .deps/li
bsynfigapp_la-blinspacepointtangentmerge.Tpo -c -o libsynfigapp_la-blinspacepointtangent
merge.lo `test -f 'actions/blinspacepointtangentmerge.cpp' || echo './`actions/blin
epointtangentmerge.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I../..../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
blinspacepointtangentmerge.lo -MD -MP -MF .deps/libsynfigapp_la-blinspacepointtangentmer
ge.Tpo -c actions/blinspacepointtangentmerge.cpp -fno-common -DPIC -o .libs/libsynf
igapp_la-blinspacepointtangentmerge.o
mv -f .deps/libsynfigapp_la-blinspacepointtangentmerge.Tpo .deps/libsynfigapp_la-bli
nepochpointtangentmerge.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..../src -I../..../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-blinspacepointtangentsplit.lo -MD -MP -MF .deps/li
bsynfigapp_la-blinspacepointtangentsplit.Tpo -c -o libsynfigapp_la-blinspacepointtang
entsplit.lo `test -f 'actions/blinspacepointtangentsplit.cpp' || echo './`actions/blin
epochpointtangentsplit.cpp

```

```

libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I../..../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
blinepointtangentsplit.lo -MD -MP -MF .deps/libsynfigapp_la-blinepointtangentspl
it.Tpo -c actions/blinepointtangentsplit.cpp -fno-common -DPIC -o .libs/libsynf
igapp_la-blinepointtangentsplit.o
mv -f .deps/libsynfigapp_la-blinepointtangentsplit.Tpo .deps/libsynfigapp_la-bli
nepointtangentsplit.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..../src -I../..../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-colorset.lo -MD -MP -MF .deps/libsynfigapp_la-
colorset.Tpo -c -o libsynfigapp_la-colorset.lo `test -f 'actions/colorset.cpp' |
| echo './'`actions/colorset.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I../..../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
colorset.lo -MD -MP -MF .deps/libsynfigapp_la-colorset.Tpo -c actions/colorset.c
pp -fno-common -DPIC -o .libs/libsynfigapp_la-colorset.o
mv -f .deps/libsynfigapp_la-colorset.Tpo .deps/libsynfigapp_la-colorset.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..../src -I../..../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-editmodeset.lo -MD -MP -MF .deps/libsynfigapp_
la-editmodeset.Tpo -c -o libsynfigapp_la-editmodeset.lo `test -f 'actions/editmo
deset.cpp' || echo './'`actions/editmodeset.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I../..../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
editmodeset.lo -MD -MP -MF .deps/libsynfigapp_la-editmodeset.Tpo -c actions/edit

```

```

modeset.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-editmodeset.o
mv -f .deps/libsynfigapp_la-editmodeset.Tpo .deps/libsynfigapp_la-editmodeset.Pl
o
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-gradientset.lo -MD -MP -MF .deps/libsynfigapp_
la-gradientset.Tpo -c -o libsynfigapp_la-gradientset.lo `test -f 'actions/gradie
ntset.cpp' || echo './`actions/gradientset.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
gradientset.lo -MD -MP -MF .deps/libsynfigapp_la-gradientset.Tpo -c actions/grad
ientset.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-gradientset.o
mv -f .deps/libsynfigapp_la-gradientset.Tpo .deps/libsynfigapp_la-gradientset.Pl
o
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-timepointscopy.lo -MD -MP -MF .deps/libsynfiga
pp_la-timepointscopy.Tpo -c -o libsynfigapp_la-timepointscopy.lo `test -f 'actio
ns/timepointscopy.cpp' || echo './`actions/timepointscopy.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
timepointscopy.lo -MD -MP -MF .deps/libsynfigapp_la-timepointscopy.Tpo -c action
s/timepointscopy.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-timepointscopy.
o
mv -f .deps/libsynfigapp_la-timepointscopy.Tpo .deps/libsynfigapp_la-timepointsc
opy.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i

```

```

include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-timepointsdelete.lo -MD -MP -MF .deps/libsynfi
gapp_la-timepointsdelete.Tpo -c -o libsynfigapp_la-timepointsdelete.lo `test -f
'actions/timepointsdelete.cpp' || echo './`actions/timepointsdelete.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
timepointsdelete.lo -MD -MP -MF .deps/libsynfigapp_la-timepointsdelete.Tpo -c ac
tions/timepointsdelete.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-timepoint
sdelete.o
mv -f .deps/libsynfigapp_la-timepointsdelete.Tpo .deps/libsynfigapp_la-timepoint
sdelete.Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..src -I../..libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-timepointsmove.lo -MD -MP -MF .deps/libsynfiga
pp_la-timepointsmove.Tpo -c -o libsynfigapp_la-timepointsmove.lo `test -f 'actio
ns/timepointsmove.cpp' || echo './`actions/timepointsmove.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
timepointsmove.lo -MD -MP -MF .deps/libsynfigapp_la-timepointsmove.Tpo -c action
s/timepointsmove.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-timepointsmove.
o
mv -f .deps/libsynfigapp_la-timepointsmove.Tpo .deps/libsynfigapp_la-timepointsm
ove.Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..src -I../..libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-timegather.lo -MD -MP -MF .deps/libsynfigapp_l
a-timegather.Tpo -c -o libsynfigapp_la-timegather.lo `test -f 'timegather.cpp' |
| echo './`timegather.cpp

```

```

libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I../..../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
timegather.lo -MD -MP -MF .deps/libsynfigapp_la-timegather.Tpo -c timegather.cpp
-fno-common -DPIC -o .libs/libsynfigapp_la-timegather.o
mv -f .deps/libsynfigapp_la-timegather.Tpo .deps/libsynfigapp_la-timegather.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..../src -I../..../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuedescconnect.lo -MD -MP -MF .deps/libsynfi
gapp_la-valuedescconnect.Tpo -c -o libsynfigapp_la-valuedescconnect.lo `test -f
'actions/valuedescconnect.cpp' || echo './`actions/valuedescconnect.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I../..../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuedescconnect.lo -MD -MP -MF .deps/libsynfigapp_la-valuedescconnect.Tpo -c ac
tions/valuedescconnect.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-valuedesc
connect.o
mv -f .deps/libsynfigapp_la-valuedescconnect.Tpo .deps/libsynfigapp_la-valuedesc
connect.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..../src -I../..../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuedescconvert.lo -MD -MP -MF .deps/libsynfi
gapp_la-valuedescconvert.Tpo -c -o libsynfigapp_la-valuedescconvert.lo `test -f
'actions/valuedescconvert.cpp' || echo './`actions/valuedescconvert.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I../..../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuedescconvert.lo -MD -MP -MF .deps/libsynfigapp_la-valuedescconvert.Tpo -c ac

```

```

tions/valuedescconvert.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-valuedesc
convert.o
mv -f .deps/libsynfigapp_la-valuedescconvert.Tpo .deps/libsynfigapp_la-valuedesc
convert.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I.././src -I.././libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuedescdisconnect.lo -MD -MP -MF .deps/libsy
nfigapp_la-valuedescdisconnect.Tpo -c -o libsynfigapp_la-valuedescdisconnect.lo
`test -f 'actions/valuedescdisconnect.cpp' || echo './`actions/valuedescdisconn
ect.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I.././src -I.././libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuedescdisconnect.lo -MD -MP -MF .deps/libsynfigapp_la-valuedescdisconnect.Tpo
-c actions/valuedescdisconnect.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-
valuedescdisconnect.o
mv -f .deps/libsynfigapp_la-valuedescdisconnect.Tpo .deps/libsynfigapp_la-valued
escdisconnect.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I.././src -I.././libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuedescexport.lo -MD -MP -MF .deps/libsynfig
app_la-valuedescexport.Tpo -c -o libsynfigapp_la-valuedescexport.lo `test -f 'ac
tions/valuedescexport.cpp' || echo './`actions/valuedescexport.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I.././src -I.././libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuedescexport.lo -MD -MP -MF .deps/libsynfigapp_la-valuedescexport.Tpo -c acti
ons/valuedescexport.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-valuedescexp
ort.o
mv -f .deps/libsynfigapp_la-valuedescexport.Tpo .deps/libsynfigapp_la-valuedesce
xport.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.

```

```
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuedesclink.lo -MD -MP -MF .deps/libsynfigap
p_la-valuedesclink.Tpo -c -o libsynfigapp_la-valuedesclink.lo `test -f 'actions/
valuedesclink.cpp' || echo './`actions/valuedesclink.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuedesclink.lo -MD -MP -MF .deps/libsynfigapp_la-valuedesclink.Tpo -c actions/
valuedesclink.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-valuedesclink.o
mv -f .deps/libsynfigapp_la-valuedesclink.Tpo .deps/libsynfigapp_la-valuedesclin
k.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
-I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuedescblinelink.lo -MD -MP -MF .deps/libsyn
figapp_la-valuedescblinelink.Tpo -c -o libsynfigapp_la-valuedescblinelink.lo `te
st -f 'actions/valuedescblinelink.cpp' || echo './`actions/valuedescblinelink.c
pp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuedescblinelink.lo -MD -MP -MF .deps/libsynfigapp_la-valuedescblinelink.Tpo -
c actions/valuedescblinelink.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-val
uedescblinelink.o
mv -f .deps/libsynfigapp_la-valuedescblinelink.Tpo .deps/libsynfigapp_la-valuede
scblinelink.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
-I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
```

```

-02 -W -Wall -MT libsynfigapp_la-valuedescset.lo -MD -MP -MF .deps/libsynfigapp
_la-valuedescset.Tpo -c -o libsynfigapp_la-valuedescset.lo `test -f 'actions/val
uedescset.cpp' || echo './`actions/valuedescset.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I../../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale" -DNDEBUG -02 -W -Wall -MT libsynfigapp_la-
valuedescset.lo -MD -MP -MF .deps/libsynfigapp_la-valuedescset.Tpo -c actions/va
luedescset.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-valuedescset.o
mv -f .deps/libsynfigapp_la-valuedescset.Tpo .deps/libsynfigapp_la-valuedescset.
Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../../src -I../../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale"" -DNDEBUG
-02 -W -Wall -MT libsynfigapp_la-valuenodeadd.lo -MD -MP -MF .deps/libsynfigapp
_la-valuenodeadd.Tpo -c -o libsynfigapp_la-valuenodeadd.lo `test -f 'actions/val
uenodeadd.cpp' || echo './`actions/valuenodeadd.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I../../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale" -DNDEBUG -02 -W -Wall -MT libsynfigapp_la-
valuenodeadd.lo -MD -MP -MF .deps/libsynfigapp_la-valuenodeadd.Tpo -c actions/va
luenodeadd.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-valuenodeadd.o
mv -f .deps/libsynfigapp_la-valuenodeadd.Tpo .deps/libsynfigapp_la-valuenodeadd.
Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../../src -I../../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale"" -DNDEBUG
-02 -W -Wall -MT libsynfigapp_la-valuenodeconstset.lo -MD -MP -MF .deps/libsynf
igapp_la-valuenodeconstset.Tpo -c -o libsynfigapp_la-valuenodeconstset.lo `test
-f 'actions/valuenodeconstset.cpp' || echo './`actions/valuenodeconstset.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I../../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l

```



```

ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuenodeconstset.lo -MD -MP -MF .deps/libsynfigapp_la-valuenodeconstset.Tpo -c
actions/valuenodeconstset.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-valuen
odeconstset.o
mv -f .deps/libsynfigapp_la-valuenodeconstset.Tpo .deps/libsynfigapp_la-valuenod
econstset.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuenodedynamiclistinsert.lo -MD -MP -MF .dep
s/libsynfigapp_la-valuenodedynamiclistinsert.Tpo -c -o libsynfigapp_la-valuenode
dynamiclistinsert.lo `test -f 'actions/valuenodedynamiclistinsert.cpp' || echo '
./`actions/valuenodedynamiclistinsert.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuenodedynamiclistinsert.lo -MD -MP -MF .deps/libsynfigapp_la-valuenodedynamic
listinsert.Tpo -c actions/valuenodedynamiclistinsert.cpp -fno-common -DPIC -o .
libs/libsynfigapp_la-valuenodedynamiclistinsert.o
mv -f .deps/libsynfigapp_la-valuenodedynamiclistinsert.Tpo .deps/libsynfigapp_la
-valuenodedynamiclistinsert.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuenodedynamiclistinsertsmart.lo -MD -MP -MF
.deps/libsynfigapp_la-valuenodedynamiclistinsertsmart.Tpo -c -o libsynfigapp_la
-valuenodedynamiclistinsertsmart.lo `test -f 'actions/valuenodedynamiclistinsert
smart.cpp' || echo './`actions/valuenodedynamiclistinsertsmart.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuenodedynamiclistinsertsmart.lo -MD -MP -MF .deps/libsynfigapp_la-valuenodedy
namiclistinsertsmart.Tpo -c actions/valuenodedynamiclistinsertsmart.cpp -fno-co

```

```

mmon -DPIC -o .libs/libsynfigapp_la-valuenodedynamiclistinsertsmart.o
mv -f .deps/libsynfigapp_la-valuenodedynamiclistinsertsmart.Tpo .deps/libsynfiga
pp_la-valuenodedynamiclistinsertsmart.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuenodedynamiclistloop.lo -MD -MP -MF .deps/
libsynfigapp_la-valuenodedynamiclistloop.Tpo -c -o libsynfigapp_la-valuenodedyna
miclistloop.lo `test -f 'actions/valuenodedynamiclistloop.cpp' || echo './`acti
ons/valuenodedynamiclistloop.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuenodedynamiclistloop.lo -MD -MP -MF .deps/libsynfigapp_la-valuenodedynamicli
stloop.Tpo -c actions/valuenodedynamiclistloop.cpp -fno-common -DPIC -o .libs/l
ibsynfigapp_la-valuenodedynamiclistloop.o
mv -f .deps/libsynfigapp_la-valuenodedynamiclistloop.Tpo .deps/libsynfigapp_la-v
aluenodedynamiclistloop.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuenodedynamiclistremove.lo -MD -MP -MF .dep
s/libsynfigapp_la-valuenodedynamiclistremove.Tpo -c -o libsynfigapp_la-valuenode
dynamiclistremove.lo `test -f 'actions/valuenodedynamiclistremove.cpp' || echo '
./`actions/valuenodedynamiclistremove.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuenodedynamiclistremove.lo -MD -MP -MF .deps/libsynfigapp_la-valuenodedynamic
listremove.Tpo -c actions/valuenodedynamiclistremove.cpp -fno-common -DPIC -o .
libs/libsynfigapp_la-valuenodedynamiclistremove.o
mv -f .deps/libsynfigapp_la-valuenodedynamiclistremove.Tpo .deps/libsynfigapp_la-
valuenodedynamiclistremove.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.

```

```
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuenodedynamicclistremovesmart.lo -MD -MP -MF
.deps/libsynfigapp_la-valuenodedynamicclistremovesmart.Tpo -c -o libsynfigapp_la
-valuenodedynamicclistremovesmart.lo `test -f 'actions/valuenodedynamicclistremove
smart.cpp' || echo './`actions/valuenodedynamicclistremovesmart.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuenodedynamicclistremovesmart.lo -MD -MP -MF .deps/libsynfigapp_la-valuenode
dynamicclistremovesmart.Tpo -c actions/valuenodedynamicclistremovesmart.cpp -fno-co
mmon -DPIC -o .libs/libsynfigapp_la-valuenodedynamicclistremovesmart.o
mv -f .deps/libsynfigapp_la-valuenodedynamicclistremovesmart.Tpo .deps/libsynfiga
pp_la-valuenodedynamicclistremovesmart.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
-I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuenodedynamicclistrotateorder.lo -MD -MP -MF
.deps/libsynfigapp_la-valuenodedynamicclistrotateorder.Tpo -c -o libsynfigapp_la
-valuenodedynamicclistrotateorder.lo `test -f 'actions/valuenodedynamicclistrotate
order.cpp' || echo './`actions/valuenodedynamicclistrotateorder.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuenodedynamicclistrotateorder.lo -MD -MP -MF .deps/libsynfigapp_la-valuenode
dynamicclistrotateorder.Tpo -c actions/valuenodedynamicclistrotateorder.cpp -fno-co
mmon -DPIC -o .libs/libsynfigapp_la-valuenodedynamicclistrotateorder.o
mv -f .deps/libsynfigapp_la-valuenodedynamicclistrotateorder.Tpo .deps/libsynfiga
pp_la-valuenodedynamicclistrotateorder.Plo
/bin/sh ../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
-I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
```

```

/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuenodedynamiclistunloop.lo -MD -MP -MF .dep
s/libsynfigapp_la-valuenodedynamiclistunloop.Tpo -c -o libsynfigapp_la-valuenode
dynamiclistunloop.lo `test -f 'actions/valuenodedynamiclistunloop.cpp' || echo '
./`actions/valuenodedynamiclistunloop.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuenodedynamiclistunloop.lo -MD -MP -MF .deps/libsynfigapp_la-valuenodedynamic
listunloop.Tpo -c actions/valuenodedynamiclistunloop.cpp -fno-common -DPIC -o .
libs/libsynfigapp_la-valuenodedynamiclistunloop.o
mv -f .deps/libsynfigapp_la-valuenodedynamiclistunloop.Tpo .deps/libsynfigapp_la-
valuenodedynamiclistunloop.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuenodelinkconnect.lo -MD -MP -MF .deps/libsy
nfigapp_la-valuenodelinkconnect.Tpo -c -o libsynfigapp_la-valuenodelinkconnect.
lo `test -f 'actions/valuenodelinkconnect.cpp' || echo './`actions/valuenodelin
kconnect.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuenodelinkconnect.lo -MD -MP -MF .deps/libsynfigapp_la-valuenodelinkconnect.T
po -c actions/valuenodelinkconnect.cpp -fno-common -DPIC -o .libs/libsynfigapp_
la-valuenodelinkconnect.o
mv -f .deps/libsynfigapp_la-valuenodelinkconnect.Tpo .deps/libsynfigapp_la-value
nodelinkconnect.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuenodelinkdisconnect.lo -MD -MP -MF .deps/l
ibsynfigapp_la-valuenodelinkdisconnect.Tpo -c -o libsynfigapp_la-valuenodelinkdi

```

```

sconnect.lo `test -f 'actions/valuenodelinkdisconnect.cpp' || echo './`actions/
valuenodelinkdisconnect.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I../../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuenodelinkdisconnect.lo -MD -MP -MF .deps/libsynfigapp_la-valuenodelinkdiscon
nect.Tpo -c actions/valuenodelinkdisconnect.cpp -fno-common -DPIC -o .libs/libsyn
figapp_la-valuenodelinkdisconnect.o
mv -f .deps/libsynfigapp_la-valuenodelinkdisconnect.Tpo .deps/libsynfigapp_la-va
luenodelinkdisconnect.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../../src -I../../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuenoderemove.lo -MD -MP -MF .deps/libsynfig
app_la-valuenoderemove.Tpo -c -o libsynfigapp_la-valuenoderemove.lo `test -f 'ac
tions/valuenoderemove.cpp' || echo './`actions/valuenoderemove.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I../../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuenoderemove.lo -MD -MP -MF .deps/libsynfigapp_la-valuenoderemove.Tpo -c acti
ons/valuenoderemove.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-valuenoderem
ove.o
mv -f .deps/libsynfigapp_la-valuenoderemove.Tpo .deps/libsynfigapp_la-valuenoder
emove.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../../src -I../../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuenoderename.lo -MD -MP -MF .deps/libsynfig
app_la-valuenoderename.Tpo -c -o libsynfigapp_la-valuenoderename.lo `test -f 'ac
tions/valuenoderename.cpp' || echo './`actions/valuenoderename.cpp
libtool: compile:  g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I../../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx

```

```

ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuenoderename.lo -MD -MP -MF .deps/libsynfigapp_la-valuenoderename.Tpo -c acti
ons/valuenoderename.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-valuenoderen
ame.o
mv -f .deps/libsynfigapp_la-valuenoderename.Tpo .deps/libsynfigapp_la-valuenoder
ename.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-valuenodereplace.lo -MD -MP -MF .deps/libsynfi
gapp_la-valuenodereplace.Tpo -c -o libsynfigapp_la-valuenodereplace.lo `test -f
'actions/valuenodereplace.cpp' || echo './`actions/valuenodereplace.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
valuenodereplace.lo -MD -MP -MF .deps/libsynfigapp_la-valuenodereplace.Tpo -c ac
tions/valuenodereplace.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-valuenode
replace.o
mv -f .deps/libsynfigapp_la-valuenodereplace.Tpo .deps/libsynfigapp_la-valuenode
replace.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-waypointadd.lo -MD -MP -MF .deps/libsynfigapp_
la-waypointadd.Tpo -c -o libsynfigapp_la-waypointadd.lo `test -f 'actions/waypoi
ntadd.cpp' || echo './`actions/waypointadd.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
waypointadd.lo -MD -MP -MF .deps/libsynfigapp_la-waypointadd.Tpo -c actions/wayp
ointadd.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-waypointadd.o
mv -f .deps/libsynfigapp_la-waypointadd.Tpo .deps/libsynfigapp_la-waypointadd.Pl

```

0

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
-I.././src -I.././libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-waypointremove.lo -MD -MP -MF .deps/libsynfiga
pp_la-waypointremove.Tpo -c -o libsynfigapp_la-waypointremove.lo `test -f 'actio
ns/waypointremove.cpp' || echo './`actions/waypointremove.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I.././src -I.././libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
waypointremove.lo -MD -MP -MF .deps/libsynfigapp_la-waypointremove.Tpo -c action
s/waypointremove.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-waypointremove.
```

0

```
mv -f .deps/libsynfigapp_la-waypointremove.Tpo .deps/libsynfigapp_la-waypointrem
ove.Plo
```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
-I.././src -I.././libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-waypointset.lo -MD -MP -MF .deps/libsynfigapp_
la-waypointset.Tpo -c -o libsynfigapp_la-waypointset.lo `test -f 'actions/waypoi
ntset.cpp' || echo './`actions/waypointset.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I.././src -I.././libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
waypointset.lo -MD -MP -MF .deps/libsynfigapp_la-waypointset.Tpo -c actions/wayp
ointset.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-waypointset.o
```

```
mv -f .deps/libsynfigapp_la-waypointset.Tpo .deps/libsynfigapp_la-waypointset.Pl
```

0

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
-I.././src -I.././libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
```

```

include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\" " -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-waypointsetsmart.lo -MD -MP -MF .deps/libsynfigapp_la-waypointsetsmart.Tpo -c -o libsynfigapp_la-waypointsetsmart.lo `test -f
'actions/waypointsetsmart.cpp' || echo './`actions/waypointsetsmart.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I../..../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
waypointsetsmart.lo -MD -MP -MF .deps/libsynfigapp_la-waypointsetsmart.Tpo -c ac
tions/waypointsetsmart.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-waypointse
tsmart.o
mv -f .deps/libsynfigapp_la-waypointsetsmart.Tpo .deps/libsynfigapp_la-waypointse
tsmart.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..../src -I../..../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\" " -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-waypointsimpleadd.lo -MD -MP -MF .deps/libsynf
igapp_la-waypointsimpleadd.Tpo -c -o libsynfigapp_la-waypointsimpleadd.lo `test
-f 'actions/waypointsimpleadd.cpp' || echo './`actions/waypointsimpleadd.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I../..../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
waypointsimpleadd.lo -MD -MP -MF .deps/libsynfigapp_la-waypointsimpleadd.Tpo -c ac
tions/waypointsimpleadd.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-waypoi
ntsimpleadd.o
mv -f .deps/libsynfigapp_la-waypointsimpleadd.Tpo .deps/libsynfigapp_la-waypoint
simpleadd.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..../src -I../..../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\" " -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-waypointconnect.lo -MD -MP -MF .deps/libsynfig
app_la-waypointconnect.Tpo -c -o libsynfigapp_la-waypointconnect.lo `test -f 'ac
tions/waypointconnect.cpp' || echo './`actions/waypointconnect.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I../..../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op

```



```
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
waypointconnect.lo -MD -MP -MF .deps/libsynfigapp_la-waypointconnect.Tpo -c acti
ons/waypointconnect.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-waypointconn
ect.o
```

```
mv -f .deps/libsynfigapp_la-waypointconnect.Tpo .deps/libsynfigapp_la-waypointco
nnect.Plo
```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-waypointdisconnect.lo -MD -MP -MF .deps/libsyn
figapp_la-waypointdisconnect.Tpo -c -o libsynfigapp_la-waypointdisconnect.lo `te
st -f 'actions/waypointdisconnect.cpp' || echo './`actions/waypointdisconnect.c
pp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
waypointdisconnect.lo -MD -MP -MF .deps/libsynfigapp_la-waypointdisconnect.Tpo -
c actions/waypointdisconnect.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-way
pointdisconnect.o
```

```
mv -f .deps/libsynfigapp_la-waypointdisconnect.Tpo .deps/libsynfigapp_la-waypoin
tdisconnect.Plo
```

```
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-action.lo -MD -MP -MF .deps/libsynfigapp_la-ac
tion.Tpo -c -o libsynfigapp_la-action.lo `test -f 'action.cpp' || echo './`acti
on.cpp
```

```
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
```

```

action.lo -MD -MP -MF .deps/libsynfigapp_la-action.Tpo -c action.cpp -fno-commo
n -DPIC -o .libs/libsynfigapp_la-action.o
mv -f .deps/libsynfigapp_la-action.Tpo .deps/libsynfigapp_la-action.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-action_param.lo -MD -MP -MF .deps/libsynfigapp
_la-action_param.Tpo -c -o libsynfigapp_la-action_param.lo `test -f 'action_para
m.cpp' || echo './`action_param.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
action_param.lo -MD -MP -MF .deps/libsynfigapp_la-action_param.Tpo -c action_par
am.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-action_param.o
mv -f .deps/libsynfigapp_la-action_param.Tpo .deps/libsynfigapp_la-action_param.
Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-action_system.lo -MD -MP -MF .deps/libsynfigap
p_la-action_system.Tpo -c -o libsynfigapp_la-action_system.lo `test -f 'action_s
ystem.cpp' || echo './`action_system.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
action_system.lo -MD -MP -MF .deps/libsynfigapp_la-action_system.Tpo -c action_s
ystem.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-action_system.o
mv -f .deps/libsynfigapp_la-action_system.Tpo .deps/libsynfigapp_la-action_syste
m.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local

```

```

/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-blineconvert.lo -MD -MP -MF .deps/libsynfigapp
_la-blineconvert.Tpo -c -o libsynfigapp_la-blineconvert.lo `test -f 'blineconve
rt.cpp' || echo './`blineconvert.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
blineconvert.lo -MD -MP -MF .deps/libsynfigapp_la-blineconvert.Tpo -c blineconve
rt.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-blineconvert.o
mv -f .deps/libsynfigapp_la-blineconvert.Tpo .deps/libsynfigapp_la-blineconvert.
Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..src -I../..libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-canvasinterface.lo -MD -MP -MF .deps/libsynfig
app_la-canvasinterface.Tpo -c -o libsynfigapp_la-canvasinterface.lo `test -f 'ca
nvasinterface.cpp' || echo './`canvasinterface.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
canvasinterface.lo -MD -MP -MF .deps/libsynfigapp_la-canvasinterface.Tpo -c canv
asinterface.cpp -fno-common -DPIC -o .libs/libsynfigapp_la-canvasinterface.o
mv -f .deps/libsynfigapp_la-canvasinterface.Tpo .deps/libsynfigapp_la-canvasinte
rface.Plo
/bin/sh ../..libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..src -I../..libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-cvs.lo -MD -MP -MF .deps/libsynfigapp_la-cvs.T
po -c -o libsynfigapp_la-cvs.lo `test -f 'cvs.cpp' || echo './`cvs.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I../..libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx

```

```

ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
cvs.lo -MD -MP -MF .deps/libsynfigapp_la-cvs.Tpo -c cvs.cpp -fno-common -DPIC -
o .libs/libsynfigapp_la-cvs.o
mv -f .deps/libsynfigapp_la-cvs.Tpo .deps/libsynfigapp_la-cvs.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-inputdevice.lo -MD -MP -MF .deps/libsynfigapp_
la-inputdevice.Tpo -c -o libsynfigapp_la-inputdevice.lo `test -f 'inputdevice.cp
p' || echo './`inputdevice.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
inputdevice.lo -MD -MP -MF .deps/libsynfigapp_la-inputdevice.Tpo -c inputdevice.
cpp -fno-common -DPIC -o .libs/libsynfigapp_la-inputdevice.o
mv -f .deps/libsynfigapp_la-inputdevice.Tpo .deps/libsynfigapp_la-inputdevice.Pl
o
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-instance.lo -MD -MP -MF .deps/libsynfigapp_la-
instance.Tpo -c -o libsynfigapp_la-instance.lo `test -f 'instance.cpp' || echo '
./`instance.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../src -I../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
instance.lo -MD -MP -MF .deps/libsynfigapp_la-instance.Tpo -c instance.cpp -fno
-common -DPIC -o .libs/libsynfigapp_la-instance.o
mv -f .deps/libsynfigapp_la-instance.Tpo .deps/libsynfigapp_la-instance.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../src -I../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li

```

```

bxml+-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-main.lo -MD -MP -MF .deps/libsynfigapp_la-main
.Tpo -c -o libsynfigapp_la-main.lo `test -f 'main.cpp' || echo './`main.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I../..../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml+-2.6 -I/opt/local/lib/libxml+-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
main.lo -MD -MP -MF .deps/libsynfigapp_la-main.Tpo -c main.cpp -fno-common -DPI
C -o .libs/libsynfigapp_la-main.o
mv -f .deps/libsynfigapp_la-main.Tpo .deps/libsynfigapp_la-main.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..../src -I../..../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml+-2.6 -I/opt/local/lib/li
bxml+-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-settings.lo -MD -MP -MF .deps/libsynfigapp_la-
settings.Tpo -c -o libsynfigapp_la-settings.lo `test -f 'settings.cpp' || echo '
./`settings.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I../..../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml+-2.6 -I/opt/local/lib/libxml+-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
settings.lo -MD -MP -MF .deps/libsynfigapp_la-settings.Tpo -c settings.cpp -fno
-common -DPIIC -o .libs/libsynfigapp_la-settings.o
mv -f .deps/libsynfigapp_la-settings.Tpo .deps/libsynfigapp_la-settings.Plo
/bin/sh ../..../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../..../src -I../..../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml+-2.6 -I/opt/local/lib/li
bxml+-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR=\"/opt/synfig/share/locale\"" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-uimanager.lo -MD -MP -MF .deps/libsynfigapp_la
-uimanager.Tpo -c -o libsynfigapp_la-uimanager.lo `test -f 'uimanager.cpp' || ec
ho './`uimanager.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I../..../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml+-2.6 -I/opt/local/lib/libxml+-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx

```

```

ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
uimanager.lo -MD -MP -MF .deps/libsynfigapp_la-uimanager.Tpo -c uimanager.cpp -
fno-common -DPIC -o .libs/libsynfigapp_la-uimanager.o
mv -f .deps/libsynfigapp_la-uimanager.Tpo .deps/libsynfigapp_la-uimanager.Plo
/bin/sh ../../libtool --tag=CXX --mode=compile g++ -DHAVE_CONFIG_H -I. -I../.
. -I../../src -I../../libltdl -I/opt/local/include -I/opt/synfig/include/synfig
-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/li
bxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/i
nclude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local
/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/
include -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG
-O2 -W -Wall -MT libsynfigapp_la-value_desc.lo -MD -MP -MF .deps/libsynfigapp_l
a-value_desc.Tpo -c -o libsynfigapp_la-value_desc.lo `test -f 'value_desc.cpp' |
| echo './'`value_desc.cpp
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I../. -I../../src -I../../libltdl -
I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/op
t/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/
include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libx
ml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/l
ocal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -DL
OCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT libsynfigapp_la-
value_desc.lo -MD -MP -MF .deps/libsynfigapp_la-value_desc.Tpo -c value_desc.cpp
-fno-common -DPIC -o .libs/libsynfigapp_la-value_desc.o
mv -f .deps/libsynfigapp_la-value_desc.Tpo .deps/libsynfigapp_la-value_desc.Plo
/bin/sh ../../libtool --tag=CXX --mode=link g++ -I/opt/synfig/include/synfig-0
.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libx
ml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inc
lude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/l
ib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/in
clude -I/opt/local/include "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -
O2 -W -Wall -export-dynamic -no-undefined -L/opt/local/lib -o libsynfigapp_la -r
path /opt/synfig/lib libsynfigapp_la-activepointadd.lo libsynfigapp_la-activepoi
ntremove.lo libsynfigapp_la-activepointset.lo libsynfigapp_la-activepointsetoff.
lo libsynfigapp_la-activepointseton.lo libsynfigapp_la-activepointsetsmart.lo li
bsynfigapp_la-activepointssimpleadd.lo libsynfigapp_la-canvasadd.lo libsynfigapp_
la-canvasdescriptionset.lo libsynfigapp_la-canvasidset.lo libsynfigapp_la-canvas
nameset.lo libsynfigapp_la-canvasremove.lo libsynfigapp_la-canvasrenddescset.lo
libsynfigapp_la-groupaddlayers.lo libsynfigapp_la-groupremove.lo libsynfigapp_la
-groupremovelayers.lo libsynfigapp_la-grouprename.lo libsynfigapp_la-keyframeadd
.lo libsynfigapp_la-keyframeduplicate.lo libsynfigapp_la-keyframeremove.lo libsy
nfigapp_la-keyframeset.lo libsynfigapp_la-keyframesetdelta.lo libsynfigapp_la-ke
yframewaypointset.lo libsynfigapp_la-layeractivate.lo libsynfigapp_la-layeradd.l
o libsynfigapp_la-layerduplicate.lo libsynfigapp_la-layerencapsulate.lo libsynfi
gapp_la-layerlower.lo libsynfigapp_la-layermove.lo libsynfigapp_la-layerparamcon
nect.lo libsynfigapp_la-layerparamdisconnect.lo libsynfigapp_la-layerparamset.lo
libsynfigapp_la-layerraise.lo libsynfigapp_la-layerremove.lo libsynfigapp_la-la
yersetdesc.lo libsynfigapp_la-blinspacepointtangentmerge.lo libsynfigapp_la-blins
pacepointtangentssplit.lo libsynfigapp_la-colorset.lo libsynfigapp_la-editmodeset.lo lib

```

synfigapp_la-gradientset.lo libsynfigapp_la-timepointscopy.lo libsynfigapp_la-timepointsdelete.lo libsynfigapp_la-timepointsmove.lo libsynfigapp_la-timegather.lo libsynfigapp_la-valuedescconnect.lo libsynfigapp_la-valuedescconvert.lo libsynfigapp_la-valuedescdisconnect.lo libsynfigapp_la-valuedescexport.lo libsynfigapp_la-valuedescclink.lo libsynfigapp_la-valuedescblinelink.lo libsynfigapp_la-valuedescset.lo libsynfigapp_la-valuenodeadd.lo libsynfigapp_la-valuenodeconstset.lo libsynfigapp_la-valuenodedynamicclinsert.lo libsynfigapp_la-valuenodedynamicclinsertsmart.lo libsynfigapp_la-valuenodedynamiccllistloop.lo libsynfigapp_la-valuenodedynamiccllistremove.lo libsynfigapp_la-valuenodedynamiccllistremovesmart.lo libsynfigapp_la-valuenodedynamiccllistrotateorder.lo libsynfigapp_la-valuenodedynamiccllistunloop.lo libsynfigapp_la-valuenodelinkconnect.lo libsynfigapp_la-valuenodelinkdisconnect.lo libsynfigapp_la-valuenoderemove.lo libsynfigapp_la-valuenodereplace.lo libsynfigapp_la-waypointadd.lo libsynfigapp_la-waypointremove.lo libsynfigapp_la-waypointset.lo libsynfigapp_la-waypointsetsmart.lo libsynfigapp_la-waypointsimpleadd.lo libsynfigapp_la-waypointconnect.lo libsynfigapp_la-waypointdisconnect.lo libsynfigapp_la-action.lo libsynfigapp_la-action_param.lo libsynfigapp_la-action_system.lo libsynfigapp_la-blineconvert.lo libsynfigapp_la-canvasinterface.lo libsynfigapp_la-cvs.lo libsynfigapp_la-inputdevice.lo libsynfigapp_la-instance.lo libsynfigapp_la-main.lo libsynfigapp_la-settings.lo libsynfigapp_la-uimanager.lo libsynfigapp_la-value_desc.lo

-L/opt/synfig/lib -L/opt/local/lib -lsynfig -lxml++-2.6 -lxml2 -lz -lm -lglibmm-2.4 -lgobject-2.0 -lglib-2.0 -lintl -liconv -lpthread -lsigc-2.0
libtool: link: rm -fr .libs/libsynfigapp.0.dylib .libs/libsynfigapp.0.dylib.dSYM .libs/libsynfigapp.dylib .libs/libsynfigapp.la .libs/libsynfigapp.lai
libtool: link: g++ -dynamiclib -o .libs/libsynfigapp.0.dylib .libs/libsynfigapp_la-activepointadd.o .libs/libsynfigapp_la-activepointremove.o .libs/libsynfigapp_la-activepointset.o .libs/libsynfigapp_la-activepointsetoff.o .libs/libsynfigapp_la-activepointseton.o .libs/libsynfigapp_la-activepointsetsmart.o .libs/libsynfigapp_la-activepointsimpleadd.o .libs/libsynfigapp_la-canvasadd.o .libs/libsynfigapp_la-canvasdescriptionset.o .libs/libsynfigapp_la-canvasidset.o .libs/libsynfigapp_la-canvasnameset.o .libs/libsynfigapp_la-canvasremove.o .libs/libsynfigapp_la-canvasrenddescset.o .libs/libsynfigapp_la-groupaddlayers.o .libs/libsynfigapp_la-groupremove.o .libs/libsynfigapp_la-groupremovelayers.o .libs/libsynfigapp_la-grouprename.o .libs/libsynfigapp_la-keyframeadd.o .libs/libsynfigapp_la-keyframeduplicate.o .libs/libsynfigapp_la-keyframeremove.o .libs/libsynfigapp_la-keyframeset.o .libs/libsynfigapp_la-keyframesetdelta.o .libs/libsynfigapp_la-keyframewaypointset.o .libs/libsynfigapp_la-layeractivate.o .libs/libsynfigapp_la-layeradd.o .libs/libsynfigapp_la-layerduplicate.o .libs/libsynfigapp_la-layerencapsulate.o .libs/libsynfigapp_la-layerlower.o .libs/libsynfigapp_la-layermove.o .libs/libsynfigapp_la-layerparamconnect.o .libs/libsynfigapp_la-layerparamdisconnect.o .libs/libsynfigapp_la-layerparamset.o .libs/libsynfigapp_la-layerraise.o .libs/libsynfigapp_la-layerremove.o .libs/libsynfigapp_la-layersetdesc.o .libs/libsynfigapp_la-blinepointtangentmerge.o .libs/libsynfigapp_la-blinepointtangentsplit.o .libs/libsynfigapp_la-colorset.o .libs/libsynfigapp_la-editmodeset.o .libs/libsynfigapp_la-gradientset.o .libs/libsynfigapp_la-timepointscopy.o .libs/libsynfigapp_la-timepointsdelete.o .libs/libsynfigapp_la-timepointsmove.o .libs/libsynfigapp_la-timegather.o .libs/libsynfigapp_la-valuedescconnect.o .libs/libsynfigapp_la-valuedescconvert.o .libs/libsynfigapp_la-valuedescdisconnect.o .libs/libsynfigapp_la-valuedescexport.o .libs/libsynfigapp_la-valuedescclink.o .libs/libsynfigapp_la-valuedescblinelink.o .libs/libsynfigapp_la-valuedescset.o .libs/libsyn

```

figapp_la-valuenodeadd.o .libs/libsynfigapp_la-valuenodeconstset.o .libs/libsynfigapp_la-valuenodedynamiclistinsert.o .libs/libsynfigapp_la-valuenodedynamiclistinsertsmart.o .libs/libsynfigapp_la-valuenodedynamiclistloop.o .libs/libsynfigapp_la-valuenodedynamiclistremove.o .libs/libsynfigapp_la-valuenodedynamiclistremovesmart.o .libs/libsynfigapp_la-valuenodedynamiclistrotateorder.o .libs/libsynfigapp_la-valuenodedynamiclistunloop.o .libs/libsynfigapp_la-valuenodelinkconnect.o .libs/libsynfigapp_la-valuenodelinkdisconnect.o .libs/libsynfigapp_la-valuenoderemove.o .libs/libsynfigapp_la-valuenoderename.o .libs/libsynfigapp_la-valuenodereplace.o .libs/libsynfigapp_la-waypointadd.o .libs/libsynfigapp_la-waypointremove.o .libs/libsynfigapp_la-waypointset.o .libs/libsynfigapp_la-waypointsetsmart.o .libs/libsynfigapp_la-waypointsimpleadd.o .libs/libsynfigapp_la-waypointconnect.o .libs/libsynfigapp_la-waypointdisconnect.o .libs/libsynfigapp_la-action.o .libs/libsynfigapp_la-action_param.o .libs/libsynfigapp_la-action_system.o .libs/libsynfigapp_la-blineconvert.o .libs/libsynfigapp_la-canvasinterface.o .libs/libsynfigapp_la-cvs.o .libs/libsynfigapp_la-inputdevice.o .libs/libsynfigapp_la-instance.o .libs/libsynfigapp_la-main.o .libs/libsynfigapp_la-settings.o .libs/libsynfigapp_la-uimanager.o .libs/libsynfigapp_la-value_desc.o -L/opt/local/lib -L/opt/synfig/lib /opt/synfig/lib/libsynfig.dylib /opt/local/lib/libltdl.dylib /opt/local/lib/libxml++-2.6.dylib /opt/local/lib/libxml2.dylib -lz -lm /opt/local/lib/libglibmm-2.4.dylib /opt/local/lib/libgmodule-2.0.dylib /opt/local/lib/libgobject-2.0.dylib /opt/local/lib/libglib-2.0.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib -lpthread /opt/local/lib/libsigc-2.0.dylib -framework Carbon -install_name /opt/synfig/lib/libsynfigapp.0.dylib -compatibility_version 1 -current_version 1.0 -Wl,-single_module
libtool: link: dsymutil .libs/libsynfigapp.0.dylib || :
warning: no debug symbols in executable (-arch i386)
libtool: link: (cd ".libs" && rm -f "libsynfigapp.dylib" && ln -s "libsynfigapp.0.dylib" "libsynfigapp.dylib")
libtool: link: ( cd ".libs" && rm -f "libsynfigapp.la" && ln -s "../libsynfigapp.la" "libsynfigapp.la" )
Making all in gtkmm
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/giommm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DDEBUG -O2 -W -Wall -MT synfigstudio-mod_mirror.o -MD -MP -MF .deps/synfigstudio-mod_mirror.Tpo -c -o synfigstudio-mod_mirror.o `test -f 'mod_mirror/mod_mirror.cpp' || echo './'`mod_mirror

```


/mod_mirror.cpp

```
mv -f .deps/synfigstudio-mod_mirror.Tpo .deps/synfigstudio-mod_mirror.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I.././src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=
\"png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-state_mirror.o -MD -MP -MF .deps/synfigstudio-state_mirror.Tpo -c -o sy
nfigstudio-state_mirror.o `test -f 'mod_mirror/state_mirror.cpp' || echo './`mo
d_mirror/state_mirror.cpp
```

```
mv -f .deps/synfigstudio-state_mirror.Tpo .deps/synfigstudio-state_mirror.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I.././src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=
\"png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-dock_palbrowse.o -MD -MP -MF .deps/synfigstudio-dock_palbrowse.Tpo -c -
o synfigstudio-dock_palbrowse.o `test -f 'mod_palette/dock_palbrowse.cpp' || ech
o './`mod_palette/dock_palbrowse.cpp
```

```
mv -f .deps/synfigstudio-dock_palbrowse.Tpo .deps/synfigstudio-dock_palbrowse.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I.././src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
```

```

mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=
\"png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-dock_paletedit.o -MD -MP -MF .deps/synfigstudio-dock_paletedit.Tpo -c -o sy
nfigstudio-dock_paletedit.o `test -f 'mod_palette/dock_paletedit.cpp' || echo './`m
od_palette/dock_paletedit.cpp
mv -f .deps/synfigstudio-dock_paletedit.Tpo .deps/synfigstudio-dock_paletedit.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=
\"png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-mod_palette.o -MD -MP -MF .deps/synfigstudio-mod_palette.Tpo -c -o synf
igstudio-mod_palette.o `test -f 'mod_palette/mod_palette.cpp' || echo './`mod_p
alette/mod_palette.cpp
mv -f .deps/synfigstudio-mod_palette.Tpo .deps/synfigstudio-mod_palette.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-

```

```

1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synfigstudio-renderer_bbox.o -MD -MP -MF .deps/synfigstudio-renderer_bbox.Tpo -c -o synfigstudio-renderer_bbox.o `test -f 'renderer_bbox.cpp' || echo './`renderer_bbox.cpp
mv -f .deps/synfigstudio-renderer_bbox.Tpo .deps/synfigstudio-renderer_bbox.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synfigstudio-renderer_canvas.o -MD -MP -MF .deps/synfigstudio-renderer_canvas.Tpo -c -o synfigstudio-renderer_canvas.o `test -f 'renderer_canvas.cpp' || echo './`renderer_canvas.cpp
mv -f .deps/synfigstudio-renderer_canvas.Tpo .deps/synfigstudio-renderer_canvas.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synfigstudio-renderer_dragbox.o -MD -MP -MF .deps/synfigstudio-renderer_dragbox.Tpo -c -o synfigstudio-renderer_dragbox.o `test -f 'renderer_dragbox.cpp' || echo './`renderer_dragbox.cpp
mv -f .deps/synfigstudio-renderer_dragbox.Tpo .deps/synfigstudio-renderer_dragbo

```

x.Po

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/  
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op  
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li  
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.  
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local  
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk  
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt  
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi  
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ  
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i  
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu  
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/  
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt  
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-  
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl  
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"  
png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synf  
igstudio-renderer_ducks.o -MD -MP -MF .deps/synfigstudio-renderer_ducks.Tpo -c -  
o synfigstudio-renderer_ducks.o `test -f 'renderer_ducks.cpp' || echo './`rende  
rer_ducks.cpp
```

```
mv -f .deps/synfigstudio-renderer_ducks.Tpo .deps/synfigstudio-renderer_ducks.Po  
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/  
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op  
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li  
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.  
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local  
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk  
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt  
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi  
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ  
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i  
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu  
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/  
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt  
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-  
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl  
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"  
png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synf  
igstudio-renderer_grid.o -MD -MP -MF .deps/synfigstudio-renderer_grid.Tpo -c -o  
synfigstudio-renderer_grid.o `test -f 'renderer_grid.cpp' || echo './`rendere  
r_grid.cpp
```

```
mv -f .deps/synfigstudio-renderer_grid.Tpo .deps/synfigstudio-renderer_grid.Po  
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/  
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op  
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li  
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.  
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local  
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk  
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
```

```
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\".png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synfigstudio-renderer_guides.o -MD -MP -MF .deps/synfigstudio-renderer_guides.Tpo -c -o synfigstudio-renderer_guides.o `test -f 'renderer_guides.cpp' || echo './`renderer_guides.cpp
```

```
mv -f .deps/synfigstudio-renderer_guides.Tpo .deps/synfigstudio-renderer_guides.Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\".png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synfigstudio-renderer_timecode.o -MD -MP -MF .deps/synfigstudio-renderer_timecode.Tpo -c -o synfigstudio-renderer_timecode.o `test -f 'renderer_timecode.cpp' || echo './`renderer_timecode.cpp
```

```
mv -f .deps/synfigstudio-renderer_timecode.Tpo .deps/synfigstudio-renderer_timecode.Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
```

```

/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \"-DNDEBUG -O2 -W -Wall -MT synf
igstudio-workarearenderer.o -MD -MP -MF .deps/synfigstudio-workarearenderer.Tpo
-c -o synfigstudio-workarearenderer.o `test -f 'workarearenderer.cpp' || echo '.
/'`workarearenderer.cpp
mv -f .deps/synfigstudio-workarearenderer.Tpo .deps/synfigstudio-workarearendere
r.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \"-DNDEBUG -O2 -W -Wall -MT synf
igstudio-groupactionmanager.o -MD -MP -MF .deps/synfigstudio-groupactionmanager.
Tpo -c -o synfigstudio-groupactionmanager.o `test -f 'groupactionmanager.cpp' ||
echo './`groupactionmanager.cpp
mv -f .deps/synfigstudio-groupactionmanager.Tpo .deps/synfigstudio-groupactionma
nager.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \"-DNDEBUG -O2 -W -Wall -MT synf
igstudio-keyframeactionmanager.o -MD -MP -MF .deps/synfigstudio-keyframeactionma
nager.Tpo -c -o synfigstudio-keyframeactionmanager.o `test -f 'keyframeactionman

```

```

ager.cpp' || echo './`keyframeactionmanager.cpp
mv -f .deps/synfigstudio-keyframeactionmanager.Tpo .deps/synfigstudio-keyframeac
tionmanager.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/gio-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=\
"png\" "-DLOCALEDIR="/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-layeractionmanager.o -MD -MP -MF .deps/synfigstudio-layeractionmanager.
Tpo -c -o synfigstudio-layeractionmanager.o `test -f 'layeractionmanager.cpp' ||
echo './`layeractionmanager.cpp
mv -f .deps/synfigstudio-layeractionmanager.Tpo .deps/synfigstudio-layeractionma
nager.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/gio-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=\
"png\" "-DLOCALEDIR="/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-dialog_tooloptions.o -MD -MP -MF .deps/synfigstudio-dialog_tooloptions.
Tpo -c -o synfigstudio-dialog_tooloptions.o `test -f 'dialog_tooloptions.cpp' ||
echo './`dialog_tooloptions.cpp
mv -f .deps/synfigstudio-dialog_tooloptions.Tpo .deps/synfigstudio-dialog_toolop
tions.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li

```

```

b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-dock_canvases.o -MD -MP -MF .deps/synfigstudio-dock_canvases.Tpo -c -o synfigstudio-dock_canvases.o `test -f 'dock_canvases.cpp' || echo './`dock_canvases.cpp
mv -f .deps/synfigstudio-dock_canvases.Tpo .deps/synfigstudio-dock_canvases.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-dock_canvasspecific.o -MD -MP -MF .deps/synfigstudio-dock_canvasspecific.Tpo -c -o synfigstudio-dock_canvasspecific.o `test -f 'dock_canvasspecific.cpp' || echo './`dock_canvasspecific.cpp
mv -f .deps/synfigstudio-dock_canvasspecific.Tpo .deps/synfigstudio-dock_canvasspecific.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i

```



```

include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-dock_children.o -MD -MP -MF .deps/synfigstudio-dock_children.Tpo -c -o
synfigstudio-dock_children.o `test -f 'dock_children.cpp' || echo './`dock_chil
dren.cpp
mv -f .deps/synfigstudio-dock_children.Tpo .deps/synfigstudio-dock_children.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-dock_curves.o -MD -MP -MF .deps/synfigstudio-dock_curves.Tpo -c -o synf
igstudio-dock_curves.o `test -f 'dock_curves.cpp' || echo './`dock_curves.cpp
mv -f .deps/synfigstudio-dock_curves.Tpo .deps/synfigstudio-dock_curves.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-dock_history.o -MD -MP -MF .deps/synfigstudio-dock_history.Tpo -c -o sy
nfigstudio-dock_history.o `test -f 'dock_history.cpp' || echo './`dock_history.

```

cpp

```
mv -f .deps/synfigstudio-dock_history.Tpo .deps/synfigstudio-dock_history.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-dock_info.o -MD -MP -MF .deps/synfigstudio-dock_info.Tpo -c -o synfigst
udio-dock_info.o `test -f 'dock_info.cpp' || echo './`dock_info.cpp
```

```
mv -f .deps/synfigstudio-dock_info.Tpo .deps/synfigstudio-dock_info.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-dock_keyframes.o -MD -MP -MF .deps/synfigstudio-dock_keyframes.Tpo -c -
o synfigstudio-dock_keyframes.o `test -f 'dock_keyframes.cpp' || echo './`dock_
keyframes.cpp
```

```
mv -f .deps/synfigstudio-dock_keyframes.Tpo .deps/synfigstudio-dock_keyframes.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
```

```

/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT="\
png\" "-DLOCALEDIR="/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-dock_layergroups.o -MD -MP -MF .deps/synfigstudio-dock_layergroups.Tpo
-c -o synfigstudio-dock_layergroups.o `test -f 'dock_layergroups.cpp' || echo '
/'`dock_layergroups.cpp
mv -f .deps/synfigstudio-dock_layergroups.Tpo .deps/synfigstudio-dock_layergroup
s.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT="\
png\" "-DLOCALEDIR="/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-dock_layers.o -MD -MP -MF .deps/synfigstudio-dock_layers.Tpo -c -o synf
igstudio-dock_layers.o `test -f 'dock_layers.cpp' || echo '/'`dock_layers.cpp
mv -f .deps/synfigstudio-dock_layers.Tpo .deps/synfigstudio-dock_layers.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl

```

```

ude/atkg-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"
png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \"-DNDEBUG -O2 -W -Wall -MT synf
igstudio-dock_metadata.o -MD -MP -MF .deps/synfigstudio-dock_metadata.Tpo -c -o
synfigstudio-dock_metadata.o `test -f 'dock_metadata.cpp' || echo './`dock_meta
data.cpp
mv -f .deps/synfigstudio-dock_metadata.Tpo .deps/synfigstudio-dock_metadata.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/gioimm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atkg-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"
png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \"-DNDEBUG -O2 -W -Wall -MT synf
igstudio-dock_navigator.o -MD -MP -MF .deps/synfigstudio-dock_navigator.Tpo -c -
o synfigstudio-dock_navigator.o `test -f 'dock_navigator.cpp' || echo './`dock_
navigator.cpp
mv -f .deps/synfigstudio-dock_navigator.Tpo .deps/synfigstudio-dock_navigator.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/gioimm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atkg-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"
png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \"-DNDEBUG -O2 -W -Wall -MT synf
igstudio-dock_params.o -MD -MP -MF .deps/synfigstudio-dock_params.Tpo -c -o synf
igstudio-dock_params.o `test -f 'dock_params.cpp' || echo './`dock_params.cpp
mv -f .deps/synfigstudio-dock_params.Tpo .deps/synfigstudio-dock_params.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li

```

```

b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-dock_timetrack.o -MD -MP -MF .deps/synfigstudio-dock_timetrack.Tpo -c -o synfigstudio-dock_timetrack.o `test -f 'dock_timetrack.cpp' || echo './`dock_timetrack.cpp
mv -f .deps/synfigstudio-dock_timetrack.Tpo .deps/synfigstudio-dock_timetrack.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-dockable.o -MD -MP -MF .deps/synfigstudio-dockable.Tpo -c -o synfigstudio-dockable.o `test -f 'dockable.cpp' || echo './`dockable.cpp
mv -f .deps/synfigstudio-dockable.Tpo .deps/synfigstudio-dockable.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/

```

```

include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-dockbook.o -MD -MP -MF .deps/synfigstudio-dockbook.Tpo -c -o synfigstud
io-dockbook.o `test -f 'dockbook.cpp' || echo './'`dockbook.cpp
mv -f .deps/synfigstudio-dockbook.Tpo .deps/synfigstudio-dockbook.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-dockdialog.o -MD -MP -MF .deps/synfigstudio-dockdialog.Tpo -c -o synfig
studio-dockdialog.o `test -f 'dockdialog.cpp' || echo './'`dockdialog.cpp
mv -f .deps/synfigstudio-dockdialog.Tpo .deps/synfigstudio-dockdialog.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-dockmanager.o -MD -MP -MF .deps/synfigstudio-dockmanager.Tpo -c -o synf
igstudio-dockmanager.o `test -f 'dockmanager.cpp' || echo './'`dockmanager.cpp
mv -f .deps/synfigstudio-dockmanager.Tpo .deps/synfigstudio-dockmanager.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op

```

```

t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-main.o -MD -MP -MF .deps/synfigstudio-main.Tpo -c -o synfigstudio-main.o `test -f 'main.cpp' || echo './`main.cpp
mv -f .deps/synfigstudio-main.Tpo .deps/synfigstudio-main.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-about.o -MD -MP -MF .deps/synfigstudio-about.Tpo -c -o synfigstudio-about.o `test -f 'about.cpp' || echo './`about.cpp
mv -f .deps/synfigstudio-about.Tpo .deps/synfigstudio-about.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/

```

```
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synfigstudio-adjust_window.o -MD -MP -MF .deps/synfigstudio-adjust_window.Tpo -c -o synfigstudio-adjust_window.o `test -f 'adjust_window.cpp' || echo './`adjust_window.cpp
```

```
mv -f .deps/synfigstudio-adjust_window.Tpo .deps/synfigstudio-adjust_window.Po  
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/giommm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synfigstudio-app.o -MD -MP -MF .deps/synfigstudio-app.Tpo -c -o synfigstudio-app.o `test -f 'app.cpp' || echo './`app.cpp
```

```
mv -f .deps/synfigstudio-app.Tpo .deps/synfigstudio-app.Po  
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/giommm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synfigstudio-asyncrenderer.o -MD -MP -MF .deps/synfigstudio-asyncrenderer.Tpo -c -o synfigstudio-asyncrenderer.o `test -f 'asyncrenderer.cpp' || echo './`asyncrenderer.cpp
```

```
mv -f .deps/synfigstudio-asyncrenderer.Tpo .deps/synfigstudio-asyncrenderer.Po
```



```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/  
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op  
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li  
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.  
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local  
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk  
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt  
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi  
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ  
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i  
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu  
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/  
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt  
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-  
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl  
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"  
png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synf  
igstudio-audiocontainer.o -MD -MP -MF .deps/synfigstudio-audiocontainer.Tpo -c -  
o synfigstudio-audiocontainer.o `test -f 'audiocontainer.cpp' || echo './`audio  
container.cpp
```

```
mv -f .deps/synfigstudio-audiocontainer.Tpo .deps/synfigstudio-audiocontainer.Po  
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/  
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op  
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li  
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.  
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local  
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk  
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt  
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi  
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ  
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i  
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu  
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/  
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt  
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-  
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl  
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"  
png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synf  
igstudio-autorecover.o -MD -MP -MF .deps/synfigstudio-autorecover.Tpo -c -o synf  
igstudio-autorecover.o `test -f 'autorecover.cpp' || echo './`autorecover.cpp  
mv -f .deps/synfigstudio-autorecover.Tpo .deps/synfigstudio-autorecover.Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/  
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op  
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li  
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.  
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local  
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk  
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt  
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi  
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
```

```
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
\"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \"-DNDEBUG -O2 -W -Wall -MT synf
igstudio-canvasoptions.o -MD -MP -MF .deps/synfigstudio-canvasoptions.Tpo -c -o
synfigstudio-canvasoptions.o `test -f 'canvasoptions.cpp' || echo './`canvasopt
ions.cpp
```

```
mv -f .deps/synfigstudio-canvasoptions.Tpo .deps/synfigstudio-canvasoptions.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
\"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \"-DNDEBUG -O2 -W -Wall -MT synf
igstudio-canvasproperties.o -MD -MP -MF .deps/synfigstudio-canvasproperties.Tpo
-c -o synfigstudio-canvasproperties.o `test -f 'canvasproperties.cpp' || echo './
`canvasproperties.cpp
```

```
mv -f .deps/synfigstudio-canvasproperties.Tpo .deps/synfigstudio-canvaspropertie
s.Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
```

```

"png\" "-DLOCALEDIR=\"/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synfigstudio-canvasview.o -MD -MP -MF .deps/synfigstudio-canvasview.Tpo -c -o synfigstudio-canvasview.o `test -f 'canvasview.cpp' || echo './`canvasview.cpp
mv -f .deps/synfigstudio-canvasview.Tpo .deps/synfigstudio-canvasview.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" "-DLOCALEDIR=\"/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synfigstudio-devicetracker.o -MD -MP -MF .deps/synfigstudio-devicetracker.Tpo -c -o synfigstudio-devicetracker.o `test -f 'devicetracker.cpp' || echo './`devicetracker.cpp
devicetracker.cpp: In member function 'void studio::DeviceTracker::save_preferences()':
devicetracker.cpp:94: warning: NULL used in arithmetic
devicetracker.cpp: In member function 'void studio::DeviceTracker::load_preferences()':
devicetracker.cpp:127: warning: NULL used in arithmetic
mv -f .deps/synfigstudio-devicetracker.Tpo .deps/synfigstudio-devicetracker.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" "-DLOCALEDIR=\"/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synfigstudio-dialogsettings.o -MD -MP -MF .deps/synfigstudio-dialogsettings.Tpo -c -o synfigstudio-dialogsettings.o `test -f 'dialogsettings.cpp' || echo './`dialo

```

gsettings.cpp

```
mv -f .deps/synfigstudio-dialogsettings.Tpo .deps/synfigstudio-dialogsettings.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-duckmatic.o -MD -MP -MF .deps/synfigstudio-duckmatic.Tpo -c -o synfigst
udio-duckmatic.o `test -f 'duckmatic.cpp' || echo './`duckmatic.cpp
```

```
mv -f .deps/synfigstudio-duckmatic.Tpo .deps/synfigstudio-duckmatic.Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-iconcontroller.o -MD -MP -MF .deps/synfigstudio-iconcontroller.Tpo -c -
o synfigstudio-iconcontroller.o `test -f 'iconcontroller.cpp' || echo './`iconc
ontroller.cpp
```

```
mv -f .deps/synfigstudio-iconcontroller.Tpo .deps/synfigstudio-iconcontroller.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
```

```

/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT="\
png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-instance.o -MD -MP -MF .deps/synfigstudio-instance.Tpo -c -o synfigstud
io-instance.o `test -f 'instance.cpp' || echo './`instance.cpp
mv -f .deps/synfigstudio-instance.Tpo .deps/synfigstudio-instance.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT="\
png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-ipc.o -MD -MP -MF .deps/synfigstudio-ipc.Tpo -c -o synfigstudio-ipc.o `
test -f 'ipc.cpp' || echo './`ipc.cpp
mv -f .deps/synfigstudio-ipc.Tpo .deps/synfigstudio-ipc.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT="\
png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf

```

```

igstudio-keymapsettings.o -MD -MP -MF .deps/synfigstudio-keymapsettings.Tpo -c -
o synfigstudio-keymapsettings.o `test -f 'keymapsettings.cpp' || echo './`keyma
psettings.cpp
mv -f .deps/synfigstudio-keymapsettings.Tpo .deps/synfigstudio-keymapsettings.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" "-DLOCALEDIR="/opt/synfig/share/locale\""-DNDEBUG -O2 -W -Wall -MT synf
igstudio-module.o -MD -MP -MF .deps/synfigstudio-module.Tpo -c -o synfigstudio-m
odule.o `test -f 'module.cpp' || echo './`module.cpp
mv -f .deps/synfigstudio-module.Tpo .deps/synfigstudio-module.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" "-DLOCALEDIR="/opt/synfig/share/locale\""-DNDEBUG -O2 -W -Wall -MT synf
igstudio-onemoment.o -MD -MP -MF .deps/synfigstudio-onemoment.Tpo -c -o synfigst
udio-onemoment.o `test -f 'onemoment.cpp' || echo './`onemoment.cpp
mv -f .deps/synfigstudio-onemoment.Tpo .deps/synfigstudio-onemoment.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk

```

```

mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT="\
png\" -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-preview.o -MD -MP -MF .deps/synfigstudio-preview.Tpo -c -o synfigstudio
-preview.o `test -f 'preview.cpp' || echo './`preview.cpp
mv -f .deps/synfigstudio-preview.Tpo .deps/synfigstudio-preview.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT="\
png\" -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-renddesc.o -MD -MP -MF .deps/synfigstudio-renddesc.Tpo -c -o synfigstud
io-renddesc.o `test -f 'renddesc.cpp' || echo './`renddesc.cpp
mv -f .deps/synfigstudio-renddesc.Tpo .deps/synfigstudio-renddesc.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT="\

```

```

"png\" "-DLOCALEDIR=\"/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synfigstudio-render.o -MD -MP -MF .deps/synfigstudio-render.Tpo -c -o synfigstudio-render.o `test -f 'render.cpp' || echo './'`render.cpp
mv -f .deps/synfigstudio-render.Tpo .deps/synfigstudio-render.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" "-DLOCALEDIR=\"/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synfigstudio-splash.o -MD -MP -MF .deps/synfigstudio-splash.Tpo -c -o synfigstudio-splash.o `test -f 'splash.cpp' || echo './'`splash.cpp
mv -f .deps/synfigstudio-splash.Tpo .deps/synfigstudio-splash.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" "-DLOCALEDIR=\"/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synfigstudio-statemanager.o -MD -MP -MF .deps/synfigstudio-statemanager.Tpo -c -o synfigstudio-statemanager.o `test -f 'statemanager.cpp' || echo './'`statemanager.cpp
mv -f .deps/synfigstudio-statemanager.Tpo .deps/synfigstudio-statemanager.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local

```



```

/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-toolbox.o -MD -MP -MF .deps/synfigstudio-toolbox.Tpo -c -o synfigstudio-toolbox.o `test -f 'toolbox.cpp' || echo './`toolbox.cpp
mv -f .deps/synfigstudio-toolbox.Tpo .deps/synfigstudio-toolbox.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-valuelink.o -MD -MP -MF .deps/synfigstudio-valuelink.Tpo -c -o synfigstudio-valuelink.o `test -f 'valuelink.cpp' || echo './`valuelink.cpp
mv -f .deps/synfigstudio-valuelink.Tpo .deps/synfigstudio-valuelink.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl

```

```

ude/atkg-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"
png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \"-DNDEBUG -O2 -W -Wall -MT synf
igstudio-workarea.o -MD -MP -MF .deps/synfigstudio-workarea.Tpo -c -o synfigstud
io-workarea.o `test -f 'workarea.cpp' || echo './`workarea.cpp
mv -f .deps/synfigstudio-workarea.Tpo .deps/synfigstudio-workarea.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt
/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atkg-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"
png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \"-DNDEBUG -O2 -W -Wall -MT synf
igstudio-zoomdial.o -MD -MP -MF .deps/synfigstudio-zoomdial.Tpo -c -o synfigstud
io-zoomdial.o `test -f 'zoomdial.cpp' || echo './`zoomdial.cpp
mv -f .deps/synfigstudio-zoomdial.Tpo .deps/synfigstudio-zoomdial.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt
/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atkg-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"
png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \"-DNDEBUG -O2 -W -Wall -MT synf
igstudio-framedial.o -MD -MP -MF .deps/synfigstudio-framedial.Tpo -c -o synfigst
udio-framedial.o `test -f 'framedial.cpp' || echo './`framedial.cpp
mv -f .deps/synfigstudio-framedial.Tpo .deps/synfigstudio-framedial.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt
/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local

```

```

/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-keyframedial.o -MD -MP -MF .deps/synfigstudio-keyframedial.Tpo -c -o synfigstudio-keyframedial.o `test -f 'keyframedial.cpp' || echo './`keyframedial.cpp
mv -f .deps/synfigstudio-keyframedial.Tpo .deps/synfigstudio-keyframedial.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-toggleducksdial.o -MD -MP -MF .deps/synfigstudio-toggleducksdial.Tpo -c -o synfigstudio-toggleducksdial.o `test -f 'toggleducksdial.cpp' || echo './`toggleducksdial.cpp
mv -f .deps/synfigstudio-toggleducksdial.Tpo .deps/synfigstudio-toggleducksdial.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/

```

```

include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synf
igstudio-resolutiondial.o -MD -MP -MF .deps/synfigstudio-resolutiondial.Tpo -c -
o synfigstudio-resolutiondial.o `test -f 'resolutiondial.cpp' || echo './`resol
utiondial.cpp
mv -f .deps/synfigstudio-resolutiondial.Tpo .deps/synfigstudio-resolutiondial.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synf
igstudio-duck.o -MD -MP -MF .deps/synfigstudio-duck.Tpo -c -o synfigstudio-duck.
o `test -f 'duck.cpp' || echo './`duck.cpp
mv -f .deps/synfigstudio-duck.Tpo .deps/synfigstudio-duck.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synf
igstudio-childrentree.o -MD -MP -MF .deps/synfigstudio-childrentree.Tpo -c -o sy
nfigstudio-childrentree.o `test -f 'childrentree.cpp' || echo './`childrentree.
cpp
mv -f .deps/synfigstudio-childrentree.Tpo .deps/synfigstudio-childrentree.Po

```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/  
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op  
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li  
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.  
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local  
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk  
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt  
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi  
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ  
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i  
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu  
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/  
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt  
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-  
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl  
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"  
png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synf  
igstudio-keyframetree.o -MD -MP -MF .deps/synfigstudio-keyframetree.Tpo -c -o sy  
nfigstudio-keyframetree.o `test -f 'keyframetree.cpp' || echo './'`keyframetree.  
cpp
```

```
mv -f .deps/synfigstudio-keyframetree.Tpo .deps/synfigstudio-keyframetree.Po  
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/  
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op  
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li  
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.  
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local  
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk  
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt  
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi  
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ  
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i  
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu  
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/  
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt  
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-  
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl  
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"  
png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synf  
igstudio-layergrouptree.o -MD -MP -MF .deps/synfigstudio-layergrouptree.Tpo -c -  
o synfigstudio-layergrouptree.o `test -f 'layergrouptree.cpp' || echo './'`layer  
grouptree.cpp
```

```
mv -f .deps/synfigstudio-layergrouptree.Tpo .deps/synfigstudio-layergrouptree.Po  
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/  
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op  
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li  
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.  
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local  
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk  
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt  
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
```

```

omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synf
igstudio-layertree.o -MD -MP -MF .deps/synfigstudio-layertree.Tpo -c -o synfigst
udio-layertree.o `test -f 'layertree.cpp' || echo './'`layertree.cpp
mv -f .deps/synfigstudio-layertree.Tpo .deps/synfigstudio-layertree.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synf
igstudio-canvastreestore.o -MD -MP -MF .deps/synfigstudio-canvastreestore.Tpo -c
-o synfigstudio-canvastreestore.o `test -f 'canvastreestore.cpp' || echo './'`c
anvastreestore.cpp
mv -f .deps/synfigstudio-canvastreestore.Tpo .deps/synfigstudio-canvastreestore.
Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\

```

```

"png\" "-DLOCALEDIR=\"/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synfigstudio-childrentreestore.o -MD -MP -MF .deps/synfigstudio-childrentreestore.Tpo -c -o synfigstudio-childrentreestore.o `test -f 'childrentreestore.cpp' || echo './'`childrentreestore.cpp
mv -f .deps/synfigstudio-childrentreestore.Tpo .deps/synfigstudio-childrentreestore.Po

g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" "-DLOCALEDIR=\"/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synfigstudio-historytreestore.o -MD -MP -MF .deps/synfigstudio-historytreestore.Tpo -c -o synfigstudio-historytreestore.o `test -f 'historytreestore.cpp' || echo './'`historytreestore.cpp
mv -f .deps/synfigstudio-historytreestore.Tpo .deps/synfigstudio-historytreestore.Po

g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" "-DLOCALEDIR=\"/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synfigstudio-keyframetreestore.o -MD -MP -MF .deps/synfigstudio-keyframetreestore.Tpo -c -o synfigstudio-keyframetreestore.o `test -f 'keyframetreestore.cpp' || echo './'`keyframetreestore.cpp
mv -f .deps/synfigstudio-keyframetreestore.Tpo .deps/synfigstudio-keyframetreestore.Po

```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/  
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op  
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li  
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.  
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local  
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk  
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt  
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi  
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ  
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i  
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu  
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/  
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt  
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-  
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl  
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"  
png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synf  
igstudio-layergrouptreestore.o -MD -MP -MF .deps/synfigstudio-layergrouptreestor  
e.Tpo -c -o synfigstudio-layergrouptreestore.o `test -f 'layergrouptreestore.cpp  
' || echo './`layergrouptreestore.cpp
```

```
mv -f .deps/synfigstudio-layergrouptreestore.Tpo .deps/synfigstudio-layergrouptre  
estore.Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/  
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op  
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li  
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.  
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local  
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk  
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt  
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi  
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ  
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i  
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu  
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/  
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt  
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-  
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl  
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"  
png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synf  
igstudio-layerparamtreestore.o -MD -MP -MF .deps/synfigstudio-layerparamtreestor  
e.Tpo -c -o synfigstudio-layerparamtreestore.o `test -f 'layerparamtreestore.cpp  
' || echo './`layerparamtreestore.cpp
```

```
mv -f .deps/synfigstudio-layerparamtreestore.Tpo .deps/synfigstudio-layerparamtr  
eestore.Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/  
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op  
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li  
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.  
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local  
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
```



```
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=
\"png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-layertreestore.o -MD -MP -MF .deps/synfigstudio-layertreestore.Tpo -c -
o synfigstudio-layertreestore.o `test -f 'layertreestore.cpp' || echo './`layer
treestore.cpp
```

```
mv -f .deps/synfigstudio-layertreestore.Tpo .deps/synfigstudio-layertreestore.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=
\"png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-metadatatreestore.o -MD -MP -MF .deps/synfigstudio-metadatatreestore.Tp
o -c -o synfigstudio-metadatatreestore.o `test -f 'metadatatreestore.cpp' || ech
o './`metadatatreestore.cpp
```

```
mv -f .deps/synfigstudio-metadatatreestore.Tpo .deps/synfigstudio-metadatatreest
ore.Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
```

```

/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-state_bline.o -MD -MP -MF .deps/synfigstudio-state_bline.Tpo -c -o synf
igstudio-state_bline.o `test -f 'state_bline.cpp' || echo './`state_bline.cpp
mv -f .deps/synfigstudio-state_bline.Tpo .deps/synfigstudio-state_bline.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-state_circle.o -MD -MP -MF .deps/synfigstudio-state_circle.Tpo -c -o sy
nfigstudio-state_circle.o `test -f 'state_circle.cpp' || echo './`state_circle.
cpp
mv -f .deps/synfigstudio-state_circle.Tpo .deps/synfigstudio-state_circle.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-state_draw.o -MD -MP -MF .deps/synfigstudio-state_draw.Tpo -c -o synfig
studio-state_draw.o `test -f 'state_draw.cpp' || echo './`state_draw.cpp
mv -f .deps/synfigstudio-state_draw.Tpo .deps/synfigstudio-state_draw.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op

```

```
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\".png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synfigstudio-state_eyedrop.o -MD -MP -MF .deps/synfigstudio-state_eyedrop.Tpo -c -o synfigstudio-state_eyedrop.o `test -f 'state_eyedrop.cpp' || echo './`state_eyedrop.cpp
```

```
mv -f .deps/synfigstudio-state_eyedrop.Tpo .deps/synfigstudio-state_eyedrop.Po g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\".png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synfigstudio-state_fill.o -MD -MP -MF .deps/synfigstudio-state_fill.Tpo -c -o synfigstudio-state_fill.o `test -f 'state_fill.cpp' || echo './`state_fill.cpp
```

```
mv -f .deps/synfigstudio-state_fill.Tpo .deps/synfigstudio-state_fill.Po g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
```

```

de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-state_gradient.o -MD -MP -MF .deps/synfigstudio-state_gradient.Tpo -c -
o synfigstudio-state_gradient.o `test -f 'state_gradient.cpp' || echo './`state
_gradient.cpp
mv -f .deps/synfigstudio-state_gradient.Tpo .deps/synfigstudio-state_gradient.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-state_normal.o -MD -MP -MF .deps/synfigstudio-state_normal.Tpo -c -o sy
nfigstudio-state_normal.o `test -f 'state_normal.cpp' || echo './`state_normal.
cpp
mv -f .deps/synfigstudio-state_normal.Tpo .deps/synfigstudio-state_normal.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-state_polygon.o -MD -MP -MF .deps/synfigstudio-state_polygon.Tpo -c -o
synfigstudio-state_polygon.o `test -f 'state_polygon.cpp' || echo './`state_pol

```

ygon.cpp

```
mv -f .deps/synfigstudio-state_polygon.Tpo .deps/synfigstudio-state_polygon.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=
\"png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-state_rectangle.o -MD -MP -MF .deps/synfigstudio-state_rectangle.Tpo -c
-o synfigstudio-state_rectangle.o `test -f 'state_rectangle.cpp' || echo './`s
tate_rectangle.cpp
```

```
mv -f .deps/synfigstudio-state_rectangle.Tpo .deps/synfigstudio-state_rectangle.
Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=
\"png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-state_rotate.o -MD -MP -MF .deps/synfigstudio-state_rotate.Tpo -c -o sy
nfigstudio-state_rotate.o `test -f 'state_rotate.cpp' || echo './`state_rotate.
cpp
```

```
mv -f .deps/synfigstudio-state_rotate.Tpo .deps/synfigstudio-state_rotate.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
```

```

/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-state_scale.o -MD -MP -MF .deps/synfigstudio-state_scale.Tpo -c -o synfigstudio-state_scale.o `test -f 'state_scale.cpp' || echo './'`state_scale.cpp
mv -f .deps/synfigstudio-state_scale.Tpo .deps/synfigstudio-state_scale.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-state_sketch.o -MD -MP -MF .deps/synfigstudio-state_sketch.Tpo -c -o synfigstudio-state_sketch.o `test -f 'state_sketch.cpp' || echo './'`state_sketch.cpp
mv -f .deps/synfigstudio-state_sketch.Tpo .deps/synfigstudio-state_sketch.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-

```

```

1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synfigstudio-state_smoothmove.o -MD -MP -MF .deps/synfigstudio-state_smoothmove.Tpo -c -o synfigstudio-state_smoothmove.o `test -f 'state_smoothmove.cpp' || echo './`state_smoothmove.cpp
mv -f .deps/synfigstudio-state_smoothmove.Tpo .deps/synfigstudio-state_smoothmove.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synfigstudio-state_star.o -MD -MP -MF .deps/synfigstudio-state_star.Tpo -c -o synfigstudio-state_star.o `test -f 'state_star.cpp' || echo './`state_star.cpp
mv -f .deps/synfigstudio-state_star.Tpo .deps/synfigstudio-state_star.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synfigstudio-state_stroke.o -MD -MP -MF .deps/synfigstudio-state_stroke.Tpo -c -o synfigstudio-state_stroke.o `test -f 'state_stroke.cpp' || echo './`state_stroke.cpp
mv -f .deps/synfigstudio-state_stroke.Tpo .deps/synfigstudio-state_stroke.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/

```

```
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-state_text.o -MD -MP -MF .deps/synfigstudio-state_text.Tpo -c -o synfigstudio-state_text.o `test -f 'state_text.cpp' || echo './`state_text.cpp`mv -f .deps/synfigstudio-state_text.Tpo .deps/synfigstudio-state_text.Po`g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-state_width.o -MD -MP -MF .deps/synfigstudio-state_width.Tpo -c -o synfigstudio-state_width.o `test -f 'state_width.cpp' || echo './`state_width.cpp`mv -f .deps/synfigstudio-state_width.Tpo .deps/synfigstudio-state_width.Po`g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
```



```

de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT="\
png\" -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-state_zoom.o -MD -MP -MF .deps/synfigstudio-state_zoom.Tpo -c -o synfig
studio-state_zoom.o `test -f 'state_zoom.cpp' || echo './`state_zoom.cpp
mv -f .deps/synfigstudio-state_zoom.Tpo .deps/synfigstudio-state_zoom.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT="\
png\" -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-widget_canvaschooser.o -MD -MP -MF .deps/synfigstudio-widget_canvaschoo
ser.Tpo -c -o synfigstudio-widget_canvaschooser.o `test -f 'widget_canvaschooser
.cpp' || echo './`widget_canvaschooser.cpp
mv -f .deps/synfigstudio-widget_canvaschooser.Tpo .deps/synfigstudio-widget_canv
aschooser.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT="\
png\" -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-widget_color.o -MD -MP -MF .deps/synfigstudio-widget_color.Tpo -c -o sy
nfigstudio-widget_color.o `test -f 'widget_color.cpp' || echo './`widget_color.

```

cpp

```
mv -f .deps/synfigstudio-widget_color.Tpo .deps/synfigstudio-widget_color.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
"png\" \" -DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-widget_coloredit.o -MD -MP -MF .deps/synfigstudio-widget_coloredit.Tpo
-c -o synfigstudio-widget_coloredit.o `test -f 'widget_coloredit.cpp' || echo '.
/'`widget_coloredit.cpp
```

```
mv -f .deps/synfigstudio-widget_coloredit.Tpo .deps/synfigstudio-widget_coloredi
t.Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
"png\" \" -DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-widget_compselect.o -MD -MP -MF .deps/synfigstudio-widget_compselect.Tp
o -c -o synfigstudio-widget_compselect.o `test -f 'widget_compselect.cpp' || ech
o './`widget_compselect.cpp
```

```
mv -f .deps/synfigstudio-widget_compselect.Tpo .deps/synfigstudio-widget_compsel
ect.Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
```

```
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=".png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synfigstudio-widget_curves.o -MD -MP -MF .deps/synfigstudio-widget_curves.Tpo -c -o synfigstudio-widget_curves.o `test -f 'widget_curves.cpp' || echo './`widget_curves.cpp
```

```
mv -f .deps/synfigstudio-widget_curves.Tpo .deps/synfigstudio-widget_curves.Po  
g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=".png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synfigstudio-widget_defaults.o -MD -MP -MF .deps/synfigstudio-widget_defaults.Tpo -c -o synfigstudio-widget_defaults.o `test -f 'widget_defaults.cpp' || echo './`widget_defaults.cpp
```

```
mv -f .deps/synfigstudio-widget_defaults.Tpo .deps/synfigstudio-widget_defaults.Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
```

```
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-widget_distance.o -MD -MP -MF .deps/synfigstudio-widget_distance.Tpo -c
-o synfigstudio-widget_distance.o `test -f 'widget_distance.cpp' || echo './`w
idget_distance.cpp
```

```
mv -f .deps/synfigstudio-widget_distance.Tpo .deps/synfigstudio-widget_distance.
Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-widget_enum.o -MD -MP -MF .deps/synfigstudio-widget_enum.Tpo -c -o synf
igstudio-widget_enum.o `test -f 'widget_enum.cpp' || echo './`widget_enum.cpp
```

```
mv -f .deps/synfigstudio-widget_enum.Tpo .deps/synfigstudio-widget_enum.Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-widget_filename.o -MD -MP -MF .deps/synfigstudio-widget_filename.Tpo -c
-o synfigstudio-widget_filename.o `test -f 'widget_filename.cpp' || echo './`w
```

idget_filename.cpp

```
mv -f .deps/synfigstudio-widget_filename.Tpo .deps/synfigstudio-widget_filename.  
Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/  
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op  
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li  
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.  
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local  
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk  
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt  
/local/lib/glibmm-2.4/include -I/opt/local/include/gio-2.4 -I/opt/local/lib/gi  
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ  
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i  
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu  
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/  
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt  
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-  
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl  
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"  
png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf  
igstudio-widget_gradient.o -MD -MP -MF .deps/synfigstudio-widget_gradient.Tpo -c  
-o synfigstudio-widget_gradient.o `test -f 'widget_gradient.cpp' || echo './`w  
idget_gradient.cpp
```

```
mv -f .deps/synfigstudio-widget_gradient.Tpo .deps/synfigstudio-widget_gradient.  
Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/  
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op  
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li  
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.  
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local  
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk  
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt  
/local/lib/glibmm-2.4/include -I/opt/local/include/gio-2.4 -I/opt/local/lib/gi  
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ  
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i  
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu  
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/  
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt  
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-  
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl  
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"  
png\" -DLOCALEDIR=\"/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf  
igstudio-widget_sound.o -MD -MP -MF .deps/synfigstudio-widget_sound.Tpo -c -o sy  
nfigstudio-widget_sound.o `test -f 'widget_sound.cpp' || echo './`widget_sound.  
cpp
```

```
mv -f .deps/synfigstudio-widget_sound.Tpo .deps/synfigstudio-widget_sound.Po
```

```
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/  
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op  
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li  
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
```

```
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synf
igstudio-widget_time.o -MD -MP -MF .deps/synfigstudio-widget_time.Tpo -c -o synf
igstudio-widget_time.o `test -f 'widget_time.cpp' || echo './`widget_time.cpp
mv -f .deps/synfigstudio-widget_time.Tpo .deps/synfigstudio-widget_time.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DDEBUG -O2 -W -Wall -MT synf
igstudio-widget_timeslider.o -MD -MP -MF .deps/synfigstudio-widget_timeslider.Tp
o -c -o synfigstudio-widget_timeslider.o `test -f 'widget_timeslider.cpp' || ech
o './`widget_timeslider.cpp
mv -f .deps/synfigstudio-widget_timeslider.Tpo .deps/synfigstudio-widget_timesli
der.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
```

```
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-widget_value.o -MD -MP -MF .deps/synfigstudio-widget_value.Tpo -c -o sy
nfigstudio-widget_value.o `test -f 'widget_value.cpp' || echo './`widget_value.
cpp
```

```
mv -f .deps/synfigstudio-widget_value.Tpo .deps/synfigstudio-widget_value.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-widget_vector.o -MD -MP -MF .deps/synfigstudio-widget_vector.Tpo -c -o
synfigstudio-widget_vector.o `test -f 'widget_vector.cpp' || echo './`widget_ve
ctor.cpp
```

```
mv -f .deps/synfigstudio-widget_vector.Tpo .deps/synfigstudio-widget_vector.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-widget_waypoint.o -MD -MP -MF .deps/synfigstudio-widget_waypoint.Tpo -c
-o synfigstudio-widget_waypoint.o `test -f 'widget_waypoint.cpp' || echo './`w
idget_waypoint.cpp
```

```

mv -f .deps/synfigstudio-widget_waypoint.Tpo .deps/synfigstudio-widget_waypoint.
Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT="\
png\" -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-widget_waypointmodel.o -MD -MP -MF .deps/synfigstudio-widget_waypointmo
del.Tpo -c -o synfigstudio-widget_waypointmodel.o `test -f 'widget_waypointmodel
.cpp' || echo './'`widget_waypointmodel.cpp
mv -f .deps/synfigstudio-widget_waypointmodel.Tpo .deps/synfigstudio-widget_wayp
ointmodel.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT="\
png\" -DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-widget_keyframe_list.o -MD -MP -MF .deps/synfigstudio-widget_keyframe_l
ist.Tpo -c -o synfigstudio-widget_keyframe_list.o `test -f 'widget_keyframe_list
.cpp' || echo './'`widget_keyframe_list.cpp
mv -f .deps/synfigstudio-widget_keyframe_list.Tpo .deps/synfigstudio-widget_keyf
rame_list.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../../src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.

```



```

4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-cellrenderer_gradient.o -MD -MP -MF .deps/synfigstudio-cellrenderer_gra
dient.Tpo -c -o synfigstudio-cellrenderer_gradient.o `test -f 'cellrenderer_grad
ient.cpp' || echo './`cellrenderer_gradient.cpp
mv -f .deps/synfigstudio-cellrenderer_gradient.Tpo .deps/synfigstudio-cellrender
er_gradient.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-cellrenderer_time.o -MD -MP -MF .deps/synfigstudio-cellrenderer_time.Tp
o -c -o synfigstudio-cellrenderer_time.o `test -f 'cellrenderer_time.cpp' || ech
o './`cellrenderer_time.cpp
mv -f .deps/synfigstudio-cellrenderer_time.Tpo .deps/synfigstudio-cellrenderer_t
ime.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i

```

```

include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
\"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \"-DNDEBUG -O2 -W -Wall -MT synf
igstudio-cellrendererer_timetrack.o -MD -MP -MF .deps/synfigstudio-cellrendererer_ti
metrack.Tpo -c -o synfigstudio-cellrendererer_timetrack.o `test -f 'cellrendererer_t
imetrack.cpp' || echo './`cellrendererer_timetrack.cpp
mv -f .deps/synfigstudio-cellrendererer_timetrack.Tpo .deps/synfigstudio-cellrende
rer_timetrack.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\
\"png\" \"-DLOCALEDIR=\"/opt/synfig/share/locale\" \"-DNDEBUG -O2 -W -Wall -MT synf
igstudio-cellrendererer_value.o -MD -MP -MF .deps/synfigstudio-cellrendererer_value.
Tpo -c -o synfigstudio-cellrendererer_value.o `test -f 'cellrendererer_value.cpp' ||
echo './`cellrendererer_value.cpp
mv -f .deps/synfigstudio-cellrendererer_value.Tpo .deps/synfigstudio-cellrendererer_
value.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giommm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\\

```

```

"png\" "-DLOCALEDIR=\"/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synfigstudio-dialog_color.o -MD -MP -MF .deps/synfigstudio-dialog_color.Tpo -c -o synfigstudio-dialog_color.o `test -f 'dialog_color.cpp' || echo './`dialog_color.cpp
mv -f .deps/synfigstudio-dialog_color.Tpo .deps/synfigstudio-dialog_color.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" "-DLOCALEDIR=\"/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synfigstudio-dialog_gradient.o -MD -MP -MF .deps/synfigstudio-dialog_gradient.Tpo -c -o synfigstudio-dialog_gradient.o `test -f 'dialog_gradient.cpp' || echo './`dialog_gradient.cpp
mv -f .deps/synfigstudio-dialog_gradient.Tpo .deps/synfigstudio-dialog_gradient.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR=\"/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\"png\" "-DLOCALEDIR=\"/opt/synfig/share/locale\""" -DNDEBUG -O2 -W -Wall -MT synfigstudio-dialog_keyframe.o -MD -MP -MF .deps/synfigstudio-dialog_keyframe.Tpo -c -o synfigstudio-dialog_keyframe.o `test -f 'dialog_keyframe.cpp' || echo './`dialog_keyframe.cpp
mv -f .deps/synfigstudio-dialog_keyframe.Tpo .deps/synfigstudio-dialog_keyframe.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/

```

```
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-dialog_preview.o -MD -MP -MF .deps/synfigstudio-dialog_preview.Tpo -c -o synfigstudio-dialog_preview.o `test -f 'dialog_preview.cpp' || echo './`dialog_preview.cpp
```

```
mv -f .deps/synfigstudio-dialog_preview.Tpo .deps/synfigstudio-dialog_preview.Po g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio/" -DIMAGE_EXT=".png" "-DLOCALEDIR="/opt/synfig/share/locale/" -DNDEBUG -O2 -W -Wall -MT synfigstudio-dialog_setup.o -MD -MP -MF .deps/synfigstudio-dialog_setup.Tpo -c -o synfigstudio-dialog_setup.o `test -f 'dialog_setup.cpp' || echo './`dialog_setup.cpp
```

```
mv -f .deps/synfigstudio-dialog_setup.Tpo .deps/synfigstudio-dialog_setup.Po g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
```

```

e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-dialog_soundselect.o -MD -MP -MF .deps/synfigstudio-dialog_soundselect.
Tpo -c -o synfigstudio-dialog_soundselect.o `test -f 'dialog_soundselect.cpp' ||
echo './`dialog_soundselect.cpp
mv -f .deps/synfigstudio-dialog_soundselect.Tpo .deps/synfigstudio-dialog_sounds
elect.Po
g++ -DHAVE_CONFIG_H -I. -I../.. -I../..src -I/opt/local/include -I/opt/synfig/
include/synfig-0.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/op
t/local/lib/libxml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/li
b/sigc++-2.0/include -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.
4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local
/lib/glib-2.0/include -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtk
mm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt
/local/lib/glibmm-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/gi
omm-2.4/include -I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/includ
e -I/opt/local/include/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/i
nclude/gtk-2.0 -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inclu
de -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/
include -I/opt/local/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt
/local/include/pango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-
1 -I/opt/local/include/freetype2 -I/opt/local/include/libpng12 -I/opt/local/incl
ude/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=\
"png\" -DLOCALEDIR="/opt/synfig/share/locale\" -DNDEBUG -O2 -W -Wall -MT synf
igstudio-dialog_waypoint.o -MD -MP -MF .deps/synfigstudio-dialog_waypoint.Tpo -c
-o synfigstudio-dialog_waypoint.o `test -f 'dialog_waypoint.cpp' || echo './`d
ialog_waypoint.cpp
mv -f .deps/synfigstudio-dialog_waypoint.Tpo .deps/synfigstudio-dialog_waypoint.
Po
/bin/sh ../../libtool --tag=CXX --mode=link g++ -I/opt/synfig/include/synfig-0
.0 -I/opt/synfig/include -I/opt/local/include/libxml++-2.6 -I/opt/local/lib/libx
ml++-2.6/include -I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/inc
lude -I/opt/local/include/libxml2 -I/opt/local/include/glibmm-2.4 -I/opt/local/l
ib/glibmm-2.4/include -I/opt/local/include/glib-2.0 -I/opt/local/lib/glib-2.0/in
clude -I/opt/local/include -D_REENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/lo
cal/lib/gtkmm-2.4/include -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibm
m-2.4/include -I/opt/local/include/giomm-2.4 -I/opt/local/lib/giomm-2.4/include
-I/opt/local/include/gdkmm-2.4 -I/opt/local/lib/gdkmm-2.4/include -I/opt/local/i
nclude/pangomm-1.4 -I/opt/local/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -
I/opt/local/include/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/
include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -I/opt/l
ocal/lib/gtk-2.0/include -I/opt/local/include/cairomm-1.0 -I/opt/local/include/p
ango-1.0 -I/opt/local/include/cairo -I/opt/local/include/pixman-1 -I/opt/local/i
nclude/freetype2 -I/opt/local/include/libpng12 -I/opt/local/include/atk-1.0 -DIM

```

```
AGE_DIR="/opt/synfig/share/pixmaps/synfigstudio\" -DIMAGE_EXT=".png\" \"-DLOCALE
DIR="/opt/synfig/share/locale\"\" -DNDEBUG -O2 -W -Wall -dlopen self -L/opt/loca
l/lib -o synfigstudio synfigstudio-mod_mirror.o synfigstudio-state_mirror.o syn
figstudio-dock_palbrowser.o synfigstudio-dock_paledit.o synfigstudio-mod_palette.
o synfigstudio-renderer_bbox.o synfigstudio-renderer_canvas.o synfigstudio-rend
erer_dragbox.o synfigstudio-renderer_ducks.o synfigstudio-renderer_grid.o synfig
studio-renderer_guides.o synfigstudio-renderer_timecode.o synfigstudio-workarear
enderer.o synfigstudio-groupactionmanager.o synfigstudio-keyframeactionmanager
.o synfigstudio-layeractionmanager.o synfigstudio-dialog_tooloptions.o synfigst
udio-dock_canvases.o synfigstudio-dock_canvasspecific.o synfigstudio-dock_childr
en.o synfigstudio-dock_curves.o synfigstudio-dock_history.o synfigstudio-dock_in
fo.o synfigstudio-dock_keyframes.o synfigstudio-dock_layergroups.o synfigstudio-
dock_layers.o synfigstudio-dock_metadata.o synfigstudio-dock_navigator.o synfigs
tudio-dock_params.o synfigstudio-dock_timetrack.o synfigstudio-dockable.o synfig
studio-dockbook.o synfigstudio-dockdialog.o synfigstudio-dockmanager.o synfigst
udio-main.o synfigstudio-about.o synfigstudio-adjust_window.o synfigstudio-app.o
synfigstudio-asyncrenderer.o synfigstudio-audiocontainer.o synfigstudio-autorec
over.o synfigstudio-canvasoptions.o synfigstudio-canvasproperties.o synfigstudio
-canvasview.o synfigstudio-devicetracker.o synfigstudio-dialogsettings.o synfigs
tudio-duckmatic.o synfigstudio-iconcontroller.o synfigstudio-instance.o synfigst
udio-ipc.o synfigstudio-keymapsettings.o synfigstudio-module.o synfigstudio-onem
oment.o synfigstudio-preview.o synfigstudio-renddesc.o synfigstudio-render.o syn
figstudio-splash.o synfigstudio-statemanager.o synfigstudio-toolbox.o synfigstud
io-valuelink.o synfigstudio-workarea.o synfigstudio-zoomdial.o synfigstudio-fram
edial.o synfigstudio-keyframedial.o synfigstudio-toggleducksdial.o synfigstudio-
resolutiondial.o synfigstudio-duck.o synfigstudio-childrentree.o synfigstudio
-keyframetree.o synfigstudio-layergrouptree.o synfigstudio-layertree.o synfigst
udio-canstreestore.o synfigstudio-childrentreestore.o synfigstudio-historytree
store.o synfigstudio-keyframetreestore.o synfigstudio-layergrouptreestore.o synf
igstudio-layerparamtreestore.o synfigstudio-layertreestore.o synfigstudio-metada
tatreestore.o synfigstudio-state_bline.o synfigstudio-state_circle.o synfigstudi
o-state_draw.o synfigstudio-state_eyedrop.o synfigstudio-state_fill.o synfigstud
io-state_gradient.o synfigstudio-state_normal.o synfigstudio-state_polygon.o syn
figstudio-state_rectangle.o synfigstudio-state_rotate.o synfigstudio-state_scale
.o synfigstudio-state_sketch.o synfigstudio-state_smoothmove.o synfigstudio-stat
e_star.o synfigstudio-state_stroke.o synfigstudio-state_text.o synfigstudio-stat
e_width.o synfigstudio-state_zoom.o synfigstudio-widget_canvaschooser.o synfigs
tudio-widget_color.o synfigstudio-widget_coloredit.o synfigstudio-widget_compsel
ect.o synfigstudio-widget_curves.o synfigstudio-widget_defaults.o synfigstudio-w
idget_distance.o synfigstudio-widget_enum.o synfigstudio-widget_filename.o synfi
gstudio-widget_gradient.o synfigstudio-widget_sound.o synfigstudio-widget_time.o
synfigstudio-widget_timeslider.o synfigstudio-widget_value.o synfigstudio-widge
t_vector.o synfigstudio-widget_waypoint.o synfigstudio-widget_waypointmodel.o sy
nfigstudio-widget_keyframe_list.o synfigstudio-cellrenderer_gradient.o synfigs
tudio-cellrenderer_time.o synfigstudio-cellrenderer_timetrack.o synfigstudio-cel
lrenderer_value.o synfigstudio-dialog_color.o synfigstudio-dialog_gradient.o sy
nfigstudio-dialog_keyframe.o synfigstudio-dialog_preview.o synfigstudio-dialog_s
etup.o synfigstudio-dialog_soundselect.o synfigstudio-dialog_waypoint.o ../synfi
gapp/libsynfigapp.la -L/opt/synfig/lib -L/opt/local/lib -lsynfig -lxml++-2.6 -lx
ml2 -lz -lm -lglibmm-2.4 -lgobject-2.0 -lglib-2.0 -lintl -liconv -lpthread -lsig
```

```

c-2.0 -L/opt/local/lib -lgtkmm-2.4 -lgiomm-2.4 -lgdkmm-2.4 -latkmm-1.6 -lgtk-x11
-2.0 -lpangomm-1.4 -lcaiomm-1.0 -lglibmm-2.4 -lsigc-2.0 -lgdk-x11-2.0 -latk-1.0
-lgdk_pixbuf-2.0 -lpangocairo-1.0 -lgio-2.0 -lXinerama -lXi -lXrandr -lXcursor
-lXcomposite -lXdamage -lpangoft2-1.0 -lXext -lXfixes -lcairo -lpixman-1 -lpng12
-lXrender -lX11 -lXau -lXdmc -lpango-1.0 -lm -lfontconfig -lexpat -lfreetype -
lz -lobject-2.0 -lmodule-2.0 -lthread-2.0 -lglib-2.0 -lintl -liconv
libtool: link: rm -f .libs/synfigstudio.nm .libs/synfigstudio.nmS .libs/synfigst
udio.nmT
libtool: link: (cd .libs && gcc -DNDEBUG -O2 -c -fno-builtin "synfigstudioS.c")
libtool: link: rm -f ".libs/synfigstudioS.c" ".libs/synfigstudio.nm" ".libs/synf
igstudio.nmS" ".libs/synfigstudio.nmT"
libtool: link: g++ -I/opt/synfig/include/synfig-0.0 -I/opt/synfig/include -I/opt
/local/include/libxml++-2.6 -I/opt/local/lib/libxml++-2.6/include -I/opt/local/i
nclude/sigc++-2.0 -I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/libxm
l2 -I/opt/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/lo
cal/include/glib-2.0 -I/opt/local/lib/glib-2.0/include -I/opt/local/include -D_R
EENTRANT -I/opt/local/include/gtkmm-2.4 -I/opt/local/lib/gtkmm-2.4/include -I/op
t/local/include/glibmm-2.4 -I/opt/local/lib/glibmm-2.4/include -I/opt/local/incl
ude/giomm-2.4 -I/opt/local/lib/giomm-2.4/include -I/opt/local/include/gdkmm-2.4
-I/opt/local/lib/gdkmm-2.4/include -I/opt/local/include/pangomm-1.4 -I/opt/local
/include/atkmm-1.6 -I/opt/local/include/gtk-2.0 -I/opt/local/include/sigc++-2.0
-I/opt/local/lib/sigc++-2.0/include -I/opt/local/include/glib-2.0 -I/opt/local/l
ib/glib-2.0/include -I/opt/local/include -I/opt/local/lib/gtk-2.0/include -I/opt
/local/include/caiomm-1.0 -I/opt/local/include/pango-1.0 -I/opt/local/include/c
airo -I/opt/local/include/pixman-1 -I/opt/local/include/freetype2 -I/opt/local/i
nclude/libpng12 -I/opt/local/include/atk-1.0 -DIMAGE_DIR="/opt/synfig/share/pix
maps/synfigstudio\" -DIMAGE_EXT=".png\" -DLOCALEDIR="/opt/synfig/share/locale\"
-DNDEBUG -O2 -W -Wall .libs/synfigstudioS.o -o .libs/synfigstudio synfigstudio-
mod_mirror.o synfigstudio-state_mirror.o synfigstudio-dock_palbrowser.o synfigstu
dio-dock_paledit.o synfigstudio-mod_palette.o synfigstudio-renderer_bbox.o synfi
gstudio-renderer_canvas.o synfigstudio-renderer_dragbox.o synfigstudio-renderer_
ducks.o synfigstudio-renderer_grid.o synfigstudio-renderer_guides.o synfigstudio
-renderer_timecode.o synfigstudio-workarea-renderer.o synfigstudio-groupactionman
ager.o synfigstudio-keyframeactionmanager.o synfigstudio-layeractionmanager.o sy
nfigstudio-dialog_tooloptions.o synfigstudio-dock_canvases.o synfigstudio-dock_c
anvasspecific.o synfigstudio-dock_children.o synfigstudio-dock_curves.o synfigst
udio-dock_history.o synfigstudio-dock_info.o synfigstudio-dock_keyframes.o synfi
gstudio-dock_layergroups.o synfigstudio-dock_layers.o synfigstudio-dock_metadata
.o synfigstudio-dock_navigator.o synfigstudio-dock_params.o synfigstudio-dock_ti
metrack.o synfigstudio-dockable.o synfigstudio-dockbook.o synfigstudio-dockdialo
g.o synfigstudio-dockmanager.o synfigstudio-main.o synfigstudio-about.o synfigst
udio-adjust_window.o synfigstudio-app.o synfigstudio-asyncrenderer.o synfigstudi
o-audiocontainer.o synfigstudio-autorecover.o synfigstudio-canvasoptions.o synfi
gstudio-canvasproperties.o synfigstudio-canvasview.o synfigstudio-devicetracker.
o synfigstudio-dialogsettings.o synfigstudio-duckmatic.o synfigstudio-iconcontro
ller.o synfigstudio-instance.o synfigstudio-ipc.o synfigstudio-keymapsettings.o
synfigstudio-module.o synfigstudio-onemoment.o synfigstudio-preview.o synfigstud
io-renddesc.o synfigstudio-render.o synfigstudio-splash.o synfigstudio-statemana
ger.o synfigstudio-toolbox.o synfigstudio-valuelink.o synfigstudio-workarea.o sy
nfigstudio-zoomdial.o synfigstudio-framedial.o synfigstudio-keyframedial.o synfi

```

gstudio-toggleducksdial.o synfigstudio-resolutiondial.o synfigstudio-duck.o synfigstudio-childrentree.o synfigstudio-keyframetree.o synfigstudio-layergrouptree.o synfigstudio-layertree.o synfigstudio-canvastreestore.o synfigstudio-childrentreestore.o synfigstudio-historytreestore.o synfigstudio-keyframetreestore.o synfigstudio-layergrouptreestore.o synfigstudio-layerparamtreestore.o synfigstudio-layertreestore.o synfigstudio-metadatatreestore.o synfigstudio-state_bline.o synfigstudio-state_circle.o synfigstudio-state_draw.o synfigstudio-state_eyedrop.o synfigstudio-state_fill.o synfigstudio-state_gradient.o synfigstudio-state_normal.o synfigstudio-state_polygon.o synfigstudio-state_rectangle.o synfigstudio-state_rotate.o synfigstudio-state_scale.o synfigstudio-state_sketch.o synfigstudio-state_smoothmove.o synfigstudio-state_star.o synfigstudio-state_stroke.o synfigstudio-state_text.o synfigstudio-state_width.o synfigstudio-state_zoom.o synfigstudio-widget_canvaschooser.o synfigstudio-widget_color.o synfigstudio-widget_color_edit.o synfigstudio-widget_compselect.o synfigstudio-widget_curves.o synfigstudio-widget_defaults.o synfigstudio-widget_distance.o synfigstudio-widget_enum.o synfigstudio-widget_filename.o synfigstudio-widget_gradient.o synfigstudio-widget_sound.o synfigstudio-widget_time.o synfigstudio-widget_timeslider.o synfigstudio-widget_value.o synfigstudio-widget_vector.o synfigstudio-widget_waypoint.o synfigstudio-widget_waypointmodel.o synfigstudio-widget_keyframe_list.o synfigstudio-cellrenderer_gradient.o synfigstudio-cellrenderer_time.o synfigstudio-cellrenderer_timetrack.o synfigstudio-cellrenderer_value.o synfigstudio-dialog_color.o synfigstudio-dialog_gradient.o synfigstudio-dialog_keyframe.o synfigstudio-dialog_preview.o synfigstudio-dialog_setup.o synfigstudio-dialog_soundselect.o synfigstudio-dialog_waypoint.o -Wl,-bind_at_load -L/opt/local/lib ../synfigapp/.libs/libsynfigapp.dylib -L/opt/synfig/lib /opt/synfig/lib/libsynfig.dylib /opt/local/lib/libltdl.dylib /opt/local/lib/libxml++-2.6.dylib /opt/local/lib/libxml2.dylib -lpthread /opt/local/lib/libgtkmm-2.4.dylib /opt/local/lib/libgiomm-2.4.dylib /opt/local/lib/libgdkmm-2.4.dylib /opt/local/lib/libatkmm-1.6.dylib /opt/local/lib/libgtk-x11-2.0.dylib /opt/local/lib/libpangomm-1.4.dylib /opt/local/lib/libcairomm-1.0.dylib /opt/local/lib/libglibmm-2.4.dylib /opt/local/lib/libsigc-2.0.dylib /opt/local/lib/libgdk-x11-2.0.dylib /opt/local/lib/libatk-1.0.dylib /opt/local/lib/libgdk_pixbuf-2.0.dylib /opt/local/lib/libpangocairo-1.0.dylib /opt/local/lib/libgio-2.0.dylib /opt/local/lib/libXinerama.dylib /opt/local/lib/libXi.dylib /opt/local/lib/libXrandr.dylib /opt/local/lib/libXcursor.dylib /opt/local/lib/libXcomposite.dylib /opt/local/lib/libXdamage.dylib /opt/local/lib/libpangoft2-1.0.dylib /opt/local/lib/libXext.dylib /opt/local/lib/libXfixes.dylib /opt/local/lib/libcairo.dylib /opt/local/lib/libpixmap-1.dylib /opt/local/lib/libpng12.dylib /opt/local/lib/libXrender.dylib /opt/local/lib/libX11.dylib /opt/local/lib/libXau.dylib /opt/local/lib/libXdmcp.dylib /opt/local/lib/libpango-1.0.dylib -lm /opt/local/lib/libfontconfig.dylib /opt/local/lib/libexpat.dylib /opt/local/lib/libfreetype.dylib -lz /opt/local/lib/libgobject-2.0.dylib /opt/local/lib/libgmodule-2.0.dylib /opt/local/lib/libgthread-2.0.dylib /opt/local/lib/libglib-2.0.dylib /opt/local/lib/libintl.dylib -lc /opt/local/lib/libiconv.dylib -framework Carbon

make[3]: Nothing to be done for `all-am'.

Making all in images

synfig -q installer_logo.sif -o installer_logo.png --time 0

synfig(61607) [12:13:12] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg

synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)


```
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61607) [12:13:13] información: target name not specified - using png
echo "   File \"images\\installer_logo.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\installer_logo.png\" >>./unimages.nsh
synfig -q installer_logo.osx.sif -o installer_logo.osx.png --time 0
synfig(61610) [12:13:13] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61610) [12:13:13] información: target name not specified - using png
echo "   File \"images\\installer_logo_osx.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\installer_logo_osx.png\" >>./unimages.nsh
synfig -q mirror_icon.sif -o mirror_icon.png --time 0
synfig(61613) [12:13:14] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61613) [12:13:14] información: target name not specified - using png
echo "   File \"images\\mirror_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\mirror_icon.png\" >>./unimages.nsh
synfig -q time_icon.sif -o time_icon.png --time 0
synfig(61616) [12:13:15] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61616) [12:13:15] información: target name not specified - using png
echo "   File \"images\\time_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\time_icon.png\" >>./unimages.nsh
synfig -q time_track_icon.sif -o time_track_icon.png --time 0
synfig(61619) [12:13:15] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
```

```

synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61619) [12:13:15] información: target name not specified - using png
echo " File \"images\\time_track_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\time_track_icon.png\" " >>./unimages.
nsh
synfig -q curves_icon.sif -o curves_icon.png --time 0
synfig(61622) [12:13:15] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61622) [12:13:15] información: target name not specified - using png
echo " File \"images\\curves_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\curves_icon.png\" " >>./unimages.nsh
synfig -q pastecanvas_icon.sif -o pastecanvas_icon.png --time 0
synfig(61625) [12:13:15] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61625) [12:13:15] información: target name not specified - using png
echo " File \"images\\pastecanvas_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\pastecanvas_icon.png\" " >>./unimages
.nsh
synfig -q group_icon.sif -o group_icon.png --time 0
synfig(61628) [12:13:15] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61628) [12:13:15] información: target name not specified - using png
echo " File \"images\\group_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\group_icon.png\" " >>./unimages.nsh
synfig -q clear_redo_icon.sif -o clear_redo_icon.png --time 0
synfig(61631) [12:13:15] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)

```

```
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61631) [12:13:15] información: target name not specified - using png
echo "   File \"images\\clear_redo_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\clear_redo_icon.png\" >>./unimages.
nsh
synfig -q clear_undo_icon.sif -o clear_undo_icon.png --time 0
synfig(61634) [12:13:15] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61634) [12:13:15] información: target name not specified - using png
echo "   File \"images\\clear_undo_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\clear_undo_icon.png\" >>./unimages.
nsh
synfig -q navigator_icon.sif -o navigator_icon.png --time 0
synfig(61637) [12:13:15] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61637) [12:13:16] información: target name not specified - using png
echo "   File \"images\\navigator_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\navigator_icon.png\" >>./unimages.n
sh
synfig -q info_icon.sif -o info_icon.png --time 0
synfig(61640) [12:13:16] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61640) [12:13:16] información: target name not specified - using png
echo "   File \"images\\info_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\info_icon.png\" >>./unimages.nsh
synfig -q zoom_icon.sif -o zoom_icon.png --time 0
synfig(61643) [12:13:16] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
```

```

)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61643) [12:13:16] información: target name not specified - using png
echo " File \"images\\zoom_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\zoom_icon.png\" " >>./unimages.nsh
synfig -q meta_data_icon.sif -o meta_data_icon.png --time 0
synfig(61646) [12:13:16] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61646) [12:13:16] información: target name not specified - using png
echo " File \"images\\meta_data_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\meta_data_icon.png\" " >>./unimages.nsh
synfig -q children_icon.sif -o children_icon.png --time 0
synfig(61649) [12:13:16] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61649) [12:13:16] información: target name not specified - using png
echo " File \"images\\children_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\children_icon.png\" " >>./unimages.nsh
synfig -q keyframe_icon.sif -o keyframe_icon.png --time 0
synfig(61652) [12:13:16] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61652) [12:13:16] información: target name not specified - using png
echo " File \"images\\keyframe_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\keyframe_icon.png\" " >>./unimages.nsh
synfig -q reset_colors_icon.sif -o reset_colors_icon.png --time 0
synfig(61655) [12:13:16] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg

```

```
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61655) [12:13:16] información: target name not specified - using png
echo " File \"images\\reset_colors_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\reset_colors_icon.png\" >>./unimage
s.nsh
synfig -q swap_colors_icon.sif -o swap_colors_icon.png --time 0
synfig(61658) [12:13:16] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61658) [12:13:16] información: target name not specified - using png
echo " File \"images\\swap_colors_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\swap_colors_icon.png\" >>./unimages
.nsh
synfig -q rotate_icon.sif -o rotate_icon.png --time 0
synfig(61661) [12:13:16] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61661) [12:13:16] información: target name not specified - using png
echo " File \"images\\rotate_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\rotate_icon.png\" >>./unimages.nsh
synfig -q scale_icon.sif -o scale_icon.png --time 0
synfig(61664) [12:13:16] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61664) [12:13:16] información: target name not specified - using png
echo " File \"images\\scale_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\scale_icon.png\" >>./unimages.nsh
synfig -q smooth_move_icon.sif -o smooth_move_icon.png --time 0
synfig(61667) [12:13:17] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
```

```
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61667) [12:13:17] información: target name not specified - using png
echo " File \"images\\smooth_move_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\smooth_move_icon.png\" >>./unimages
.nsh
synfig -q width_icon.sif -o width_icon.png --time 0
synfig(61670) [12:13:17] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61670) [12:13:17] información: target name not specified - using png
echo " File \"images\\width_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\width_icon.png\" >>./unimages.nsh
synfig -q rectangle_icon.sif -o rectangle_icon.png --time 0
synfig(61673) [12:13:17] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61673) [12:13:17] información: target name not specified - using png
echo " File \"images\\rectangle_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\rectangle_icon.png\" >>./unimages.n
sh
synfig -q circle_icon.sif -o circle_icon.png --time 0
synfig(61676) [12:13:17] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61676) [12:13:17] información: target name not specified - using png
echo " File \"images\\circle_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\circle_icon.png\" >>./unimages.nsh
synfig -q draw_icon.sif -o draw_icon.png --time 0
synfig(61679) [12:13:17] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
```

```
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61679) [12:13:17] información: target name not specified - using png
echo "   File \"images\\draw_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmap\\draw_icon.png\" >>./unimages.nsh
synfig -q sketch_icon.sif -o sketch_icon.png --time 0
synfig(61682) [12:13:17] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61682) [12:13:17] información: target name not specified - using png
echo "   File \"images\\sketch_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmap\\sketch_icon.png\" >>./unimages.nsh
synfig -q fill_icon.sif -o fill_icon.png --time 0
synfig(61685) [12:13:17] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61685) [12:13:17] información: target name not specified - using png
echo "   File \"images\\fill_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmap\\fill_icon.png\" >>./unimages.nsh
synfig -q normal_icon.sif -o normal_icon.png --time 0
synfig(61688) [12:13:17] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61688) [12:13:17] información: target name not specified - using png
echo "   File \"images\\normal_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmap\\normal_icon.png\" >>./unimages.nsh
synfig -q select_all_child_layers_icon.sif -o select_all_child_layers_icon.png -
-time 0
synfig(61691) [12:13:17] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
```

```

)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61691) [12:13:18] información: target name not specified - using png
echo " File \"images\\select_all_child_layers_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\select_all_child_layers_icon.png\"
>>./unimages.nsh
synfig -q sif_icon.sif -o sif_icon.png --time 0
synfig(61694) [12:13:18] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61694) [12:13:18] información: target name not specified - using png
echo " File \"images\\sif_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\sif_icon.png\" >>./unimages.nsh
synfig -q synfig_icon.sif -o synfig_icon.png --time 0
synfig(61697) [12:13:18] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61697) [12:13:18] información: target name not specified - using png
echo " File \"images\\synfig_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\synfig_icon.png\" >>./unimages.nsh
synfig -q saveall_icon.sif -o saveall_icon.png --time 0
synfig(61700) [12:13:18] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61700) [12:13:18] información: target name not specified - using png
echo " File \"images\\saveall_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\saveall_icon.png\" >>./unimages.nsh
synfig -q bool_icon.sif -o bool_icon.png --time 0
synfig(61703) [12:13:18] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)

```



```
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61703) [12:13:18] información: target name not specified - using png
echo " File \"images\\bool_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\bool_icon.png\" >>./unimages.nsh
synfig -q integer_icon.sif -o integer_icon.png --time 0
synfig(61706) [12:13:19] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61706) [12:13:19] información: target name not specified - using png
echo " File \"images\\integer_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\integer_icon.png\" >>./unimages.nsh
synfig -q angle_icon.sif -o angle_icon.png --time 0
synfig(61709) [12:13:19] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61709) [12:13:19] información: target name not specified - using png
echo " File \"images\\angle_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\angle_icon.png\" >>./unimages.nsh
synfig -q segment_icon.sif -o segment_icon.png --time 0
synfig(61712) [12:13:19] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61712) [12:13:19] información: target name not specified - using png
echo " File \"images\\segment_icon.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\segment_icon.png\" >>./unimages.nsh
synfig -q blinepoint_icon.sif -o blinepoint_icon.png --time 0
synfig(61715) [12:13:19] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
```

```
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61715) [12:13:19] información: target name not specified - using png
echo "   File \"images\\blinepoint_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\blinepoint_icon.png\" >>./unimages.
nsh
synfig -q list_icon.sif -o list_icon.png --time 0
synfig(61718) [12:13:19] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61718) [12:13:19] información: target name not specified - using png
echo "   File \"images\\list_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\list_icon.png\" >>./unimages.nsh
synfig -q canvas_pointer_icon.sif -o canvas_pointer_icon.png --time 0
synfig(61721) [12:13:19] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61721) [12:13:19] información: target name not specified - using png
echo "   File \"images\\canvas_pointer_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\canvas_pointer_icon.png\" >>./unima
ges.nsh
synfig -q string_icon.sif -o string_icon.png --time 0
synfig(61724) [12:13:19] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61724) [12:13:19] información: target name not specified - using png
echo "   File \"images\\string_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\string_icon.png\" >>./unimages.nsh
synfig -q eyedrop_icon.sif -o eyedrop_icon.png --time 0
synfig(61727) [12:13:19] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
```

```
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61727) [12:13:19] información: target name not specified - using png
echo " File \"images\\eyedrop_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\eyedrop_icon.png\" " >>./unimages.nsh
synfig -q about_icon.sif -o about_icon.png --time 0
synfig(61730) [12:13:19] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61730) [12:13:19] información: target name not specified - using png
echo " File \"images\\about_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\about_icon.png\" " >>./unimages.nsh
synfig -q splash_screen.sifz -o splash_screen.png --time 0
synfig(61733) [12:13:19] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61733) [12:13:24] información: target name not specified - using png
echo " File \"images\\splash_screen.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\splash_screen.png\" " >>./unimages.nsh
h
synfig -q canvas_icon.sif -o canvas_icon.png --time 0
synfig(61736) [12:13:25] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61736) [12:13:25] información: target name not specified - using png
echo " File \"images\\canvas_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\canvas_icon.png\" " >>./unimages.nsh
synfig -q vector_icon.sif -o vector_icon.png --time 0
synfig(61739) [12:13:25] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
```

```
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61739) [12:13:25] información: target name not specified - using png
echo " File \"images\\vector_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\vector_icon.png\" " >>./unimages.nsh
synfig -q real_icon.sif -o real_icon.png --time 0
synfig(61742) [12:13:25] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61742) [12:13:26] información: target name not specified - using png
echo " File \"images\\real_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\real_icon.png\" " >>./unimages.nsh
synfig -q color_icon.sif -o color_icon.png --time 0
synfig(61745) [12:13:26] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61745) [12:13:26] información: target name not specified - using png
echo " File \"images\\color_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\color_icon.png\" " >>./unimages.nsh
synfig -q valuenode_icon.sif -o valuenode_icon.png --time 0
synfig(61748) [12:13:26] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61748) [12:13:26] información: target name not specified - using png
echo " File \"images\\valuenode_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmap\\valuenode_icon.png\" " >>./unimages.nsh
sh
synfig -q polygon_icon.sif -o polygon_icon.png --time 0
synfig(61751) [12:13:26] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
```

```

synfig(61751) [12:13:26] información: target name not specified - using png
echo "   File \"images\\polygon_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmap\\polygon_icon.png\" >>./unimages.nsh
synfig -q bline_icon.sif -o bline_icon.png --time 0
synfig(61754) [12:13:26] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61754) [12:13:26] información: target name not specified - using png
echo "   File \"images\\bline_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmap\\bline_icon.png\" >>./unimages.nsh
synfig -q layer_icon.sif -o layer_icon.png --time 0
synfig(61757) [12:13:26] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61757) [12:13:26] información: target name not specified - using png
echo "   File \"images\\layer_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmap\\layer_icon.png\" >>./unimages.nsh
synfig -q duplicate_icon.sif -o duplicate_icon.png --time 0
synfig(61760) [12:13:26] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61760) [12:13:26] información: target name not specified - using png
echo "   File \"images\\duplicate_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmap\\duplicate_icon.png\" >>./unimages.n
sh
synfig -q encapsulate_icon.sif -o encapsulate_icon.png --time 0
synfig(61763) [12:13:26] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61763) [12:13:26] información: target name not specified - using png

```

```

echo "   File \"images\\encapsulate_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmap\\encapsulate_icon.png\" >>./unimages
.nsh
synfig -q gradient_icon.sif -o gradient_icon.png --time 0
synfig(61766) [12:13:26] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61766) [12:13:26] información: target name not specified - using png
echo "   File \"images\\gradient_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmap\\gradient_icon.png\" >>./unimages.ns
h
synfig -q keyframe_lock_icon.sif -o keyframe_lock_all.png --time 0
synfig(61769) [12:13:26] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61769) [12:13:27] información: target name not specified - using png
echo "   File \"images\\keyframe_lock_all.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmap\\keyframe_lock_all.png\" >>./unimage
s.nsh
synfig -q keyframe_lock_icon.sif -o keyframe_lock_past.png --time 0 -c PastOnly
synfig(61772) [12:13:27] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61772) [12:13:27] información: target name not specified - using png
echo "   File \"images\\keyframe_lock_past.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmap\\keyframe_lock_past.png\" >>./unimag
es.nsh
synfig -q keyframe_lock_icon.sif -o keyframe_lock_future.png --time 0 -c Future0
nly
synfig(61775) [12:13:27] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)

```

```
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61775) [12:13:27] información: target name not specified - using png
echo "   File \"images\\keyframe_lock_future.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\keyframe_lock_future.png\" >>./unimages.nsh
synfig -q keyframe_lock_icon.sif -o keyframe_lock_none.png --time 0 -c Disabled
synfig(61778) [12:13:27] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61778) [12:13:27] información: target name not specified - using png
echo "   File \"images\\keyframe_lock_none.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\keyframe_lock_none.png\" >>./unimages.nsh
synfig -q rename_icon.sif -o rename_icon.png --time 0
synfig(61781) [12:13:27] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61781) [12:13:27] información: target name not specified - using png
echo "   File \"images\\rename_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\rename_icon.png\" >>./unimages.nsh
synfig -q plant_icon.sif -o plant_icon.png --time 0
synfig(61784) [12:13:27] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61784) [12:13:27] información: target name not specified - using png
echo "   File \"images\\plant_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\plant_icon.png\" >>./unimages.nsh
synfig -q text_icon.sif -o text_icon.png --time 0
synfig(61788) [12:13:27] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
```

```
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61788) [12:13:27] información: target name not specified - using png
echo " File \"images\\text_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\text_icon.png\" " >>./unimages.nsh
synfig -q polyline_icon.sif -o polyline_icon.png --time 0
synfig(61791) [12:13:27] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61791) [12:13:28] información: target name not specified - using png
echo " File \"images\\polyline_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\polyline_icon.png\" " >>./unimages.nsh
synfig -q star_icon.sif -o star_icon.png --time 0
synfig(61794) [12:13:28] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61794) [12:13:28] información: target name not specified - using png
echo " File \"images\\star_icon.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\star_icon.png\" " >>./unimages.nsh
synfig -q set_fill_color.sif -o set_fill_color.png --time 0
synfig(61797) [12:13:28] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61797) [12:13:28] información: target name not specified - using png
echo " File \"images\\set_fill_color.png\" " >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\set_fill_color.png\" " >>./unimages.nsh
synfig -q set_outline_color.sif -o set_outline_color.png --time 0
synfig(61800) [12:13:28] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
```



```
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61800) [12:13:28] información: target name not specified - using png
echo " File \"images\\set_outline_color.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\set_outline_color.png\" >>./unimage
s.nsh
synfig -q seek_begin.sif -o seek_begin.png --time 0
synfig(61803) [12:13:28] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61803) [12:13:28] información: target name not specified - using png
echo " File \"images\\seek_begin.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\seek_begin.png\" >>./unimages.nsh
synfig -q seek_end.sif -o seek_end.png --time 0
synfig(61806) [12:13:28] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61806) [12:13:28] información: target name not specified - using png
echo " File \"images\\seek_end.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\seek_end.png\" >>./unimages.nsh
synfig -q seek_next_frame.sif -o seek_next_frame.png --time 0
synfig(61809) [12:13:28] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61809) [12:13:28] información: target name not specified - using png
echo " File \"images\\seek_next_frame.png\" >>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\seek_next_frame.png\" >>./unimages.
nsh
synfig -q seek_prev_frame.sif -o seek_prev_frame.png --time 0
synfig(61812) [12:13:28] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
```

```
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61812) [12:13:28] información: target name not specified - using png
echo "   File \"images\\seek_prev_frame.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\seek_prev_frame.png\" >>./unimages.
nsh
synfig -q duck_position_icon.sif -o duck_position_icon.png --time 0
synfig(61815) [12:13:28] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61815) [12:13:28] información: target name not specified - using png
echo "   File \"images\\duck_position_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\duck_position_icon.png\" >>./unimag
es.nsh
synfig -q duck_vertex_icon.sif -o duck_vertex_icon.png --time 0
synfig(61818) [12:13:28] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61818) [12:13:28] información: target name not specified - using png
echo "   File \"images\\duck_vertex_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\duck_vertex_icon.png\" >>./unimages
.nsh
synfig -q duck_tangent_icon.sif -o duck_tangent_icon.png --time 0
synfig(61821) [12:13:28] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61821) [12:13:28] información: target name not specified - using png
echo "   File \"images\\duck_tangent_icon.png\" >>./images.nsh
echo "   Delete \"\\$INSTDIR\\share\\pixmaps\\duck_tangent_icon.png\" >>./unimage
s.nsh
synfig -q duck_radius_icon.sif -o duck_radius_icon.png --time 0
synfig(61824) [12:13:29] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
```

```
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61824) [12:13:29] información: target name not specified - using png
echo " File \"images\\duck_radius_icon.png\">>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\duck_radius_icon.png\">>./unimages
.nsh
synfig -q duck_width_icon.sif -o duck_width_icon.png --time 0
synfig(61827) [12:13:29] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61827) [12:13:29] información: target name not specified - using png
echo " File \"images\\duck_width_icon.png\">>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\duck_width_icon.png\">>./unimages.
nsh
synfig -q duck_angle_icon.sif -o duck_angle_icon.png --time 0
synfig(61830) [12:13:29] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61830) [12:13:29] información: target name not specified - using png
echo " File \"images\\duck_angle_icon.png\">>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\duck_angle_icon.png\">>./unimages.
nsh
synfig -q show_grid_icon.sif -o show_grid_icon.png --time 0
synfig(61833) [12:13:29] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61833) [12:13:29] información: target name not specified - using png
echo " File \"images\\show_grid_icon.png\">>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\show_grid_icon.png\">>./unimages.n
sh
synfig -q snap_grid_icon.sif -o snap_grid_icon.png --time 0
synfig(61836) [12:13:29] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
```

```
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61836) [12:13:29] información: target name not specified - using png
echo " File \"images\\snap_grid_icon.png\">>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\snap_grid_icon.png\">>./unimages.nsh
synfig -q onion_skin_icon.sif -o onion_skin_icon.png --time 0
synfig(61839) [12:13:29] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61839) [12:13:29] información: target name not specified - using png
echo " File \"images\\onion_skin_icon.png\">>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\onion_skin_icon.png\">>./unimages.nsh
synfig -q incr_resolution_icon.sif -o incr_resolution_icon.png --time 0
synfig(61842) [12:13:29] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61842) [12:13:29] información: target name not specified - using png
echo " File \"images\\incr_resolution_icon.png\">>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\incr_resolution_icon.png\">>./unimages.nsh
synfig -q decr_resolution_icon.sif -o decr_resolution_icon.png --time 0
synfig(61845) [12:13:29] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61845) [12:13:29] información: target name not specified - using png
echo " File \"images\\decr_resolution_icon.png\">>./images.nsh
echo " Delete \"\\$INSTDIR\\share\\pixmaps\\decr_resolution_icon.png\">>./unimages.nsh
synfig -q render_options_icon.sif -o render_options_icon.png --time 0
```

```

synfig(61848) [12:13:29] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61848) [12:13:29] información: target name not specified - using png
echo " File \"images\\render_options_icon.png\" >>./images.nsh
echo " Delete \"\$INSTDIR\\share\\pixmaps\\render_options_icon.png\" >>./unimages.nsh
synfig -q preview_options_icon.sif -o preview_options_icon.png --time 0
synfig(61851) [12:13:29] información: Cargando módulos desde /opt/synfig/etc/synfig_modules.cfg
synfig: precaución: Imposible encontrar módulo "mod_imagemagick" (file not found)
)
synfig: precaución: Imposible encontrar módulo "mod_magickpp" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_mng" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_openexr" (file not found)
synfig: precaución: Imposible encontrar módulo "mod_libavcodec" (file not found)
synfig(61851) [12:13:30] información: target name not specified - using png
echo " File \"images\\preview_options_icon.png\" >>./images.nsh
echo " Delete \"\$INSTDIR\\share\\pixmaps\\preview_options_icon.png\" >>./unimages.nsh
Making all in po
make[2]: Nothing to be done for `all'.
imac-de-rafa-y-maria-bardisa-quintero:synfigstudio rafaymaria$ sudo make install
Password:
Making install in build_tools
sh ./autorevision.sh ".." ".."
make[2]: Nothing to be done for `install-exec-am'.
make[2]: Nothing to be done for `install-data-am'.
Making install in src
Making install in synfigapp
test -z "/opt/synfig/lib" || ../../config/install-sh -c -d "/opt/synfig/lib"
/bin/sh ../../libtool --mode=install /usr/bin/install -c libsynfigapp.la '/opt/synfig/lib'
libtool: install: /usr/bin/install -c .libs/libsynfigapp.0.dylib /opt/synfig/lib/libsynfigapp.0.dylib
libtool: install: (cd /opt/synfig/lib && { ln -s -f libsynfigapp.0.dylib libsynfigapp.dylib || { rm -f libsynfigapp.dylib && ln -s libsynfigapp.0.dylib libsynfigapp.dylib; }; })
libtool: install: /usr/bin/install -c .libs/libsynfigapp.lai /opt/synfig/lib/libsynfigapp.la
-----
Libraries have been installed in:
/opt/synfig/lib

```

If you ever happen to want to link against installed libraries

in a given directory, LIBDIR, you must either use libtool, and specify the full pathname of the library, or use the '-LLIBDIR' flag during linking and do at least one of the following:

- add LIBDIR to the 'DYLD_LIBRARY_PATH' environment variable during execution

See any operating system documentation about shared libraries for more information, such as the ld(1) and ld.so(8) manual pages.

```
-----
test -z "/opt/synfig/include/synfigapp-0.0/synfigapp" || ../../config/install-sh
-c -d "/opt/synfig/include/synfigapp-0.0/synfigapp"
/usr/bin/install -c -m 644 editmode.h selectionmanager.h actions/activepointadd
.h actions/activepointremove.h actions/activepointset.h actions/activepointsetof
f.h actions/activepointseton.h actions/activepointsetsmart.h actions/activepoint
simpleadd.h actions/canvasadd.h actions/canvasdescriptionset.h actions/canvasids
et.h actions/canvasnameset.h actions/canvasremove.h actions/canvasrenddescset.h
actions/groupaddlayers.h actions/groupremove.h actions/groupremovelayers.h actio
ns/grouprename.h actions/keyframeadd.h actions/keyframeduplicate.h actions/keyfr
amerremove.h actions/keyframeset.h actions/keyframesetdelta.h actions/keyframeway
pointset.h actions/layeractivate.h actions/layeradd.h actions/layerduplicate.h a
ctions/layerencapsulate.h actions/layerlower.h actions/layermove.h actions/layer
paramconnect.h actions/layerparamdisconnect.h actions/layerparamset.h actions/la
yerraise.h actions/layerremove.h actions/layersetdesc.h actions/blinepointtangen
tmerge.h actions/blinepointtangentsplit.h actions/colorset.h '/opt/synfig/includ
e/synfigapp-0.0/synfigapp'
/usr/bin/install -c -m 644 actions/editmodeset.h actions/gradientset.h actions/
timepointscopy.h actions/timepointsdelete.h actions/timepointsmove.h timegather.
h actions/valuedescconnect.h actions/valuedescconvert.h actions/valuedescdisconn
ect.h actions/valuedescexport.h actions/valuedesclink.h actions/valuedescblineli
nk.h actions/valuedescset.h actions/valuenodeadd.h actions/valuenodeconstset.h a
ctions/valuenodedynamiclistinsert.h actions/valuenodedynamiclistinsertsmart.h ac
tions/valuenodedynamiclistloop.h actions/valuenodedynamiclistremove.h actions/va
luenodedynamiclistremovesmart.h actions/valuenodedynamiclistrotateorder.h action
s/valuenodedynamiclistunloop.h actions/valuenodelinkconnect.h actions/valuenodel
inkdisconnect.h actions/valuenoderemove.h actions/valuenoderename.h actions/valu
enodereplace.h actions/waypointadd.h actions/waypointremove.h actions/waypointse
t.h actions/waypointsetsmart.h actions/waypointsimpleadd.h actions/waypointconne
ct.h actions/waypointdisconnect.h action.h action_param.h action_system.h blinec
onvert.h canvasinterface.h cvs.h '/opt/synfig/include/synfigapp-0.0/synfigapp'
/usr/bin/install -c -m 644 inputdevice.h instance.h main.h settings.h uimanager
.h value_desc.h general.h '/opt/synfig/include/synfigapp-0.0/synfigapp'
Making install in gtkmm
test -z "/opt/synfig/bin" || ../../config/install-sh -c -d "/opt/synfig/bin"
/bin/sh ../../libtool --mode=install /usr/bin/install -c synfigstudio '/opt/
synfig/bin'
libtool: install: /usr/bin/install -c .libs/synfigstudio /opt/synfig/bin/synfigs
tudio
make[3]: Nothing to be done for `install-data-am'.
make[3]: Nothing to be done for `install-exec-am'.
make[3]: Nothing to be done for `install-data-am'.
```

Making install in images

make[2]: Nothing to be done for `install-exec-am'.

test -z "" || ../config/install-sh -c -d ""

test -z "" || ../config/install-sh -c -d ""

test -z "" || ../config/install-sh -c -d ""

test -z "" || ../config/install-sh -c -d ""

test -z "" || ../config/install-sh -c -d ""

test -z "" || ../config/install-sh -c -d ""

test -z "" || ../config/install-sh -c -d ""

test -z "" || ../config/install-sh -c -d ""

test -z "/opt/synfig/share/pixmaps/synfigstudio" || ../config/install-sh -c -d "
/opt/synfig/share/pixmaps/synfigstudio"

/usr/bin/install -c -m 644 installer_logo.png installer_logo_osx.png mirror_ico
n.png time_icon.png time_track_icon.png curves_icon.png pastecanvas_icon.png gro
up_icon.png clear_redo_icon.png clear_undo_icon.png navigator_icon.png info_icon
.png zoom_icon.png meta_data_icon.png children_icon.png keyframe_icon.png reset_
colors_icon.png swap_colors_icon.png rotate_icon.png scale_icon.png smooth_move_
icon.png width_icon.png rectangle_icon.png circle_icon.png draw_icon.png sketch_
icon.png fill_icon.png normal_icon.png select_all_child_layers_icon.png sif_icon
.png synfig_icon.png saveall_icon.png bool_icon.png integer_icon.png angle_icon.
png segment_icon.png blinepoint_icon.png list_icon.png canvas_pointer_icon.png s
tring_icon.png '/opt/synfig/share/pixmaps/synfigstudio'

/usr/bin/install -c -m 644 eyedrop_icon.png about_icon.png splash_screen.png ca
nvas_icon.png vector_icon.png real_icon.png color_icon.png valuenode_icon.png po
lygon_icon.png bline_icon.png layer_icon.png duplicate_icon.png encapsulate_icon
.png gradient_icon.png keyframe_lock_all.png keyframe_lock_past.png keyframe_loc
k_future.png keyframe_lock_none.png rename_icon.png plant_icon.png text_icon.png
polyline_icon.png star_icon.png set_fill_color.png set_outline_color.png seek_b
egin.png seek_end.png seek_next_frame.png seek_prev_frame.png duck_position_icon
.png duck_vertex_icon.png duck_tangent_icon.png duck_radius_icon.png duck_width_
icon.png duck_angle_icon.png show_grid_icon.png snap_grid_icon.png onion_skin_ic
on.png incr_resolution_icon.png decr_resolution_icon.png '/opt/synfig/share/pixm
aps/synfigstudio'

/usr/bin/install -c -m 644 render_options_icon.png preview_options_icon.png '/o
pt/synfig/share/pixmaps/synfigstudio'

Making install in po

../config/install-sh -c -d /opt/synfig/share

installing ca.gmo as /opt/synfig/share/locale/ca/LC_MESSAGES/synfigstudio.mo

installing fr.gmo as /opt/synfig/share/locale/fr/LC_MESSAGES/synfigstudio.mo

installing es.gmo as /opt/synfig/share/locale/es/LC_MESSAGES/synfigstudio.mo

installing ru.gmo as /opt/synfig/share/locale/ru/LC_MESSAGES/synfigstudio.mo

if test "synfigstudio" = "gettext-tools"; then \

../config/install-sh -c -d /opt/synfig/share/gettext/po; \

for file in Makefile.in.in remove-potcddate.sin quot.sed boldquot.sed e
n@quot.header en@boldquot.header insert-header.sin Rules-quot Makevars.templat
e; do \

/usr/bin/install -c -m 644 ./ \$file \

/opt/synfig/share/gettext/po/\$file; \

done; \

for file in Makevars; do \

```

        rm -f /opt/synfig/share/gettext/po/$file; \
    done; \
else \
: ; \
fi
make[2]: Nothing to be done for `install-exec-am'.
test -z "/opt/synfig/share/applications" || config/install-sh -c -d "/opt/synfig
/share/applications"
/usr/bin/install -c -m 644 synfigstudio.desktop '/opt/synfig/share/applications
'
test -z "/opt/synfig/share/pixmaps" || config/install-sh -c -d "/opt/synfig/shar
e/pixmaps"
/usr/bin/install -c -m 644 images/synfig_icon.png images/sif_icon.png '/opt/syn
fig/share/pixmaps'
test -z "/opt/synfig/share/mime-info" || config/install-sh -c -d "/opt/synfig/sh
are/mime-info"
/usr/bin/install -c -m 644 synfigstudio.keys synfigstudio.mime '/opt/synfig/sha
re/mime-info'
imac-de-rafa-y-maria-bardisa-quintero:synfigstudio rafaymaria$ cd
imac-de-rafa-y-maria-bardisa-quintero:~ rafaymaria$ synfigstudio

```

Synfig Studio: iniciando aplicación...

```

Xlib: extension "RANDR" missing on display "/tmp/launch-HQSz1M/:0".
synfig(62150) [12:22:43] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
The application 'synfigstudio' lost its connection to the display /tmp/launch-HQ
Sz1M/:0;
most likely the X server was shut down or you killed/destroyed
the application.
synfig(62150) [12:24:58] error: 31 ducks not yet deleted!
synfig(62150) [12:24:58] información: DockManager::unregister_dockable(): "pal_e
dit" has been Unregistered
synfig(62150) [12:24:58] error: 2 layers not yet deleted!
synfig(62150) [12:24:58] error: 1 canvases not yet deleted!
imac-de-rafa-y-maria-bardisa-quintero:~ rafaymaria$ /opt/synfig/bin/synfigstudio

```

Synfig Studio: iniciando aplicación...

```

Xlib: extension "RANDR" missing on display "/tmp/launch-HQSz1M/:0".
synfig(62363) [12:25:55] información: Cargando módulos desde /opt/synfig/etc/syn
fig_modules.cfg
The application 'synfigstudio' lost its connection to the display /tmp/launch-HQ
Sz1M/:0;
most likely the X server was shut down or you killed/destroyed
the application.
synfig(62363) [12:26:28] error: 22 ducks not yet deleted!
synfig(62363) [12:26:28] información: DockManager::unregister_dockable(): "pal_e
dit" has been Unregistered
synfig(62363) [12:26:28] error: 1 canvases not yet deleted!

```



```
imac-de-rafa-y-maria-bardisa-quintero:~ rafaymaria$
```